



AN ROINN SLÁINTE

TUARASCÁIL

AR

STADREAMH BEATHA

REPORT

ON

VITAL STATISTICS

1954

COMPILED BY THE CENTRAL STATISTICS OFFICE

PUBLISHED BY THE STATIONERY OFFICE

To be purchased from the
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN,
or through any Bookseller.

1957

Price : Seven Shillings and Sixpence.

CONTENTS

PART I - TEXT AND DIAGRAMS

	Page
GENERAL SUMMARY	
Marriages, Births, Deaths and Population	vi
MARRIAGES:	
Number and rate	viii
Mode of celebration	viii
Rates for counties	ix
Age of marriage	ix
BIRTHS:	
Number and rate	x
Rates by counties, etc.	xi
Illegitimate births	xiv
Sex ratio	xiv
Multiple births	xv
Late registrations	xv
DEATHS:	
Number and rate	xv
Rates by counties	xvii
Causes of death	
General observations	xix
Principal causes	xx
Tuberculosis	xxiii
Cancer	xxvii
Heart diseases	xxxiii
Respiratory diseases	xxxiii
Pregnancy, childbirth and the puerperium	xxxiii
Infant mortality	xxxiv
Accidents, poisonings and violence	xl
Uncertified deaths	xl
Inquests and post mortems	xli
<hr/>	
Diagram I. Birth, Marriage and Death rates (per 1,000 population), 1938-1953	vii
" II. Standardised death rate (per 1,000 population) from all causes, 1953, by counties	xviii
" III. Death rate (per 1,000 population) from tuberculosis and cancer, 1938-1953	xxvi
" IV. Infant and neo-natal mortality (per 1,000 live births), 1938-1953	xxxv

PART II - TABLES

Contents	Area	Title	Page
Population	State	Table 1. Estimated population in thousands at the middle of each year, 1851 to 1954.	2
Population by age	State	Table 2. Total population by sex and age in 1951	3
Population	Counties	Table 3. Population by sex in each county and county borough in 1951	4
Marriages, Births, Deaths, 1864-1954	State	Table 4. Marriages, Births and Deaths registered and natural increase (excess of births over deaths) 1864-1954	5
Marriage, Birth, Death rates, 1864-1954	State	Table 5. Marriage, Birth, Death and infant mortality rates and rate of natural increase, 1864-1954	6
Marriages, Births, Deaths, 1941-1954	State	Table 6. Marriages, Births and Deaths registered during each of the years 1941-1954 with the average annual rates for the ten years 1941-1950 and the rates for each of the years 1951-1954 per 1,000 of the population	7
Deaths by cause, 1921-50	State	Table 7. Average annual number of deaths from principal causes, 1921-1950, with rates per 100,000 population	8
Deaths by principal causes with rates, 1954	State and Six Counties	Table 8. Deaths from principal causes in Ireland and the Six Counties in 1954 with rates per 100,000 population	9
Deaths by age, 1864-1954	State	Table 9. Average annual numbers of deaths of males and females, classified by age, registered during the years 1864-1950, and in each year 1951 to 1954	11
Death rates by age, 1864-1954	State	Table 10. Average annual number of deaths of males and females, classified by age per 1,000 corresponding population 1864-1950, and in each year 1951 to 1954	12
Marriages, Births, Illegitimate Births, Deaths, 1954	Counties	Table 11. Marriages, Births and Deaths classified by sex, registered during 1954 showing illegitimate births and deaths from some principal causes separately in each county and county borough	13
Marriages, Births, Deaths, 1954	Counties	Table 12. Marriages, Births, Deaths and natural increase in 1954 in each county and county borough	14
Marriages, 1954	Counties	Table 13. Marriages registered in each county and county borough during 1954	16
Marriage, Birth, Death and Infant Mortality Rates	Counties	Table 14. Marriage, Birth, Death and Infant Mortality rates in 1954 in each county and county borough, showing also the proportion of illegitimate births and the death rates for some of the principal diseases	18
Births, Deaths and Illegitimate Births	Principal Towns, Agg. U.D's and Agg. R.D's	Table 15. Births and Deaths, classified by sex, registered during 1954, showing illegitimate births and deaths from some of the principal causes separately, in the principal towns and in aggregate urban and aggregate rural districts	19

Contents	Area	Title	Page
Birth, Illegitimate Birth and Death rates, 1954	Principal Towns. Agg. U.D's and Agg. R.D's.	Table 16. Birth and Death rates in 1954 in the principal towns and in aggregate urban and aggregate rural districts, showing also the proportion of illegitimate births and the death rates for some of the principal diseases	20
Deaths by age, 1954	Agg. U.D's and Agg. R.D's	Table 17. Deaths in 1954 at each year of age in the aggregate urban districts and in the aggregate rural districts	21
Deaths by age, 1954	Counties	Table 18. Deaths, classified by sex and age during 1954 for each county and county borough	24
Deaths by cause and age, 1954	State	Table 19. Deaths in 1954, classified by cause (International Detailed List 6th Revision, 1948), and by sex by age	28
Deaths by cause, sex and age, 1954	Dublin C.B., Other U.D's and Agg. R.D's	Table 20. Deaths in 1954 in Dublin County Borough, remaining urban districts and in aggregate rural districts, classified by cause (International Abbreviated List) and by sex and age	60
Deaths by cause, place of occurrence and uncertified, 1954	Counties	Table 21. Deaths in 1954, classified by cause (Abbreviated List as adopted by the Ard Chlaraitheoir) and by sex, place of occurrence and the number of uncertified deaths for each county and county borough	66
Deaths by cause, sex and age, 1954	Counties	Table 22. Deaths in 1954 classified by principal groups of causes, sex and age for each county and county borough	142
Deaths by cause, 1954, Births and Population	Principal Towns, U.D's and R.D's	Table 23. Deaths in 1954 classified by cause (Abbreviated List as adopted by the Ard Chlaraitheoir) and by sex for each urban district and for the aggregate rural districts in each province and showing the numbers of deaths at ages under 1, 1 to 64 years and 65 years and over and the number of births and the population	162
Infant mortality, 1954	State	Table 24. Infant mortality - Total deaths under 1 years of age in 1954 classified by sex, age and principal groups of causes	176
Infant mortality, 1954	Principal Towns, U.D's and R.D's	Table 25. Infant mortality - Deaths at ages under 4 weeks and 4 weeks and under 1 year in 1954 classified by sex and cause for the principal towns, other urban districts and rural districts	178
Infant mortality (Illegitimate Births), 1954	State	Table 26. Infant mortality - Deaths of illegitimate children in 1954 under 1 year of age, classified by sex, age and cause	179
Infant mortality, 1954	Counties	Table 27. Infant mortality - Deaths at ages under 4 weeks and 4 weeks and under 1 year in 1954 classified by sex and cause for each county and county borough	180
Infectious diseases, 1954	Co. Boroughs, U.D's and R.D's	Table 28. Summary of cases of infectious diseases notified to the Department of Health during the year 1954	186
Deaths	State	Appendix Table Deaths in the years 1951 to 1954 classified by cause (International Detailed List 6th Revision) and by sex	190

REPORT ON VITAL STATISTICS FOR THE YEAR 1954

This Report has been prepared by the Central Statistics Office for the Minister for Health in accordance with the provisions of Section 2 of the Vital Statistics and Births, Deaths and Marriages Registration Act, 1952. It follows closely the form of the Reports of the Ard-Chlaraitheoir for earlier years.

The statistics in this Report relate to the area in Ireland exclusive of the Six Counties.

In this Report births have been assigned to the district containing the normal residence of the parents, and deaths to the district containing the normal residence of the deceased. The number of births shown for each of the years 1943 to 1954 is exclusive of late registrations, and the number of deaths for each of the years 1940 to 1954 is exclusive of non-residents.

The important statistics contained in this Report have already been published and the Report consists mainly of a break-down and analysis of these statistics.

GENERAL SUMMARY

Marriages - There were 15,831 marriages registered during the year 1954 compared with 15,888 in 1953. The marriage rate per 1,000 population was 5.4. This rate has been virtually stable since 1948. It is, however, exceptionally low when comparison is made with other countries. The average annual marriage rate in the ten years 1944-53 was 5.5 per 1,000 population.

Births - The number of births registered during 1954 was 62,534 and the birth rate was 21.3 per 1,000 population compared with 21.2 per 1,000 population in 1953. The average annual rate for the ten years 1944-53 was 22.0 per 1,000 population.

The number of illegitimate births registered in 1954 was 1,310 or 2.1 per cent of all births. This proportion is considerably lower than that of 3.1 per cent for the ten years 1944-53.

Deaths - The number of deaths registered during 1954 was 35,535 and the death rate was 12.1 per 1,000 population. The average annual rate for the period 1944-53 was 13.4 per 1,000 population.

Of the deaths registered in 1954, 29.9 per cent were stated to be due to heart disease, 12.9 per cent to malignant neoplasms, 9.8 per cent to vascular lesions affecting the central nervous system and 2.8 per cent to tuberculosis (all forms).

The number of deaths from tuberculosis of all forms was 1,005 and the rate was 0.34 per 1,000 population. This is the lowest rate recorded up to 1954. There has been a considerable decline in the death rate from tuberculosis since 1947, when it was 1.24 per 1,000 population.

There were 4,423 deaths from malignant neoplasms and neoplasms of lymphatic and haematopoietic tissues (excluding Hodgkin's disease and leukaemia and aleukaemia). This total is comparable with that for "cancer" in the 1949 and earlier Reports. The rate in 1954 was 1.51 per 1,000 population compared with 1.47 in 1953.

During 1954 the deaths of 2,364 infants under 1 year were registered, equivalent to a rate of 38 per 1,000 live births. This is the lowest rate recorded.

The total number of deaths from accidents and other external causes in 1954 was 970 of which road vehicle accidents accounted for 260.


Marriage, birth and death rates per 1,000 population for the years 1938 to 1954 are illustrated in Diagram 1.

Issue of Authority for Registration - Births and deaths which have not been registered within 1 year of their occurrence can only be registered on the authority of the Ard-Chlaraitheoir. The number of births registered on the authority of the Ard-Chlaraitheoir in 1954 was 1,290 and the number of deaths registered was 207. Throughout the tables in this Report these births and deaths have been excluded.

Population - The estimated population at mid-1954 was 2,933,000.

Diagram I.

BIRTH MARRIAGE AND DEATH RATES (PER 1000 POPULATION) 1938-1954



MARRIAGES

There were 15,831 marriages registered during the year 1954, this figure being 550 below the average for the ten year period 1944-53. The marriage rate, at 5.4 per 1,000 population in 1954, remained unaltered since 1948 having declined from 5.9 per 1,000 in the years 1945 and 1946. Although below the level attained during the period 1942-46, the marriage rate in the years 1948 to 1954 was appreciably higher than that of pre-war years. By reference to Table 5, page 6 it will be seen that the average marriage rate for the ten years 1931-40 was 4.9 per thousand and, for the ten years 1921-30 4.8 per thousand.

In Table I is shown the number of marriages per 1,000 population since 1938 in Ireland, the Six Counties, England and Wales and Scotland.

TABLE I

NUMBER OF MARRIAGES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1938 TO 1954

Years	Ireland*	Six Counties	England and Wales	Scotland
1938	5.1	6.7	8.8	7.8
1939	5.2	7.1	10.6	9.2
1940	5.1	7.6	11.3	10.7
1941	5.0	9.3	9.4	9.5
1942	5.9	9.0	8.9	9.5
1943	5.9	7.8	7.2	7.6
1944	5.7	7.2	7.1	7.2
1945	5.9	7.9	9.3	9.5
1946	5.9	7.4	9.0	8.9
1947	5.5	7.1	9.3	8.6
1948	5.4	6.9	9.0	8.5
1949	5.4	6.8	8.5	8.1
1950	5.4	6.6	8.2	7.8
1951	5.4	6.8	8.2	8.1
1952	5.4	6.8	8.0	8.0
1953	5.4	6.8	7.8	8.0
1954	5.4	6.6	7.7	8.2

* Exclusive of the Six Counties

The marriage rate in this country is lower than that in the Six Counties, which is, in turn, low by comparison with the rates for England and Wales and Scotland. In these countries the marriage rate also reached a peak in the war years and subsequently tended to decline. As in the case of this country, the marriage rate tended to stabilise in the Six Counties and in Scotland in the years 1948 to 1954 while the England and Wales rate still tended to decline.

Mode of Celebration

The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church registered during 1954 amounted to 15,000 (equal to 94.8 per cent of the total), and other marriages numbered 831. In the year 1954 the number of marriages, other than Catholic, recorded include 582 according to the rites and ceremonies of the Protestant Episcopal Church, 121 in Presbyterian Meeting Houses, 41 in registered buildings belonging to various other religious denominations, 64 by civil contract in the Registrars' Offices and 21 according to Jewish rites.

At the Census of 1946 Catholics represented 94.3 per cent of the population, Protestant Episcopalians 4.2 per cent, Presbyterians 0.8 per cent, Methodists 0.3 per cent and Other Denominations 0.4 per cent.

The number of Catholic marriages recorded during 1954 corresponds to a rate of 5.42 per 1,000 of the estimated Catholic population, a rate which is 0.15 below the average rate for the preceding ten years. The rate for all other marriages in 1954 was 4.95 per 1,000 of all persons other than Catholics in the population or 0.02 above the average for the preceding ten years.

Corresponding rates for each year from 1944 to 1953 are shown in Table II.

TABLE II

MARRIAGES REGISTERED IN 1954 AND IN EACH OF THE PREVIOUS TEN YEARS ACCORDING TO THE MODES OF CELEBRATION, AND THE RATES PER 1,000 POPULATION FOR CATHOLIC AND ALL OTHER MARRIAGES

Years	Marriages registered, other than Catholic							Catholic marriages	Total marriages registered	Rate per 1,000 of estimated corresponding population		
	Protestant Episcopalian	Presbyterian	In Registered Buildings	In Registrars' Offices	Society of Friends	Jews	Total			Catholic marriages	All Other marriages	Total marriages
1944	645	128	49	63	2	3	890	15,882	16,772	5.78	4.58	5.70
1945	632	124	51	57	4	8	876	16,425	17,301	5.96	4.50	5.86
1946	639	108	36	31	1	5	820	16,705	17,525	5.98	4.85	5.91
1947	623	160	58	54	6	10	911	15,379	16,290	5.49	5.38	5.49
1948	559	127	68	50	2	16	822	15,293	16,115	5.41	4.81	5.38
1949	578	105	60	48	2	11	804	15,205	16,009	5.39	4.73	5.36
1950	671	145	64	70	3	16	969	15,049	16,018	5.38	5.70	5.40
1951	570	131	50	63	2	6	822	15,195	16,017	5.44	4.85	5.41
1952	582	147	32	98	2	30	891	14,985	15,876	5.39	5.30	5.38
1953	534	121	46	54	-	15	770	15,118	15,888	5.44	4.58	5.39
Yearly average 1944-53	603	130	51	59	2	12	857	15,524	16,381	5.57	4.93	5.53
1954	582	121	41	64	2	21	831	15,000	15,831	5.42	4.95	5.40

Marriage Rates by Counties and Provinces

The marriage rates in the counties and county boroughs are shown in Table 14. In making comparisons of these marriage rates it must be remembered that the rates are based on the total number of marriages recorded in each area, irrespective of the fact that the persons married may not be residents of the area in which the marriage took place. An examination of the returns of marriages shows that many persons living in the rural portions of the country are married in the county boroughs or other urban areas. This fact accounts in some measure for the high rates for the county boroughs. In 1954 these were, Dublin County Borough 8.63 per 1,000 population, Cork County Borough 10.23, Limerick County Borough 7.73, Waterford County Borough 6.27. The lowest rates were recorded in Mayo County (3.35 per 1,000 population), Dublin County excluding Dun Laoghaire (3.59 per 1,000 population) and Limerick County (3.60 per 1,000 population).

Age at Marriage

The schedules to the Acts relating to marriage indicate that the law does not require that the ages of the contracting parties should be entered in the register or certificate. It is necessary only that each party should be described as of full age or minor, as the case may be, with the result that a complete record of the ages of the persons married is not available.

Particulars of marriages of minors (i.e. persons under 21 years of age) for 1954 and for a number of previous years are given in Table III.

TABLE III
MARRIAGES OF MINORS, 1938 AND 1944-1955

Year	Number of marriages of minors		Marriages of minors per 100 marriages		Marriages of female minors per 100 marriages of male minors
	Males	Females	Males	Females	
1938	203	1,076	1.36	7.22	530
1944	348	1,424	2.07	8.49	409
1945	261	1,330	1.51	7.69	510
1946	204	1,155	1.16	6.59	566
1947	244	1,146	1.50	7.03	470
1948	317	1,372	1.97	8.51	433
1949	229	1,036	1.43	6.47	452
1950	197	1,079	1.23	6.74	548
1951	292	1,368	1.82	8.54	468
1952	291	1,348	1.83	8.49	463
1953	289	1,276	1.82	8.03	442
Annual Average 1944-1953	267	1,253	1.63	7.66	476
1954	294	1,277	1.86	8.07	434

In 1954 eight per cent of the females and less than two per cent of the males married were under 21 years of age. The percentages for 1954 are above the corresponding average for the ten year period 1944-53.

BIRTHS

The total number of births per annum, which averaged 60,400 in the period 1921-30, and 57,100 in the period 1931-40, showed a considerable increase from about 1942, and reached a maximum in the year 1947, during which 69,000 births were registered. The sudden rise in the number of births registered in 1942 was to some extent accounted for by the introduction of rationing, which had the effect of reducing the time-lag between birth and registration. The birth rate for 1942 must, therefore, be considered as somewhat overstated, mainly at the expense of 1943. Since 1947 the annual total of births has tended to decline, and in 1954 the number registered was 62,500. This downward trend, particularly since the year 1949, has however, been very slight, and it would appear that the number of births per annum is tending to stabilise at a level considerably above that of pre-war. Since the population in recent years has been fairly stable, these observations apply also to the birth rate (i.e. number of births per 1,000 population) which was 21.3 in 1954 compared with 21.2 in 1953, 23.2 in 1947 and 19.3 in the ten year period 1931-40.

In Table IV the birth rates in Ireland, the Six Counties, England and Wales and Scotland are compared for the years 1938-54.

TABLE IV

NUMBERS OF BIRTHS IN IRELAND* AND BIRTH RATES PER 1,000 POPULATION IN IRELAND* AND NEIGHBOURING COUNTRIES, 1938 TO 1954

Year	Numbers of births (in thousands) Ireland*	Birth rates per 1,000 population			
		Ireland*	Six Counties	England and Wales	Scotland
1938	56.9	19.4	20.0	15.1	17.7
1939	56.1	19.1	19.5	14.9	17.4
1940	56.6	19.1	19.6	14.6	17.1
1941	56.8	19.0	20.8	14.2	17.9
1942	66.1	22.3	22.8	15.8	18.1
1943	64.4	21.9	24.2	16.2	18.4
1944	65.4	22.2	23.5	17.7	18.5
1945	66.9	22.7	22.0	15.9	16.9
1946	67.9	22.9	22.6	19.2	20.3
1947	69.0	23.2	23.3	20.5	22.0
1948	65.9	22.0	21.9	17.8	19.4
1949	64.2	21.5	21.4	16.7	18.5
1950	63.6	21.4	21.0	15.9	17.9
1951	62.9	21.2	20.7	15.5	17.7
1952	64.6	21.9	20.9	15.3	17.7
1953	62.6	21.2	20.9	15.5	17.8
1954	62.5	21.3	20.8	15.2	18.0

* Exclusive of the Six Counties.

The birth rate in this country is about the same as that in the Six Counties, but is considerably higher than the rates in England and Wales and Scotland. The war-time increase in the birth rate experienced in this country also occurred in the Six Counties, England and Wales and Scotland, although in the more recent years the increase, compared with pre-war, in these countries has not been sustained to the same extent.

Birth Rate by Area

Table V shows the crude birth rates (i.e. total births per 1,000 population) in the provinces and in the aggregate urban and aggregate rural districts, in 1938, and for each year since 1947.

The interesting feature of this table is the tendency towards uniformity in the provincial and in the urban and rural rates. In 1938 the difference between the highest birth rate (23.8 per 1,000 population in Dublin County and County Borough) and the lowest rate (17.3 per 1,000 population in Ulster (part of)) was 6.5; in 1954, however, the corresponding difference was only 3.6. In 1954 the birth rate in Dublin County and County Borough was 1.6 per 1,000 below that in 1938 and the rates in the rest of Leinster and in the other provinces were higher than in 1938. The large increase in the birth rate during the war was practically confined to that part of the country outside Dublin County and County Borough. In 1954 the difference between the urban and rural rate was only 0.6 compared with 4.9 in 1938.

TABLE V

BIRTH RATES PER 1,000 POPULATION IN THE PROVINCES AND IN THE URBAN AND RURAL DISTRICTS, 1938 AND 1947 TO 1954

Area	1938	1947	1948	1949	1950	1951	1952	1953	1954
Dublin Co. Borough and County	23.8	25.5	24.9	24.2	22.6	22.8	24.1	22.8	22.2
Rest of Leinster	18.9	24.8	23.4	22.9	22.1	22.3	22.9	22.4	22.4
Munster	18.0	22.7	21.6	21.0	21.0	20.8	21.4	20.6	21.2
Connacht	17.4	20.9	20.0	19.4	20.2	19.4	19.3	19.8	20.0
Ulster (part of)	17.3	21.4	20.4	19.7	20.1	19.2	19.0	18.9	18.6
TOTAL	19.4	23.2	22.0	21.5	21.4	21.2	21.9	21.2	21.3
All county boroughs and urban districts	22.7	25.9	24.7	23.8	21.9	21.7	22.2	21.7	21.7
All rural districts	17.8	22.0	21.1	20.7	21.1	21.0	21.6	21.0	21.1

EXPRESSED AS A PERCENTAGE OF THE BIRTH RATE IN THE STATE

Dublin Co. Borough and County	123	110	113	113	106	108	110	108	104
Rest of Leinster	97	107	106	107	103	105	105	106	105
Munster	93	98	98	98	98	98	98	97	100
Connacht	90	90	91	90	94	92	88	93	94
Ulster (part of)	89	92	93	92	94	91	87	89	87
TOTAL	100	100	100	100	100	100	100	100	100
All county boroughs and urban districts	117	112	112	111	102	102	101	102	102
All rural districts	92	95	96	96	99	99	99	99	99

The crude birth rates for the counties and county boroughs in 1954 are shown in Table VI. They range from 16.0 per 1,000 population in Leitrim to 27.5 in Limerick County Borough.

The crude birth rate is higher in Leinster and Munster than it is in the counties of the west and north west. On account, however, of the large volume of migration of young women to the larger towns the total births per 1,000 women aged 15-44 is lower in the county boroughs of Dublin and Cork than in the counties of Connacht and Ulster. Birth rates depend on the proportions of women at the reproductive ages, their age distribution and the proportion married, as well as on the fertility of married women. In Table VI the crude and standardised fertility rates of married women are shown. Standardisation eliminates the effect of variation in the fertility rates on account of different age distributions of the married women in the local areas. It will be seen that the standardised fertility rates give a very different picture of the fertility in different areas to that which would be derived from the crude rates alone. The standardised rate (number of births per 1,000 married women) is highest in the counties of Galway, Tipperary N.R. and Kerry and lowest in Dublin County, Cork County Borough and Wicklow County. Dublin, Waterford and Limerick County Boroughs occupy an intermediate position.

TABLE VI

NUMBER OF BIRTHS PER 1,000 POPULATION AND PER 1,000 FEMALES AGED 15-44 AND NUMBER OF LEGITIMATE BIRTHS PER 1,000 MARRIED FEMALES 15-44, IN EACH COUNTY AND COUNTY BOROUGH, 1954

County, County Borough, or Province	Total births per 1,000 population	Total births per 1,000 women aged 15-44	Legitimate births per 1,000 married women aged 15-44 years	
			Crude	Standardised*
Carlow	23.49	127.0	272.3	266.4
Dublin County Borough	22.02	88.8	234.0	228.4
Dun Laoghaire Borough	21.56	85.3	225.9	229.0
Dublin County (Remainder)	24.78	108.7	214.7	198.1
Kildare	25.19	138.7	264.7	246.6
Kilkenny	21.15	115.8	255.9	256.0
Laoighis	20.84	115.0	251.4	249.3
Longford	21.30	116.0	254.4	258.1
Louth	23.75	113.5	257.8	245.8
Meath	21.21	113.8	244.4	240.1
Offaly	21.84	119.2	257.5	246.1
Westmeath	25.24	135.3	289.4	271.8
Wexford	21.49	114.3	238.4	236.5
Wicklow	20.75	102.8	216.7	209.8
LEINSTER	22.39	105.4	245.8	238.1
Clare	18.81	105.9	232.2	242.8
Cork County Borough	19.81	84.2	215.4	212.0
Cork County	20.78	104.8	244.9	258.4
Kerry	20.89	111.1	252.4	275.6
Limerick County Borough	27.51	118.2	273.4	258.0
Limerick County	20.61	111.7	235.1	242.8
Tipperary N.R.	23.24	121.1	273.1	276.3
Tipperary S.R.	22.23	120.5	257.6	253.3
Waterford County Borough	21.19	95.3	233.9	225.4
Waterford County	19.67	105.9	226.9	226.1
MUNSTER	21.15	107.1	244.7	251.1
Galway	21.79	116.4	273.5	282.3
Leitrim	16.00	91.7	203.7	221.6
Mayo	19.81	107.5	245.2	258.1
Roscommon	18.61	103.0	240.2	254.7
Sligo	19.41	102.4	235.1	242.8
CONNACHT	19.94	108.0	249.4	261.1
Cavan	18.33	102.7	230.9	238.2
Donegal	17.91	94.4	213.9	218.5
Monaghan	20.48	105.7	258.0	263.7
ULSTER (part of)	18.58	99.0	227.8	233.3
TOTAL	21.32	105.8	244.6	244.6

* The standardisation was indirect. Figures for the number of births per married women in each quinquennial age group from 15 years to 45 years were found from data relating to births in Dublin County Borough in 1941-45. For any particular county this fixed set of fertility rates was multiplied by the number of married women in the county in the corresponding age groups in 1951. The sum of the resulting products (the "expected" births) was divided by the number of married women aged 15-44 to derive an "expected" fertility rate. This "expected" rate was divided into the expected rate for Ireland calculated in a similar way to obtain a standardising ratio. By multiplying the crude fertility rate for any particular county by its corresponding standardising ratio the standardised fertility rate was obtained.

Illegitimate Births

There were 1,310 illegitimate births registered in 1954. This represents a proportion of 2.1 per cent of all births registered. The proportion of illegitimate births which averaged 3.3 per cent in the period 1931-40 rose to 3.9 per cent in the years 1944-46. Between 1946 and 1953 there was a decline each year in this proportion. The percentage of illegitimate births in each of the provinces is shown in Table VII.

TABLE VII

ILLEGITIMATE BIRTHS AS A PERCENTAGE OF TOTAL BIRTHS IN EACH PROVINCE, 1944 TO 1954

Year	Total	Dublin County Borough and County	Rest of Leinster	Munster	Connacht	Ulster (part of)
1944	3.9	3.0	5.2	4.9	2.4	5.0
1945	3.9	3.0	5.3	4.1	2.4	4.7
1946	3.9	2.8	5.2	4.2	2.6	4.5
1947	3.4	2.8	4.4	3.5	2.2	4.3
1948	3.3	2.5	4.3	3.7	1.7	4.0
1949	3.1	2.4	4.2	3.2	1.9	4.0
1950	2.6	2.0	3.5	2.8	1.5	2.9
1951	2.5	1.9	3.6	2.5	1.5	3.6
1952	2.5	1.9	3.5	2.6	1.5	3.1
1953	2.1	1.6	2.9	2.1	1.4	3.0
Average 1944-53	3.1	2.4	4.2	3.4	1.9	3.9
1954	2.1	1.7	2.7	2.1	1.3	3.1

The highest percentages occur in Ulster and in Leinster (excluding Dublin County and County Borough) while the lowest percentage occurs in Connacht. The highest percentages in 1954 were in the following counties: Limerick (excluding the Co. Borough) (4.1), Laoighis (3.8), Donegal (3.7) and Waterford (3.7).

Proportion of Males to Females

The number of male births registered in 1954 was 32,087 and the number of female births was 30,447. The sex ratio was 1,052 males per 1,000 females compared with 1,064 in 1953. The sex ratio for each year since 1944 is shown in Table VIII and legitimate and illegitimate births are distinguished.

TABLE VIII

NUMBER OF MALE BIRTHS PER 1,000 FEMALE BIRTHS, 1944 TO 1954

Year	Legitimate	Illegitimate	Total
1944	1,059	1,028	1,058
1945	1,057	1,014	1,056
1946	1,070	1,092	1,071
1947	1,071	1,089	1,071
1948	1,064	1,076	1,064
1949	1,050	1,101	1,051
1950	1,074	965	1,071
1951	1,055	1,103	1,057
1952	1,046	1,016	1,045
1953	1,064	1,040	1,063
Average 1944-53	1,061	1,052	1,061
1954	1,052	1,120	1,054

Since 1944 the sex ratio for all births has varied between 1,045 and 1,071. As is to be expected on account of the smaller numbers of illegitimate births the variation is wider for these than for the legitimate births, the lowest figure being 965 and the highest 1,120.

Multiple Births

The number of infants born alive in multiple births registered during 1954 was 1,768, consisting of 875 pairs of twins and 6 sets of triplets, as compared with 1,731 (843 pairs of twins and 15 sets of triplets) for the previous year. The numbers of children born in multiple births, as a percentage of total births, for each year since 1944 are shown in Table IX, distinguishing legitimate and illegitimate births.

TABLE IX

CHILDREN BORN IN MULTIPLE BIRTHS AS A PERCENTAGE OF TOTAL BIRTHS, 1944 TO 1954

Year	Legitimate Births	Illegitimate Births
1944	2.7	2.6
1945	2.8	1.6
1946	2.3	1.7
1947	2.8	2.3
1948	2.6	2.0
1949	2.9	1.5
1950	2.8	2.5
1951	2.9	1.9
1952	3.1	2.2
1953	2.8	1.9
Average 1944-53	2.8	2.0
1954	2.8	1.8

The percentage of multiple births was higher for legitimate births than for illegitimate births in each year of the period 1944-54.

Late Registrations

As stated on Page vi, the figures for numbers of births exclude late registrations, i.e. births registered more than one year after occurrence. A considerable number of such births is registered every year. The number in 1954 was 1,290. The inclusion of these births would change the birth rate for 1954 from 21.3 to 21.8 per 1,000 population.

DEATHS

The number of deaths registered during the year 1954 was 35,535, the males numbering 19,199 and the females 16,336. The total is 944 more than the number for 1953, and 4,230 less than the average for the decennial period 1944-53.

The death rate in 1954 which was 12.1 per thousand population was 0.4 above that for 1953. The average rate for the period 1944-53 was 13.4 per thousand population.

In Table X are shown the average annual death rates, by age groups, for decennial periods since the beginning of this century, and for single years from 1946 to 1954.

TABLE X

AGE SPECIFIC DEATH RATES FOR DECENNIAL PERIODS 1901-1950 AND EACH YEAR FROM 1946 TO 1954

Period	Age Groups												Crude rate per 1,000 population
	Under 5	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
1901-10	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79	16.91
1911-20	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00	16.64
1921-30	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72	14.45
1931-40	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56	14.17
1941-50	18.76	1.45	1.10	2.28	3.30	3.79	5.02	9.18	19.90	48.78	118.20	204.26	13.97
1946	17.75	1.22	1.02	2.26	3.27	3.66	4.87	9.22	19.61	48.79	114.10	209.41	13.98
1947	19.39	1.29	1.10	2.28	3.30	3.71	5.20	9.33	20.81	51.25	122.74	222.26	14.84
1948	13.69	1.05	0.80	1.94	2.80	3.38	4.31	8.38	17.71	42.32	102.71	167.78	12.13
1949	13.88	0.92	0.82	1.46	2.38	2.95	4.25	8.33	17.94	44.18	115.85	212.21	12.73
1950	11.83	0.91	0.70	1.25	2.16	2.67	4.19	8.11	18.22	44.52	122.52	212.43	12.71
1951	11.25	0.81	0.65	1.29	2.04	2.58	4.07	8.56	20.31	52.19	134.68	272.64	14.32
1952	10.25	0.79	0.60	1.07	1.42	2.02	3.46	7.67	17.07	43.11	107.99	224.21	11.90
1953	9.45	0.73	0.50	0.78	1.23	1.82	3.09	7.40	17.13	41.73	110.45	245.25	11.75
1954	9.05	0.58	0.49	0.72	0.99	1.63	3.05	7.34	17.94	43.06	117.74	264.72	12.12

It will be seen that striking falls have occurred in the death rates at the younger ages since the early years of the century, and that the rate of improvement has been greatest in the most recent years. The death rate in the group under 5 years declined by over 70 per cent from the period 1901-10 to 1954. In the groups from 5 to 24 years the decline from 1901-10 to 1954 is over 80 per cent and in the age group 25-34 years this decline is 80 per cent. At ages over 65 years changes in the death rates since 1901-10 have been relatively slight.

Table XI shows the number of deaths in the country for each year since 1938 and compares the annual death rate with those in the Six Counties, England and Wales and Scotland.

TABLE XI

DEATH RATES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1938 TO 1954

Year	Number of deaths (thousands) Ireland*	Death rate per 1,000 population			
		Ireland*	Six Counties	England and Wales	Scotland
1938	40.0	13.6	13.7	11.6	12.6
1939	41.7	14.2	13.5	12.1	12.9
1940	41.9	14.2	14.6	14.4	14.9
1941	43.8	14.6	15.2	13.5	14.7
1942	41.6	14.1	13.3	12.3	13.3
1943	43.5	14.8	13.4	13.0	14.0
1944	45.1	15.3	12.8	12.7	13.6
1945	42.8	14.5	12.3	12.6	13.2
1946	41.5	14.0	12.5	12.0	13.1
1947	44.1	14.8	12.6	12.3	12.9
1948	36.4	12.1	11.2	11.0	11.8
1949	38.1	12.7	11.5	11.8	12.3
1950	37.7	12.7	11.6	11.6	12.4
1951	42.4	14.3	12.8	12.5	12.9
1952	35.1	11.9	10.8	11.3	12.0
1953	34.6	11.7	10.7	11.4	11.5
1954	35.5	12.1	10.9	11.3	12.0

* Exclusive of the Six Counties

With the exception of the years 1938, 1940 1941 and 1952 the death rate in this country is the highest in the table over the whole period.

The decrease in the death rate since 1947 resulted in a large improvement in the expectation of life at birth in 1951, compared with earlier periods. The 1951 official life tables have not been issued at the time of writing and for comparative purposes the expectations of life at birth in 1951 have been compiled by an abridged method of computation. These rates compare with corresponding rates in 1941 and 1946 as follows:-

Expectations of life at birth

<u>Year</u>	<u>Males</u>	<u>Females</u>
1941	59.0	61.0
1946	60.5	62.4
1951	63.7	66.6

Between 1946 and 1951 the male expectation increased by 3.2 years compared with 1.5 years in the preceding 5 years. The increase for females was 4.2 years compared with 1.4 years in the earlier period.

Rates by Counties

In Tables 14 and 16 death rates are given for each of the provinces, counties, county boroughs, principal towns and aggregate urban and aggregate rural districts. Care must be taken in drawing inferences from the differences in death rates in the different areas of the country. Since the rates of mortality are higher in the older sections of any population it is obvious that the crude death rate for all ages in a population may be affected markedly by the age distribution of the population. If the proportion of elderly persons is higher in a particular section of the population than it is in the general population, then the death rate in this section will be higher than it is in the general population, even though health conditions are the same in this section of the population. In order to compare death rates by areas it is necessary, therefore, to standardise the death rates for age. For a particular county this is done by calculating the death rate in each age group of the population in that county, then multiplying the death rate in each age group by the total population in the whole country in that age group, and summing the resulting products. This sum is then divided by the total population in the country at all ages, to deduce the standardised rate for the county. Differences arising from variations in the age distributions of the population in the counties are thereby eliminated. Table XII shows the crude and standardised rates for each county and county borough for 1954.

In certain areas the standardised rates are quite different from the crude rates. Leinster, which had the lowest crude death rate in 1954, had, with Munster, the highest standardised rate among the provinces. Connacht, which had the highest crude rate, had the lowest standardised rate. Standardisation raised the rates in the county boroughs, the Borough of Dun Laoghaire and in counties Carlow, Dublin, Kildare, Louth, Meath, Offaly and Wicklow, and lowered them everywhere else. The crude rate varied from 9.4 per 1,000 population in Dublin County (excluding Dun Laoghaire Borough) to 15.2 in Cavan. The standardised rates were more uniform, the range of variation having been from 10.2 in Mayo to 14.3 in Limerick County Borough.

For valid comparisons between the death rates in different counties and county boroughs, it is, of course, the standardised rates which should be used. These show that, in general, having allowed for differences in age constitution of the population, death rates were lowest in the counties of Mayo, Galway, Kerry, Clare, Roscommon and Donegal. They were highest in Limerick County Borough, Carlow, Cork County Borough, Cavan, Tipperary S.R. Dublin County excluding Dun Laoghaire and Tipperary N.R.

Diagram 2

STANDARDISED DEATH RATES (PER 1,000 POPULATION)

FROM ALL CAUSES 1954





TABLE XII

CRUDE AND STANDARDISED DEATH RATES IN EACH COUNTY AND COUNTY BOROUGH, 1954

County, County Borough or Province	Deaths per 1,000 population	
	Crude	Standardised
Carlow	13.15	13.52
Dublin County Borough	9.42	12.10
Dun Laoghaire Borough	11.60	12.33
Dublin County (remainder)	9.12	13.21
Kildare	10.66	12.95
Kilkenny	13.48	13.08
Laoighis	13.27	12.34
Longford	13.56	11.94
Louth	11.53	12.64
Meath	12.53	13.05
Offaly	11.86	12.11
Westmeath	12.47	12.27
Wexford	12.79	12.29
Wicklow	11.66	12.36
LEINSTER	10.84	12.39
Clare	13.78	11.70
Cork County Borough	12.02	13.40
Cork County	13.24	12.09
Kerry	12.97	11.41
Limerick County Borough	11.18	14.31
Limerick County	13.05	12.42
Tipperary N.R.	13.73	13.21
Tipperary S.R.	13.58	13.26
Waterford County Borough	11.08	12.59
Waterford County	13.91	12.61
MUNSTER	13.03	12.39
Galway	11.78	10.99
Leitrim	15.14	11.93
Mayo	12.95	10.19
Roscommon	15.05	11.71
Sligo	14.66	12.13
CONNACHT	13.26	11.08
Cavan	15.17	13.27
Donegal	13.79	11.84
Monaghan	12.47	11.99
ULSTER (part of)	13.86	12.26
TOTAL	12.12	12.12

The standardised death rate for each county is illustrated in Diagram 2.

Causes of Death

The tables in this Report showing cause of death are based on the Sixth Revision of the International Statistical Classification of Diseases, Injuries and Causes of Death, 1948, prepared by the World Health

Organisation. The Sixth Revision was used for the first time in classifying deaths by cause in the 1950 Report. From 1940 to 1949 the Fifth Revision was used.

In Table 19 which shows causes of death, by age for the whole country, the classification of cause of death used is the Detailed International List. The deaths classified according to this Detailed List are shown for each year from 1951 to 1954 in an Appendix. The Abbreviated International List is used to classify deaths in Table 20. Certain causes in the Abbreviated List are, however, subdivided and these are shown by small letters placed after the abbreviated list number. For example B40 is divided into B40a (complications of pregnancy and childbirth), B40b (puerperal sepsis) and B40c (other complications of the puerperium). In Tables 21 and 23 a special list of 47 causes is used and the relationship between this list and the Detailed International List is shown at the beginning of Table 21. In Table 22 a short list of 11 causes is used and the relationship between this list and the International List is shown at the beginning of the Table. For infant mortality a special list of causes has been adopted and these are used in Tables 24 to 27.

Table XIII shows the numbers of deaths and death rates from some of the principal causes in 1935-37, 1945-47 and for each year since 1949.

TABLE XIII

NUMBERS OF DEATHS AND DEATH RATES FROM PRINCIPAL CAUSES 1935-37, 1945-47 AND 1949 TO 1954

Cause of death	1935-37	1945-47	1949	1950	1951	1952	1953	1954
	Annual average		Numbers					
Tuberculosis of respiratory system	2,851	2,731	2,142	1,876	1,712	1,207	911	797
Tuberculosis, other forms	778	863	570	504	450	372	276	208
Diphtheria	339	144	10	5	8	7	3	5
Other infective and parasitic diseases	929	569	451	324	371	353	311	219
Cancer	3,601	3,980	4,161	4,099	4,275	4,207	4,333	4,423
Vascular lesions affecting central nervous system	2,350	2,810	2,842	2,661	3,025	3,034	3,266	3,488
Diseases of the heart	7,509	10,459	10,016	10,463	11,117	9,977	9,648	10,630
Other diseases of the circulatory system	907	948	1,063	1,424	1,712	1,725	1,814	1,977
Influenza	1,473	575	280	325	2,399	238	432	174
Other diseases of the respiratory system	5,253	3,473	2,696	2,531	3,250	2,221	2,311	2,368
Senility	6,176	6,229	5,591	4,734	4,982	3,591	3,432	3,451
Other diseases	9,924	9,069	7,261	7,890	8,085	7,311	6,947	6,825
Accidents and other external causes	982	910	979	905	996	862	907	970
ALL CAUSES	43,072	42,760	38,062	37,741	42,382	35,105	34,591	35,535
Rates per 100,000 population								
Tuberculosis of respiratory system	96.0	92.4	71.7	63.2	57.8	40.9	30.9	27.2
Tuberculosis, other forms	26.2	29.2	19.1	17.0	15.2	12.6	9.4	7.1
Diphtheria	11.4	4.9	0.3	0.2	0.3	0.2	0.1	0.2
Other infective and parasitic diseases	31.3	19.2	15.1	10.9	12.5	12.0	10.6	7.5
Cancer	121.3	134.7	139.2	138.1	144.4	142.7	147.1	150.8
Vascular lesions affecting central nervous system	79.2	95.1	95.0	89.6	102.2	102.9	110.9	118.9
Diseases of the heart	253.0	353.9	335.0	352.4	375.5	338.3	327.6	362.4
Other diseases of the circulatory system	30.6	32.1	35.6	48.0	57.8	58.5	61.6	67.4
Influenza	49.6	19.5	9.4	10.9	81.0	8.1	14.7	5.9
Other diseases of the respiratory system	177.0	117.5	90.2	85.2	109.8	75.3	78.5	80.7
Senility	208.0	210.8	187.1	159.4	168.3	121.8	116.5	117.7
Other diseases	334.3	306.9	242.9	265.8	273.1	247.9	235.9	232.7
Accidents and other external causes	33.1	30.8	32.8	30.5	33.6	29.2	30.8	33.1
ALL CAUSES	1,451.0	1,447.0	1,273.4	1,271.2	1,431.5	1,190.4	1,174.6	1,211.6

For comparability, the classification used in this table is based on the Sixth Revision of the International Statistical Classification of Diseases, Injuries and Causes of Death, 1948, and, therefore, the numbers of deaths and death rates from certain causes for years prior to 1950 do not agree with the figures published in the annual reports for those years.

Compared with earlier years the figures for 1954 show marked declines in the numbers of deaths from tuberculosis, diphtheria and other infective and parasitic diseases. In 1954 there were 1,005 deaths from tuberculosis, compared with 1,187 in 1953 and annual averages of 3,594 in 1945-47 and 3,629 in 1935-37. There were 5 deaths from diphtheria, compared with 3 in 1953 and annual averages of 144 in 1945-47 and 339 in 1935-37. The death rate from all forms of tuberculosis, which was 122.2 per 100,000 population in 1935-37, was only 34.3 in 1954.

Over the period shown in the table the death rates from cancer, vascular lesions affecting the central nervous system, diseases of the heart and other diseases of the circulatory system, have shown an upward tendency. In 1954 there were 4,423 deaths from cancer compared with 4,333 in 1953 and an annual average of 3,601 for the years 1935-37. Deaths from vascular lesions affecting the central nervous system numbered 3,488 in 1954, 3,266 in 1953 and an average of 2,350 per year in the period 1935-37. There were 10,630 deaths from diseases of the heart in 1954 compared with 9,648 in 1953 and 7,509 average per year in 1935-37.

The death rate from influenza was lower in 1954 than in 1953, but shows no definite trend over the period considered. On account of a severe influenza epidemic which occurred in 1951, the 1951 figure is higher than that for any single year since 1937. There were decreases in the death rates from senility and "other diseases" between 1951 and 1954 but the 1951 figures are considerably lower than those of 1935-37, for which period the average death rate from all causes was much the same as in 1951. It is probable that a considerable part of the decline in the number of deaths ascribed to senility is due to the improvement in certification; uncertified deaths represented only 9.2 per cent of the total in 1954 compared with an average of 17.6 per cent for the years 1935-37. Uncertified deaths are discussed more fully in a later section. There was no appreciable variation in the death rate from accidents and other external causes over the whole period considered.

The proportions of deaths in 1954 from the principal causes in certain age groups and the total number of deaths in each age group are shown in Table XIV.

It will be observed that diseases of the heart caused the largest proportions of deaths, namely 299 in each 1,000 deaths. The next in order are malignant neoplasms (129), vascular lesions affecting central nervous system (98) and senility (97). At ages under 1 year congenital malformations and diseases of early infancy accounted for 670 out of every 1,000 deaths, while pneumonia caused a further 122 deaths and 64 were due to diarrhoea and enteritis. At ages 1-4 years pneumonia caused 154 per 1,000 deaths, accidents, poisoning and violence accounted for 138 and tuberculosis 111. The proportion of deaths caused by tuberculosis increased considerably in the early adult age groups. At ages 5-14 years 136 out of every 1,000 deaths were caused by this disease. At ages 15-24 the proportion was 200 per 1,000 deaths, and at ages 25-34 it was 234 per 1,000 deaths. At ages 35-44 years tuberculosis was still an important cause of death, the proportion of deaths from it being 146 per 1,000 but in this age group both malignant neoplasms and diseases of the heart accounted for greater proportions of the total number of deaths. Between ages 45 and 75 years the chief causes of death were diseases of

the heart, vascular lesions affecting the central nervous system and malignant neoplasms.

TABLE XIV

PROPORTIONS OF DEATHS FROM THE PRINCIPAL CAUSES OF DEATH IN CERTAIN AGE GROUPS, AND TOTAL NUMBERS OF DEATHS IN THESE AGE GROUPS IN 1954

Abbreviated List No.	Causes of Death	All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
B.1	Tuberculosis of respiratory system	22	0	16	35	130	197	122	70	35	14	2
B.2	Tuberculosis other forms	6	8	95	101	70	37	24	7	4	1	0
B.8	Diphtheria	0	.	9	3
B.9	Whooping cough	1	8	29	7
B.14	Measles	1	6	29	10	3	.	1
B.18a, B.18b	Malignant neoplasms	129	1	50	80	108	116	178	250	226	169	77
B.19	Other neoplasms	4	1	14	24	11	10	18	11	9	2	1
B.20	Diabetes mellitus	6	.	.	3	14	10	3	4	6	8	5
B.22	Vascular lesions affecting central nervous system	98	2	5	28	24	46	69	93	114	126	103
B.25- B.27	Diseases of the heart	299	3	7	31	98	117	179	249	313	362	349
B.24, B.28, B.29, B.46a	Other diseases of the circulatory system	56	.	2	42	43	40	44	39	60	66	63
B.30	Influenza	5	5	7	7	.	.	1	5	4	5	6
B.31	Pneumonia (excluding pneumonia of newborn)	29	122	154	35	19	10	23	20	18	19	24
B.32	Bronchitis	28	11	16	14	5	2	8	22	28	35	32
B.46b	Other diseases of the respiratory system	9	6	16	10	16	14	10	8	10	9	8
B.33	Ulcer of stomach and duodenum	7	0	.	.	.	14	26	18	11	9	4
B.34	Appendicitis	2	.	25	35	11	2	5	3	2	1	0
B.35	Intestinal obstruction and hernia	5	2	14	10	3	3	7	8	7	6	4
B.36b, B.43a	Diarrhoea and gastro-enteritis	7	64	52	17	3	8	4	5	2	3	2
B.37	Cirrhosis of liver	1	0	2	6	3	1	0
B.46c, B.46d	Other diseases of digestive system	6	5	23	14	5	11	15	11	9	6	3
B.38	Nephritis and nephrosis	16	0	11	24	30	22	27	30	23	18	11
B.41, B.42, B.43b, B.44	Congenital malformations, birth injuries and diseases peculiar to early infancy	47	670	70	45	41	6	4	3	0	0	0
B.45a	Senility, without mention of psychosis	97	1	29	218
	Other diseases	92	64	218	226	203	208	157	98	89	95	73
EE.47- EE.50	Accidents, poisonings and violence	27	22	138	199	163	127	73	40	26	16	15
	TOTAL	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
	Number of deaths in 1954	35,535	2,364	442	287	369	630	1,151	2,356	4,460	8,859	14,617

At ages over 75 years diseases of the heart accounted for about one-third of the deaths at these ages, and senility accounted for a further one-quarter. Almost seven per cent of the deaths which occurred in 1954 were of infants under 1 year and sixty-six per cent were of persons 65 years and over. Deaths of persons between the ages of 1 year and 44 years

accounted for eight per cent of the total. Some of the principal causes of death are considered in greater detail in the following paragraphs.

Tuberculosis

Table XV shows the number of deaths, and the death rate per 1,000 population, from tuberculosis for each year since 1938.

TABLE XV
NUMBERS OF DEATHS AND DEATH RATES PER 1,000 POPULATION FROM TUBERCULOSIS OF THE RESPIRATORY SYSTEM AND FROM ALL OTHER FORMS OF TUBERCULOSIS, 1938 TO 1954

Year	Tuberculosis of the respiratory system		Other forms of tuberculosis		Ratio of male to female mortality	
	Number	Rate per 1,000 population	Number	Rate per 1,000 population	Tuberculosis of respiratory system	Other forms of tuberculosis
1938	2,498	0.85	718	0.24	1.00	0.96
1939	2,617	0.89	687	0.23	1.02	0.96
1940	2,907	0.98	778	0.26	1.09	0.96
1941	2,882	0.96	829	0.28	0.95	0.96
1942	3,512	1.19	835	0.28	1.08	1.19
1943	3,398	1.15	908	0.31	1.03	1.03
1944	2,935	1.00	904	0.31	1.07	1.03
1945	2,777	0.94	917	0.31	1.02	1.14
1946	2,585	0.87	805	0.27	1.03	1.12
1947	2,831	0.95	869	0.29	1.00	1.15
1948	2,452	0.82	651	0.22	1.08	1.20
1949	2,142	0.72	570	0.19	1.06	1.00
1950	1,876	0.63	504	0.17	1.19	0.89
1951	1,712	0.58	450	0.15	1.22	1.23
1952	1,207	0.41	372	0.13	1.45	1.27
1953	911	0.31	276	0.09	1.52	1.09
1954	797	0.27	208	0.07	1.59	0.93

In 1954 there were 1,005 deaths from tuberculosis, of which 797 were caused by the respiratory form and 208 by other forms of the disease. There has been a marked reduction in the number of deaths, both from tuberculosis of the respiratory system and from other forms, in a comparatively recent period and the number of deaths from this cause in 1954 was the lowest recorded, being less than a third of the number in 1948. The number of male deaths, both from respiratory and other forms of tuberculosis is, in general, somewhat higher than the number of female deaths, and the ratio of male to female deaths, particularly in respect of tuberculosis of the respiratory system has shown a tendency to rise. The death rate from tuberculosis of all forms, which was 1.09 per 1,000 population in 1938, increased, during the war years, to 1.47 in 1942 since when, with the exception of the year 1947, there has been a downward trend. The rates in this country, the Six Counties, England and Wales and Scotland for the years 1938-54 are compared in Table XVI.

TABLE XVI
DEATHS PER 1,000 POPULATION FROM TUBERCULOSIS (ALL FORMS) IN IRELAND AND NEIGHBOURING COUNTRIES, 1938 TO 1954

Year	Ireland*	Six Counties	England and Wales	Scotland
1938	1.09	0.92	0.64	0.69
1939	1.13	0.84	0.63	0.70
1940	1.25	0.98	0.70	0.82
1941	1.24	1.04	0.73	0.83
1942	1.47	0.97	0.66	0.80
1943	1.46	0.91	0.67	0.79
1944	1.30	0.89	0.63	0.82
1945	1.25	0.80	0.56	0.79
1946	1.14	0.83	0.53	0.79
1947	1.24	0.72	0.56	0.79
1948	1.04	0.69	0.51	0.76
1949	0.91	0.59	0.46	0.67
1950	0.81	0.48	0.36	0.54
1951	0.73	0.45	0.32	0.43
1952	0.54	0.30	0.24	0.32
1953	0.40	0.23	0.20	0.26
1954	0.34	0.18	0.18	0.22

* Exclusive of the Six Counties.

The striking feature in this table is the extent to which Ireland, where the death rate from tuberculosis has been higher than in the other countries, has continued to share in the general reduction in mortality rates. In 1954 the Six Counties mortality rate was the same as that for England and Wales which previously had been consistently lower.

In Table XVII tuberculosis death rates are examined by age groups, for a number of different periods.

TABLE XVII

DEATH RATES FROM ALL FORMS OF TUBERCULOSIS AT DIFFERENT AGES PER 1,000 CORRESPONDING POPULATION, 1935-37, 1945-47 AND 1951 TO 1954

Period	Under 15	15-19	20-24	25-34	35-44	45-54	55 and over	All ages	
1935-37 1945-47 1951 1952 1953 1954	MALES								
	0.52	1.14	2.02	2.01	1.84	1.52	0.86	1.24	
	0.53	1.16	1.84	1.89	1.68	1.68	1.07	1.24	
	0.26	0.48	0.89	1.03	1.14	1.31	1.01	0.79	
	0.24	0.30	0.51	0.74	0.82	0.91	0.97	0.62	
	0.16	0.15	0.26	0.51	0.53	0.76	0.89	0.46	
	0.10	0.12	0.23	0.40	0.50	0.77	0.77	0.40	
	FEMALES								
	1935-37	0.54	1.60	2.51	2.35	1.43	1.11	0.54	1.21
	1945-47	0.51	1.65	2.51	2.09	1.49	1.08	0.67	1.19
	1951	0.24	0.64	1.25	1.17	0.97	0.76	0.52	0.67
	1952	0.18	0.48	0.70	0.80	0.61	0.46	0.42	0.45
	1953	0.16	0.23	0.48	0.46	0.42	0.48	0.40	0.34
1954	0.16	0.16	0.18	0.36	0.39	0.36	0.39	0.28	
1935-37 1945-47 1951 1952 1953 1954	PERSONS								
	1935-37	0.53	1.36	2.25	2.18	1.63	1.32	0.71	1.22
	1945-47	0.52	1.40	2.17	1.99	1.58	1.38	0.87	1.22
	1951	0.25	0.56	1.06	1.10	1.06	1.04	0.76	0.73
	1952	0.21	0.38	0.60	0.77	0.72	0.68	0.69	0.54
	1953	0.16	0.19	0.36	0.48	0.47	0.62	0.65	0.40
	1954	0.13	0.14	0.20	0.38	0.44	0.57	0.58	0.34
	RATIO MALE/FEMALE								
	1935-37	0.96	0.71	0.80	0.86	1.29	1.37	1.59	1.02
	1945-47	1.04	0.70	0.73	0.90	1.13	1.56	1.60	1.04
	1951	1.08	0.75	0.71	0.88	1.18	1.72	1.94	1.18
	1952	1.33	0.63	0.73	0.93	1.34	1.98	2.31	1.38
	1953	1.00	0.65	0.54	1.11	1.26	1.58	2.23	1.35
1954	0.62	0.75	1.28	1.11	1.28	2.14	1.97	1.43	

There was little change, either in the over-all death rate or in the rates for individual age groups, between the periods 1935-37 and 1945-47. However a notable change in the distribution of tuberculosis deaths between the age groups became evident in the most recent years consequent upon the considerable reduction in the death rates in all age groups. Whereas, in 1935-37 and 1945-47 the tuberculosis death rate was highest among men between the ages of 20 and 34 years, in 1953 the 1954 the rate was highest among men 45 years and over. In the case of females the death rate from tuberculosis between the ages of 15 and 44 years was very high in the periods 1935-37 and 1945-47, and the striking improvement in recent years is mainly among persons in this age group. The mortality rate for children under 15 years due to tuberculosis in 1954 was only quarter of that in the period 1945-47.

Table XVIII compares the average annual death rates in different age groups from all forms of tuberculosis in Ireland and neighbouring countries for the period 1952-54. Since the age distribution of the population in these countries is somewhat different from that in Ireland and since the tuberculosis death rate varies considerably with age, the last line of this table shows the standardised death rates, i.e. an estimate of what the death rates would have been if the age distributions were in all cases the same as that in Ireland.

TABLE XVIII

AVERAGE ANNUAL DEATH RATES FROM TUBERCULOSIS (ALL FORMS), IN IRELAND AND NEIGHBOURING COUNTRIES, IN CERTAIN AGE GROUPS PER 1,000 CORRESPONDING POPULATION, 1952-1954

Age Groups	Ireland*	Six Counties	England and Wales	Scotland	Index Numbers (Ireland = 100)			
					Ireland*	Six Counties	England and Wales	Scotland
Under 15	0.17	0.08	0.04	0.07	100	47	24	41
15-19	0.24	0.06	0.05	0.12	100	25	21	50
20-24	0.39	0.17	0.12	0.26	100	44	31	67
25-34	0.55	0.28	0.19	0.34	100	51	35	62
35-44	0.55	0.23	0.21	0.32	100	42	38	58
45-54	0.63	0.39	0.29	0.35	100	62	46	56
55 and over	0.64	0.45	0.41	0.42	100	70	64	66
ALL AGES	0.43	0.24	0.21	0.27	100	56	49	63
STANDARDISED/-	0.43	0.23	0.19	0.25	100	53	44	58

* Exclusive of the Six Counties.


/ Standardised to the 1951 Census of population of Ireland.

The effect of standardisation is to reduce still more, by comparison with this country, the death rate in England and Wales and to a lesser extent that in Scotland and the Six Counties. The difference between the tuberculosis death rates in England and Ireland was most marked in 1952-54 in the case of children and young adults, the England and Wales rate being less than a quarter of that in Ireland. Among persons 55 years and over the England and Wales rate was two-thirds of that in Ireland.

The death rate from tuberculosis (all forms) over the period 1938-54 is illustrated in Diagram 3. Also shown in this diagram is the death rate from cancer, discussed in the next section.

Diagram 3

DEATH RATES (PER 1000 POPULATION) FROM TUBERCULOSIS AND CANCER 1938-1954



Cancer

Up to 1949 cancer deaths were those classified as Nos. 045-055 of the Fifth Revision of the International List of Causes of Death. Since 1950 deaths have been classified according to the Sixth Revision of the International List. It has been recommended by the World Health Organisation that total cancer deaths should be based upon Nos. 140-205 of the International Statistical Classification, 1948, but that for comparability with the past, Nos. 140-205 (excluding Nos. 201 (Hodgkin's disease) and 204 (leukaemia and aleukaemia)) should also be shown.

In 1954 there were 4,594 deaths from malignant neoplasms (Nos. 140-205). Of this number 45 deaths were caused by Hodgkin's disease and 126 by leukaemia and aleukaemia.

Table XIX shows the death rate from cancer (excluding Hodgkin's disease and leukaemia and aleukaemia) in Ireland and neighbouring countries since 1938.

TABLE XIX

DEATHS FROM CANCER IN IRELAND AND NEIGHBOURING COUNTRIES PER 1,000 POPULATION, 1938 TO 1954

Year	Ireland*	Six Counties	England and Wales	Scotland
1938	1.26	1.32	1.67	1.62
1939	1.27	1.33	1.66	1.61
1940	1.28	1.36	1.72	1.70
1941	1.27	1.37	1.78	1.69
1942	1.37	1.41	1.83	1.71
1943	1.37	1.45	1.90	1.73
1944	1.42	1.41	1.90	1.86
1945	1.34	1.44	1.74	1.92
1946	1.36	1.42	1.77	1.80
1947	1.33	1.47	1.81	1.77
1948	1.36	1.45	1.86	1.81
1949	1.39	1.44	1.87	1.85
1950	1.38	1.53	1.89	1.88
1951	1.44	1.48	1.90	1.86
1952	1.43	1.47	1.93	1.91
1953	1.47	1.54	1.93	1.92
1954	1.51	1.48	1.97	1.99

* Exclusive of the Six Counties.

The general increase in the cancer death rate in each area since 1938 will be noted. The rate in Ireland (exclusive of the Six Counties) is the lowest (except for 1954 when the rate in the Six Counties was lowest) but this fact can be attributed, to some extent at least, to the high proportion of uncertified deaths at the older ages in this country. Most of these deaths are described as due to senility but it is probable that some of them are caused by cancer. The figures should be accepted with caution, as it is not certain to what extent they are comparable over the period shown and between the different countries.

Table XX shows the death rate from cancer in certain age groups for each year since 1938.

The most notable feature of this table is the large increase in the death rate at ages 75 years and over since 1938. It is almost certain that this increase is connected with the fall in the number of uncertified deaths (most of which occur at the old ages) from 16.0 per cent in 1938 to 9.2 per cent in 1954, and to improved certification. It is noteworthy also that the death rates from cancer, in the age groups 45-54 and 55-64 years, have shown no tendency to rise, since 1938.

There were 2,458 deaths of males and 2,136 deaths of females from malignant neoplasms in 1954. Excluding Hodgkin's disease, leukaemia and aleukaemia, the figures were 2,362 males and 2,061 females. These latter figures are comparable with deaths from cancer prior to 1950. The number of deaths assigned to malignant neoplasms of the digestive organs and peritoneum is about half the total of those due to malignant disease of all sites. A gradual increase has occurred in the number of deaths ascribed to malignant disease of the respiratory system in recent years, the rates for the sexes differing considerably. In 1954 the mortality rate of males was more than three times that for females.

TABLE XX

DEATHS FROM CANCER, CLASSIFIED BY SEX AND AGE, PER 100,000 POPULATION AT THE SAME AGES,
1938 TO 1954

Years	Age group							
	Under 25	25-34	35-44	45-54	55-64	65-74	75 and over	Total
MALES								
1938	1.9	11.2	39.2	164.4	455.0	714.5	644.2	131.5
1939	1.5	11.7	38.1	144.3	432.3	764.5	660.3	130.7
1940	3.5	12.1	36.7	150.7	401.5	750.5	727.8	130.7
1941	1.4	10.0	40.1	135.8	376.7	810.4	776.3	130.7
1942	4.4	12.7	51.1	152.9	395.9	905.2	847.2	145.5
1943	3.0	11.2	43.7	137.8	428.3	820.1	856.7	144.3
1944	2.6	9.9	45.4	151.2	447.5	821.0	929.6	149.3
1945	3.9	15.3	39.9	131.1	367.5	783.9	953.0	138.8
1946	2.1	10.2	37.8	133.7	358.8	820.7	988.2	140.3
1947	3.4	8.8	47.2	143.0	366.7	746.2	1,014.2	138.7
1948	2.1	11.5	34.7	154.1	384.5	730.9	1,185.0	143.4
1949	2.8	9.0	51.1	150.6	363.9	775.5	1,095.9	146.5
1950	3.6	10.0	44.1	140.7	379.0	754.4	1,071.9	144.0
1951	3.9	16.8	49.4	168.2	398.0	812.5	1,048.8	153.9
1952	4.8	13.3	40.9	152.5	369.6	830.6	1,169.9	154.1
1953	4.1	14.9	48.7	164.3	413.8	774.3	1,218.0	157.7
1954	4.5	12.9	41.7	161.4	409.4	822.9	1,188.6	158.4
FEMALES								
1938	3.1	11.0	69.4	204.7	389.4	568.4	435.1	120.4
1939	1.9	17.9	62.5	210.2	392.8	563.6	539.5	123.9
1940	3.2	16.7	64.2	177.1	410.3	596.8	497.1	124.3
1941	1.5	13.9	60.7	195.5	400.2	567.6	537.1	122.3
1942	2.0	18.5	78.7	202.9	365.0	613.4	597.9	128.0
1943	2.2	17.7	81.6	192.1	397.3	590.4	604.2	130.0
1944	2.2	15.3	77.6	202.9	416.6	582.5	688.1	134.2
1945	2.9	19.8	64.9	203.6	365.3	587.1	587.7	126.1
1946	3.7	16.2	72.8	218.4	374.2	601.1	621.0	131.3
1947	2.0	13.3	59.2	204.1	386.9	588.2	637.0	127.8
1948	2.9	16.9	57.6	195.6	339.6	613.9	722.5	128.3
1949	2.5	16.9	72.0	172.4	369.2	594.6	731.6	131.8
1950	3.3	17.6	63.8	178.5	354.0	588.0	780.2	131.9
1951	2.9	15.0	60.6	177.8	375.0	596.8	746.2	134.5
1952	2.4	14.5	71.1	180.3	336.8	552.7	782.3	130.8
1953	4.0	18.7	75.0	200.2	341.3	574.6	767.5	136.1
1954	3.2	12.0	57.2	190.7	380.6	615.3	896.0	142.9

Table XXI shows mortality from malignant neoplasms classified by site, sex and age.

TABLE XXI
MORTALITY IN 1954 FROM MALIGNANT NEOPLASMS CLASSIFIED BY SITE, SEX AND AGE

1948 Inter- national List Nos.	Site	DEATHS															
		Males								Females							
		0-24	25-	35-	45-	55-	65-	75-	Total	0-24	25-	35-	45-	55-	65-	75-	Total
140-148	Malignant neoplasm of:- Buccal cavity and pharynx Digestive organs and peritoneum Respiratory system Breast and genito-urinary organs Other and unspecified sites Neoplasm of lymphatic and haematopoietic tissues	1	1	3	15	30	75	63	188	.	1	3	8	9	12	18	51
150-159		8	8	41	123	263	487	336	1,266	3	7	33	94	217	366	295	1,015
160-165		.	6	22	78	139	113	27	385	.	2	8	20	43	45	20	138
170-181		3	4	5	25	44	99	107	287	2	11	52	142	163	164	110	644
190-199		13	5	10	20	34	61	75	218	14	2	8	31	30	47	63	195
200-205		27	14	12	16	18	19	8	114	17	12	8	17	20	13	6	93
	TOTAL	52	38	93	277	528	854	616	2,458	36	35	112	312	482	647	512	2,136
Rates per 100,000 population																	
140-148	Malignant neoplasm of:- Buccal cavity and pharynx Digestive organs and peritoneum Respiratory system Breast and genito-urinary organs Other and unspecified sites Neoplasm of lymphatic and haematopoietic tissues	0.2	0.5	1.5	9.2	24.0	73.4	123.0	12.6	.	0.5	1.6	5.1	7.3	11.6	31.9	3.5
150-159		1.2	4.1	21.1	75.2	210.3	476.5	655.8	84.9	0.5	3.6	18.0	59.8	175.7	353.5	522.3	70.4
160-165		.	3.1	11.3	47.7	111.1	110.6	52.7	25.8	.	1.1	4.4	12.7	34.8	43.5	35.4	9.6
170-181		0.5	2.1	2.6	15.3	35.2	96.9	208.8	19.2	0.3	5.7	28.3	90.3	132.0	158.4	194.8	44.7
190-199		1.9	2.6	5.2	12.1	27.2	59.6	146.4	14.8	2.3	1.1	4.4	19.7	24.3	45.3	111.6	13.5
200-205		4.1	7.2	6.2	9.8	14.4	18.6	15.6	7.6	2.7	6.2	4.4	10.8	16.2	12.6	10.6	6.4
	TOTAL	7.9	19.6	47.9	169.3	422.2	835.6	1202.3	164.9	5.8	18.2	61.1	198.4	390.3	624.9	906.6	148.1

It will be observed from the Table that there is in general a rapid rise in the death rate with increasing age. An exception is cancer of the respiratory system of males, in which group the death rate at 75 years and over is lower than in the preceding age group. The death rate from neoplasms of lymphatic and haematopoietic tissues also decreases at the very old ages for both sexes.

Table XXII shows the death rates from malignant neoplasms in certain age groups for each county and county borough in 1954. Standardised rates which eliminate the effect of different age distributions of the population are shown in the last column.

TABLE XXII
DEATHS FROM MALIGNANT NEOPLASMS IN CERTAIN AGE GROUPS, PER 1,000 POPULATION, IN
EACH COUNTY AND COUNTY BOROUGH, 1954

County, County Borough and Province	Age Group					All Ages	
	0-44	45-54	55-64	65-74	75 and over	Crude Rate	Standard- ised Rate
Carlow	0.17	2.17	4.33	7.92	11.21	1.66	1.28
Dublin County Borough	0.17	2.34	5.03	8.24	13.68	1.51	1.88
Dun Laoghaire Borough	0.15	3.31	4.49	9.20	11.53	1.84	1.92
Dublin County (remainder)	0.13	2.36	5.33	8.92	10.02	1.24	1.79
Kildare	0.10	2.25	5.07	6.25	15.80	1.42	1.76
Kilkenny	0.21	2.38	3.89	5.47	12.88	1.66	1.59
Laoighis	0.15	1.54	2.39	6.57	13.49	1.56	1.43
Longford	0.22	1.41	3.66	8.04	9.76	1.72	1.54
Louth	0.20	1.58	4.18	8.65	10.37	1.53	1.66
Meath	0.26	0.71	4.23	9.39	13.18	1.73	1.76
Offaly	0.20	1.64	2.94	6.96	18.62	1.71	1.74
Westmeath	0.19	1.34	2.26	5.99	11.67	1.36	1.32
Wexford	0.19	2.21	4.66	8.71	8.98	1.79	1.71
Wicklow	0.16	1.87	2.71	5.11	9.68	1.20	1.26
LEINSTER	0.18	2.11	4.37	7.74	12.43	1.53	1.73
Clare	0.27	1.88	2.85	8.57	5.60	1.65	1.44
Cork County Borough	0.13	2.32	6.52	9.38	13.05	1.86	2.03
Cork County	0.20	1.92	4.12	7.75	12.94	1.88	1.72
Kerry	0.21	1.05	3.37	6.12	6.41	1.34	1.22
Limerick County Borough	0.13	1.66	6.15	8.34	9.67	1.36	1.73
Limerick County	0.15	1.18	3.41	5.69	11.44	1.41	1.34
Tipperary N.R.	0.18	1.88	4.12	7.99	11.62	1.76	1.67
Tipperary S.R.	0.13	1.80	5.14	8.67	12.69	1.85	1.80
Waterford County Borough	0.19	2.61	3.52	9.63	11.78	1.64	1.82
Waterford County	0.13	1.32	2.62	9.01	14.44	1.81	1.63
MUNSTER	0.18	1.72	4.09	7.74	10.78	1.69	1.60
Galway	0.21	1.34	3.54	7.45	8.08	1.46	1.41
Leitrim	0.20	1.09	2.57	6.51	5.34	1.37	1.13
Mayo	0.13	1.49	3.41	4.41	8.77	1.40	1.17
Roscommon	0.26	1.37	3.86	5.91	8.01	1.66	1.37
Sligo	0.08	1.95	4.55	7.04	6.26	1.59	1.38
CONNACHT	0.17	1.44	3.58	6.12	7.81	1.48	1.30
Cavan	0.21	2.42	5.05	7.00	10.67	1.95	1.73
Donegal	0.16	0.89	2.66	6.86	7.96	1.36	1.21
Monaghan	0.27	1.64	2.83	4.63	7.28	1.25	1.20
ULSTER (part of)	0.20	1.47	3.35	6.43	8.52	1.49	1.34
TOTAL	0.18	1.84	4.06	7.30	10.47	1.57	1.57

For the whole country, the rate increased with age from 0.18 per 1,000 population at ages under 45 years to 10.47 at ages 75 years and over. The crude rate for all ages varied from 1.20 per 1,000 population in Wicklow to 1.95 in Cavan. In certain counties however, the standardised rates were considerably different from the crude rates, and when comparing the relative seriousness of mortality in different counties it is, of course, the standardised rates which should be used. In the counties of the west and north west, standardisation lowered the death rates considerably. The standardised rates varied from 1.13 per 1,000 population in Leitrim to 2.03 in Cork County Borough. The low rates in Connacht and Ulster (part of) can, to some extent, be attributed to the registration of large numbers of uncertified deaths in these counties, most of which are returned as being due to senility or some undefined cause. If these deaths had been medically certified it is probable that a number would have been certified as being due to malignant neoplasms.

Cancer of the Lung

The increase in cancer of the lung as a cause of death when the position in 1954 is compared with that in earlier years is a matter which compels attention.

It is true that, with improving expectation of life, more people now are living to ages at which cancer commonly occurs than was the case formerly. It is true also that the numbers of deaths registered as uncertified have more or less steadily decreased, and that, since most of these occur at older ages, this improvement must almost certainly have uncovered deaths from cancer which would not have been so designated in earlier years. Finally, in the 29-year interval since 1925 diagnostic techniques have greatly improved, so that more cases would be diagnosed in 1954 than would have been possible in 1925. But while all these factors may be held to account in some measure for the recorded increase in the cancer death rate as a whole, the fact remains that, as compared with cancer in other sites, cancer of the lung has shown a startling increase.

Table XXIII shows the numbers of deaths recorded from cancer of the bronchus, lung, trachea, larynx and mediastinum (referred to as "cancer of the lung") at each 5-year interval since 1925 and the death rates per 100,000 population at each period in Ireland, the Six Counties, Scotland and England and Wales.

TABLE XXIII

DEATHS AND DEATH RATES IN CERTAIN YEARS IN IRELAND AND NEIGHBOURING COUNTRIES FROM CANCER OF THE BRONCHUS, LUNG, TRACHEA, LARYNX AND MEDIASTINUM

Country	1925	1930	1935	1940	1945	1950	1954
	Deaths						
Ireland*	56	99	120	158	209	298	505
Six Counties	38	53	73	124	122	204	283
Scotland	302	357	527	676	954	1,543	1,948
England and Wales	2,293	3,122	4,513	6,399	8,656	13,474	17,340
	Rate per 100,000 of Population						
Ireland*	1.9	3.4	4.0	5.3	7.0	10.0	17.2
Six Counties	3.0	4.3	5.7	9.6	9.2	14.9	20.4
Scotland	6.2	7.4	10.6	14.0	20.4	29.8	38.0
England and Wales	5.9	7.8	11.1	16.0	22.1	30.7	39.1

* Exclusive of the Six Counties.

In 1925, the death rate in Ireland from cancer of the lung was 1.9 per 100,000 population; at subsequent 5-year intervals this rate showed a continuing increase which brought it to 5.3 in 1940. In 1945 it was 7.0, in 1950 it had risen to 10.0, and by 1954 had reached 17.2. This figure of 17.2 in 1954 represents an increase of more than 800 per cent over the 1925 rate. Although very large increases occurred also in the other countries shown, they were not quite of this high order - in the Six Counties the increase from 1925 to 1954 was something less than 600 per cent, in Scotland just over 500 per cent, and in England and Wales about 560 per cent.

Table XXIV shows the figures relating to Ireland in greater detail, with numbers and rates distributed between males and females and allotted to the various age-groups.

TABLE XXIV

DEATHS AND DEATH RATES IN CERTAIN YEARS FROM CANCER OF THE BRONCHUS, LUNG, TRACHEA, LARYNX AND MEDIASTINUM, CLASSIFIED BY SEX AND AGE GROUP

Year	Males						Females					
	Under 35	35-44 yrs.	45-54 yrs.	55-64 yrs.	65 yrs. and over	Total	Under 35	35-44 yrs.	45-54 yrs.	55-64 yrs.	65 yrs. and over	Total
Deaths												
1925	3	4	8	12	11	38	1	2	6	3	6	18
1930	3	8	18	22	19	70	4	2	8	9	6	29
1935	1	7	13	27	27	75	.	5	19	14	7	45
1940	8	11	17	40	27	103	3	6	9	17	13	55
1945	4	11	28	43	55	141	2	9	14	18	25	68
1950	5	17	52	81	71	226	5	4	6	21	36	72
1954	6	21	77	133	139	376	2	7	20	42	58	129
Death Rates per 100,000 population												
1925	0.3	2.3	4.7	10.0	8.6	2.5	0.1	1.2	3.8	2.7	4.2	1.2
1930	0.3	4.5	11.0	16.8	14.3	4.7	0.4	1.2	5.2	7.5	4.2	2.0
1935	0.1	3.9	8.2	18.9	19.2	4.9	.	2.9	12.6	10.7	4.8	3.1
1940	0.9	6.1	11.0	29.8	17.6	6.8	0.3	3.4	6.1	13.2	12.8	3.7
1945	0.4	6.0	17.9	33.7	35.3	9.4	0.2	5.1	9.2	14.2	15.8	4.6
1950	0.6	8.7	31.5	64.1	45.8	15.0	0.6	2.2	3.8	16.9	22.3	5.0
1954	0.7	10.8	47.1	106.3	90.6	25.2	0.2	3.8	12.7	34.0	36.2	8.9

The first point that emerges from the table is that deaths from the disease have always been more common among males than among females; but that over the period from 1925 to 1954 the disparity has gradually increased so that in the latter year the number of deaths of males was almost three times as great as the number of deaths of females. The increase in the rate of male deaths has also been much more severe than in females - from a frequency of 2.5 per 100,000 population in 1925, the figure for males rose to 25.2 in 1954, a tenfold increase; the corresponding figures for females were 1.2 and 8.9 - something more than a sevenfold increase.

The age-groups most heavily affected by the rising death rate differ somewhat in the two sexes. For males, apart from the youngest age-group shown, the increase in death rate is more or less marked in every age-group; over the 29-year period the increase at all ages over 45 has been about tenfold - somewhat irregularly reached in the age-group 45-54 years but steadily in the age-group 55-64 years and almost uniformly also at ages 65 years and over. The largest increase for males in any five-year period appears in the age-group 65 years and over, where the rate more than doubled between 1940 and 1945; the death rate in this age-group again increased by practically 100 per

cent between 1950 and 1954. In the case of females, the death rate increased irregularly in the 45-54 years age-group, probably on account of the relatively small number of deaths at ages under 55 years; in the age-group 55-64 years, the increase in death rate was consistent throughout the whole period and the rate doubled itself in the interval 1950-54.

Heart Diseases

As already observed from Table XIV, diseases of the heart caused 299 in every 1,000 deaths in 1954. There were 10,630 deaths from diseases of the heart (Nos.410-434 of the International List). Of these, 2,931 deaths were caused by arteriosclerotic heart disease, including coronary disease, 592 were caused by chronic endocarditis not specified as rheumatic, and 5,330 by other myocardial degeneration. There were 404 deaths from chronic rheumatic heart disease and 1,373 deaths from other diseases of the heart.

Respiratory Diseases

Deaths from respiratory diseases (Nos.470-527 on the International List) in 1954 numbered 2,542. These include 174 deaths caused by influenza, 1,045 by pneumonia, 1,002 by bronchitis and 321 by other respiratory diseases.

Pregnancy, Childbirth and the Puerperium

The number of deaths in this group of causes in 1954 was 69, compared with 83 in 1953 and 92 in 1952. The death rate was 1.10 per 1,000 births, the lowest recorded.

Table XXV shows the deaths in 1954 classified by cause and age of mother.

TABLE XXV

DEATHS IN 1954 FROM PUERPERAL CONDITIONS CLASSIFIED BY AGE AND PRINCIPAL CAUSE

Causes of Death	All ages	Age group						
		15-19	20-24	25-29	30-34	35-39	40-44	45 years and upwards
Toxaemia of pregnancy	17	1	1	4	4	5	2	.
Placenta praevia and other haemorrhage of pregnancy	3	1	2	.
Other complications of pregnancy	4	.	.	1	1	1	1	.
Abortion with sepsis	1	.	.	.	1	.	.	.
Other abortion	1	.	.	.	1	.	.	.
Haemorrhage of childbirth	12	.	.	1	3	4	3	1
Delivery complicated by retained placenta	5	.	.	.	2	1	2	.
Other complications at childbirth	8	.	.	2	3	1	2	.
Puerperal pulmonary embolism	5	.	.	1	1	1	2	.
Sepsis of childbirth and the puerperium
Other puerperal complications	13	.	3	1	1	5	4	.
TOTAL	69	1	3	10	17	19	18	1

Infant Mortality

During the year 1954 the deaths of 2,364 infants under 1 year of age were registered, compared with 2,463 in 1953 and 2,674 in 1952. The figure for 1954 is equivalent to a rate of 37.8 per 1,000 live births registered, this being the lowest recorded and compares with 39.4 in 1953 and 41.4 in 1952. A considerable reduction in infant mortality has taken place in recent years: the average annual rate for the ten year period 1941-50 was 65.8 and for the period 1931-40, 68.4 deaths per 1,000 live births. In Table XXVI the infant mortality rates in Ireland and neighbouring countries are compared for recent years and for each decade since the beginning of the century.

TABLE XXVI
INFANT MORTALITY RATES IN IRELAND AND NEIGHBOURING COUNTRIES, 1901-1954

Period	Deaths of infants under 1 year per 1,000 live births			
	Ireland*	Six Counties	England and Wales	Scotland
1901-10	91	107	128	116
1911-20	84	99	100	106
1921-30	70	81	72	89
1931-40	68	78	59	78
1941-50	66	60	43	57
1951	46	41	30	37
1952	41	39	28	35
1953	39	38	27	31
1954	38	33	25	31

* Exclusive of the Six Counties.

Up to the year 1930 the infant mortality rate in Ireland maintained a lower level than that in the Six Counties, England and Wales or Scotland. In the decade 1931-40, also, the Irish rate compared very favourably with that in the Six Counties and Scotland although a marked reduction in infant mortality in England and Wales had now brought the rate for these countries below that for Ireland. In the decade 1941-50 and in each of the years 1951 to 1954 the Irish rate is the highest in the table.

In Table XXVII is shown the mortality rates (per 1,000 births) at different ages under one year and these rates expressed as percentages of the total infant mortality for the years 1938 and 1946 to 1954.

TABLE XXVII
INFANT MORTALITY BY AGE, 1938 AND 1946 TO 1954


Year	Deaths per 1,000 births at ages											
	Under 24 hours	1-6 days	7-13 days	14-20 days	21 days and under 1 month	Total* under 1 month	1 month and under 2 months	2 months and under 3 months	3 months and under 6 months	6 months and under 12 months	Total 1 month-1 year	Total under 1 year
1938	8.2	8.5	4.5	3.5	3.6	28.3	8.3	6.9	12.4	10.7	38.3	66.6
1946	7.0	8.7	5.1	4.5	4.0	29.3	8.4	6.9	11.5	8.5	35.3	64.6
1947	7.0	8.8	4.7	4.1	4.2	28.8	9.1	7.0	13.0	10.0	39.1	67.9
1948	6.4	8.2	3.3	2.2	3.1	23.2	6.0	5.0	8.7	7.3	27.0	50.2
1949	6.9	8.3	3.2	3.0	3.2	24.6	6.0	4.9	9.8	7.9	28.6	53.2
1950	6.5	9.1	3.0	2.5	2.0	23.1	5.1	3.8	8.1	5.9	22.9	46.0
1951	7.3	10.1	3.6	2.1	1.8	24.9	5.2	3.6	6.5	5.5	20.8	45.7
1952	6.9	9.6	3.1	1.8	1.6	23.0	5.0	2.9	5.8	4.7	18.4	41.4
1953	7.4	8.8	2.4	1.5	2.0	22.1	4.1	2.9	5.8	4.5	17.3	39.4
1954	8.0	8.9	2.5	1.7	1.5	22.6	3.6	2.7	4.8	4.1	15.2	37.8

Percentage of Infant Mortality at each age

Year	Under 24 hours	1-6 days	7-13 days	14-20 days	21 days and under 1 month	Total* under 1 month	1 month and under 2 months	2 months and under 3 months	3 months and under 6 months	6 months and under 12 months	Total 1 month-1 year	Total under 1 year
1938	12.3	12.8	6.8	5.2	5.4	42.5	12.4	10.4	18.6	16.1	57.5	100.0
1946	10.8	13.5	7.9	7.0	6.2	45.4	13.0	10.7	17.8	13.1	54.6	100.0
1947	10.3	13.0	6.9	6.0	6.2	42.4	13.4	10.3	19.2	14.7	57.6	100.0
1948	12.7	16.3	6.6	4.4	6.2	46.2	12.0	10.0	17.3	14.5	53.8	100.0
1949	13.0	15.6	6.0	5.6	6.0	46.2	11.3	9.2	18.4	14.9	53.8	100.0
1950	14.1	19.8	6.5	5.4	4.4	50.2	11.1	8.3	17.6	12.8	49.8	100.0
1951	16.0	22.1	7.9	4.6	3.9	54.5	11.4	7.9	14.2	12.0	45.5	100.0
1952	16.7	23.2	7.5	4.3	3.9	55.6	12.1	7.0	13.9	11.4	44.4	100.0
1953	18.8	22.3	6.1	3.8	5.1	56.1	10.4	7.4	14.7	11.4	43.9	100.0
1954	21.2	23.5	6.6	4.5	4.0	59.8	9.5	7.1	12.8	10.8	40.2	100.0

* For 1950-1954 under 4 weeks.

INFANT AND NEO-NATAL MORTALITY (PER 1000 LIVE BIRTHS) 1938 - 1954



xxxxv

It is noteworthy that, despite the considerable success in the reduction of infant mortality in recent years, death rates of newly born infants and infants under seven days old have shown no reduction. However, once the first week of life had been passed, infants born in 1954 had a considerably better chance of survival than those born in 1938 or 1946.

The neo-natal mortality (i.e. deaths of infants under 28 days per 1,000 live births) and the infant mortality for males and females for the years 1938 to 1954 are shown in Table XXVIII.

TABLE XXVIII
INFANT MORTALITY AND NEO-NATAL MORTALITY BY SEX, 1938 TO 1954

Year	Neo-natal Mortality Rates		Infant Mortality Rates	
	Male	Female	Male	Female
1938	30	26	73	60
1939	32	26	73	58
1940	30	26	72	60
1941	34	26	83	64
1942	31	24	78	60
1943	37	29	92	72
1944	37	29	88	71
1945	35	28	78	64
1946	32	26	71	58
1947	32	26	75	60
1948	25	21	54	46
1949	28	22	59	48
1950	26	20	51	41
1951	29	21	52	39
1952	25	21	45	37
1953	25	19	44	35
1954	26	19	43	32

The rates for females are, in general, only 75 to 85 per cent of the corresponding rates for males.

Table XXIX compares the neo-natal and infant mortality for counties and county boroughs for each of the years 1952-54. In general the areas with the highest infant mortality rates have also the highest rates of neo-natal mortality. In 1954 the infant mortality rates were highest in the cases of County Limerick, County Offaly, County Waterford, Limerick County Borough and Tipperary (S.R.). Cork County Borough had the lowest infant mortality rate in 1954. Other areas having relatively low infant mortality rates in 1954 are County Roscommon, Tipperary (N.R.) and County Mayo.

TABLE XXIX

NEO-NATAL AND INFANT MORTALITY RATES, BY COUNTIES, 1952 TO 1954

Provinces and Counties	Deaths of infants under 28 days, per 1,000 births			Deaths of infants under one year per 1,000 births		
	1952	1953	1954	1952	1953	1954
Carlow	25.52	21.68	22.76	47.39	43.37	36.66
Dublin County Borough	21.32	25.45	23.47	37.53	41.46	35.17
Dun Laoghaire Borough	32.36	20.68	19.36	46.97	33.09	31.95
Dublin County (remainder)	23.00	21.82	26.67	38.89	36.59	37.71
Kildare	24.25	20.19	20.92	43.30	41.64	35.86
Kilkenny	31.93	28.02	30.60	46.44	45.26	44.78
Laoighis	22.24	45.92	30.67	42.63	61.86	46.01
Longford	27.54	29.02	24.05	42.03	36.94	39.60
Louth	26.75	27.78	21.51	40.73	46.51	33.80
Meath	25.10	17.54	18.01	41.84	32.28	36.02
Offaly	32.15	24.21	34.11	54.99	50.92	51.17
Westmeath	25.68	25.19	14.18	40.35	38.93	35.82
Wexford	23.12	19.60	19.54	40.20	36.55	38.01
Wicklow	27.18	20.28	18.55	50.87	36.21	39.41
LEINSTER	24.22	24.59	23.18	41.16	41.10	37.17
Clare	17.87	17.56	26.58	38.93	35.11	43.63
Cork County Borough	23.67	13.20	18.28	44.97	29.04	23.70
Cork County	21.32	21.02	22.02	38.53	37.34	35.05
Kerry	23.14	20.32	20.59	44.39	41.07	37.21
Limerick County Borough	13.99	18.85	22.17	50.51	51.06	50.79
Limerick County	22.55	17.95	27.82	40.79	46.67	51.75
Tipperary N.R.	30.19	19.92	16.24	51.55	39.00	30.16
Tipperary S.R.	29.34	28.98	30.21	49.70	51.17	47.13
Waterford County Borough	25.80	29.37	23.03	54.63	52.55	39.47
Waterford County	23.71	27.06	21.57	39.87	44.71	51.08
MUNSTER	22.73	20.72	22.80	43.49	41.11	39.57
Galway	13.10	16.83	23.17	29.39	30.35	39.50
Leitrim	19.84	15.17	19.45	37.04	33.38	37.28
Mayo	20.42	24.75	15.96	38.94	40.76	30.44
Roscommon	19.37	8.99	20.02	41.37	14.71	30.03
Sligo	26.16	16.24	17.67	54.05	29.91	35.34
CONNACHT	18.20	17.96	19.65	37.39	31.55	34.85
Cavan	28.50	19.88	19.91	41.07	32.31	38.96
Donegal	22.99	18.73	21.61	41.62	39.13	39.70
Monaghan	25.29	19.68	24.70	43.36	35.61	44.75
ULSTER (part of)	24.88	19.25	24.35	41.88	36.57	40.74
TOTAL	22.98	22.09	22.64	41.37	39.37	37.80

In Table XXX are shown the infant mortality rates in certain urban areas and in aggregate rural districts, for the years 1938, 1946 and 1952 to 1954.

TABLE XXX
INFANT MORTALITY IN URBAN AND RURAL DISTRICTS, 1938, 1946 AND 1952 TO 1954

Area	1938	1946	1952	1953	1954	Percentage decline 1938 to 1954
TOTAL	67	65	41	39	38	43
Dublin County Borough and Dun Laoghaire Borough	96	91	38	41	35	64
Other County Boroughs	76	65	49	42	37	51
Other towns with population over 10,000	69	70	47	42	48	30
Other Urban Districts	66	65	47	44	25	62
Rural Districts	56	56	41	38	38	32

In 1938 and 1946 considerable differences existed in the infant mortality rates between the different types of district. The rate was by far the highest, in these years, in the combined areas of Dublin County Borough and Dun Laoghaire Borough and was lowest in aggregate rural districts. Other county boroughs, towns with over 10,000 population and urban districts occupied an intermediate position. The relative improvement in recent years has been greatest in the case of Dublin and Dun Laoghaire and in 1954 the infant mortality rate for these districts fell below the level in Rural Districts. In the smaller Urban Districts the infant mortality rate in 1954 was very low.

In Table XXXI is shown the rate of infant mortality according to cause of death, and also the proportion of deaths due to each cause in the years 1938, 1946 and 1952 to 1954.

Congenital malformations comprised the largest single group of causes in 1954, accounting for 172 per 1,000 deaths of infants. The rate of infant mortality from this cause group, at 6.49 per 1,000 births registered, was somewhat higher than that for the years 1938, 1946 and 1952 but lower than that for 1953. The group "Other and ill-defined diseases peculiar to early infancy" accounted for 134 per 1,000 deaths of infants in 1954. Of this total of 134, 46 were with mention of immaturity, while 167 per 1,000 deaths in 1954 were ascribed directly to immaturity. Pneumonia caused 158 per 1,000 deaths of infants in 1954, having a corresponding mortality rate of 5.98 per 1,000 births. Birth injuries in 1954 accounted for a proportion of 71 per 1,000 deaths, a considerably higher proportion than in 1946 or 1938. The remaining major cause of death among infants, namely diarrhoea and enteritis, was responsible for 63 per 1,000 deaths in 1954, a much lower proportion than in 1946 or 1938.

TABLE XXXI

INFANT MORTALITY RATES BY CAUSE OF DEATH AND THE PROPORTIONS OF THESE RATES TO THE TOTAL
(expressed as 1,000), 1938, 1946 AND 1952 TO 1954

Inter- national Detailed List No.	Causes of Death	Deaths of Infants under one year per 1,000 Births registered					Corresponding proportions per 1,000 deaths from all causes				
		1938	1946	1952	1953	1954	1938	1946	1952	1953	1954
010	Tuberculosis of mininges and central nervour system	0.32	0.44	0.29	0.27	0.24	5	7	7	7	6
011	Tuberculosis of intestines, peritoneum and mesenteric glands	0.19	0.15	0.02	0.02	0.00	3	2	0	1	0
001-008, 012-109	Other tuberculous diseases	0.12	0.31	0.12	0.06	0.08	2	5	3	2	2
020	Congenital syphilis	0.26	0.38	0.05	0.02	0.00	4	6	1	1	0
050	Scarlet fever	0.05	0.01	0.02	0.00	0.00	1	0	0	0	0
055	Diphtheria	0.23	0.25	0.02	0.02	0.00	3	4	0	1	0
056	Whooping cough	1.74	0.96	0.97	0.64	0.29	26	15	23	16	8
085	Measles	0.35	0.24	0.29	0.14	0.22	5	4	7	4	6
340	Meningitis, except menin- gococcal and tuberculous	1.00	0.49	0.31	0.24	0.34	15	8	7	6	9
480-483	Influenza	0.42	0.81	0.23	0.26	0.21	6	13	6	7	5
490-493, 763	Pneumonia	8.43	7.54	6.34	5.45	5.98	126	117	153	138	158
500-502	Bronchitis	2.71	1.19	0.59	0.61	0.42	41	18	14	15	11
571,764	Diarrhoea and enteritis	9.12	13.11	2.20	2.57	2.40	137	203	53	65	63
750-759	Congenital malformations	4.38	5.20	5.68	6.62	6.49	66	80	137	168	172
760,761	Injury at birth	1.21	2.38	2.94	3.21	2.70	18	37	71	82	71
762	Postnatal asphyxia and atelectasis			3.23	2.64	3.29			78	67	87
765-768	Other infections of the newborn			0.08	0.16	0.10			2	4	3
	Other and ill-defined diseases peculiar to early infancy:-	15.93	13.28				239	205			
769.0- 773.0	Without mention of immaturity			4.80	3.63	3.33			116	92	88
769.5- 773.5	With mention imma- turity			2.60	2.57	1.74			63	65	46
774,776	Immaturity	10.96	11.80	6.03	5.37	6.30	164	183	146	136	167
780.2	Convulsions	4.43	2.61	1.11	0.94	0.69	66	40	27	24	18
	Other diseases	4.38	3.02	2.78	3.00	2.14	66	46	70	76	58
E.924, E.925	Accidental mechanical suffocation (including overlying)	0.12	0.25	0.42	0.40	0.38	2	4	10	10	10
E.800- E.923, E.926- E.999	Other external causes (in- cluding lack of care)	0.30	0.21	0.25	0.53	0.46	5	3	6	13	12
All Causes		66.65	64.63	41.37	39.37	37.80	1,000	1,000	1,000	1,000	1,000

Accidents, Poisonings and Violence

The number of deaths from external causes, in 1938 and in each of the years 1947 to 1954, is shown in Table XXXII.

TABLE XXXII
DEATHS FROM ACCIDENTS, POISONINGS AND VIOLENCE, 1938 AND 1947 TO 1954

Cause of Death	1938	1947	1948	1949	1950	1951	1952	1953	1954
Railway accidents	5	12	9	10	14	10	6	8	2
Road vehicle accidents	190	167	195	209	201	235	239	251	260
Accidental poisoning	10	18	20	22	15	29	22	20	13
Accidents caused by fire, explosion and burns	156	100	86	94	106	85	77	71	96
Accidental drowning	98	150	129	129	101	121	104	134	125
Suicide	97	72	68	79	76	77	66	62	59
Other accidents and external causes	401	452	415	436	392	439	348	361	415
TOTAL	957	971	922	979	905	996	862	907	970

The total number of deaths from accidents, poisonings and violence in 1954 was 970, compared with 907 in 1953 and 862 in 1952. This figure does not differ greatly from the total of 957 in 1938. Road vehicle accidents account for an increasing proportion of the total deaths each year.

Uncertified Deaths

The number of cases in 1954, in which the cause of death was not stated to have been certified by a medical practitioner, was 3,273 which was 9.2 per cent of the total of deaths registered. The proportion for 1953 was 9.8 and, for 1952, 10.6 per cent.

Table XXXIII shows the average percentage of deaths uncertified in each county and county borough for the periods 1935-37, 1945-47, 1951-53 and for the year 1954.

TABLE XXXIII
PERCENTAGE OF DEATHS UNCERTIFIED IN EACH COUNTY AND COUNTY BOROUGH, 1935-37 1945-47, 1951-53 AND 1954

County	1935-37	1945-47	1951-53	1954
Carlow	14.3	11.0	9.4	7.7
Dublin County Borough	1.0	1.4	1.6	1.6
Dublin County	0.7	0.1	0.3	0.1
Kildare	6.4	3.6	3.5	2.3
Kilkenny	17.2	9.3	5.2	3.9
Laoighis	17.1	11.3	8.6	9.3
Longford	37.7	26.1	19.3	15.1
Louth	5.8	4.0	3.3	2.5
Meath	10.6	9.4	7.2	4.5
Offaly	18.2	14.7	12.0	10.4
Westmeath	16.7	10.4	7.9	6.6
Wexford	13.3	7.3	5.2	2.9
Wicklow	8.6	4.8	2.8	1.9
LEINSTER	8.0	5.4	4.3	3.4
Clare	26.0	21.3	19.2	14.1
Cork County Borough	1.3	0.4	0.0	-
Cork County	17.1	11.1	9.0	6.3
Kerry	30.9	22.7	22.9	20.3
Limerick County Borough	2.6	1.6	3.3	4.2
Limerick County	18.4	10.7	10.3	7.5
Tipperary N.R.	17.5	15.0	11.0	10.2
Tipperary S.R.	12.5	7.2	4.6	5.9
Waterford County Borough	2.0	0.5	0.2	-
Waterford County	13.7	7.5	5.4	4.3
MUNSTER	16.8	11.7	10.4	8.4
Galway	32.5	25.9	20.0	17.1
Leitrim	37.9	36.2	30.6	26.3
Mayo	40.3	27.1	29.5	24.2
Roscommon	37.2	31.8	25.9	24.1
Sligo	30.6	20.4	20.0	16.4
CONNACHT	35.8	27.4	24.8	21.1
Cavan	27.0	18.6	13.6	11.7
Donegal	33.9	27.1	22.5	21.5
Monaghan	18.2	13.1	8.4	7.6
ULSTER (part of)	28.5	21.7	17.0	16.0
TOTAL	17.6	12.7	10.9	9.2

The proportion of deaths uncertified was again very high in 1954 in Connacht, the highest counties being Leitrim, Mayo and Roscommon. In the county boroughs, on the other hand, only a very small proportion of deaths were uncertified. There has been a considerable improvement with regard to certification since the period 1935-37. However, the position is still far from satisfactory and it is evident that the high percentage of deaths uncertified in some counties seriously detracts from the value of the cause of death statistics for these regions.

Inquests and Post-Mortems

The number of deaths registered on certificates issued by coroners, as the result of inquests and post-mortem examinations during 1954 was 1,553 compared with 1,517 in 1953 and 1,447 in 1952.

TABLES

TABLE 1 - ESTIMATED POPULATION IN THOUSANDS AT THE MIDDLE OF EACH YEAR, 1851 TO 1954

Year	Persons	Males	Females	Year	Persons	Males	Females	Year	Persons	Males	Females
1851	5,079	2,486	2,593	1886	3,642	1,808	1,834	1921	3,096	1,599	1,497
1852	4,927	2,413	2,514	1887	3,600	1,788	1,812	1922	3,022	1,529	1,493
1853	4,807	2,358	2,449	1888	3,554	1,766	1,788	1923	3,014	1,526	1,488
1854	4,704	2,311	2,393	1889	3,516	1,748	1,768	1924	3,005	1,521	1,484
1855	4,636	2,281	2,357	1890	3,482	1,733	1,749	1925	2,985	1,512	1,473
1856	4,594	2,261	2,333	1891	3,449	1,718	1,731	1926	2,971	1,507	1,464
1857	4,540	2,234	2,306	1892	3,408	1,697	1,711	1927	2,957	1,502	1,455
1858	4,506	2,217	2,289	1893	3,382	1,684	1,698	1928	2,944	1,498	1,446
1859	4,471	2,199	2,272	1894	3,362	1,675	1,687	1929	2,937	1,496	1,441
1860	4,428	2,179	2,249	1895	3,333	1,662	1,671	1930	2,927	1,493	1,434
1861	4,393	2,164	2,229	1896	3,314	1,653	1,661	1931	2,933	1,497	1,436
1862	4,377	2,158	2,219	1897	3,298	1,646	1,652	1932	2,949	1,505	1,444
1863	4,328	2,134	2,194	1898	3,283	1,640	1,643	1933	2,962	1,512	1,450
1864	4,263	2,103	2,160	1899	3,265	1,631	1,634	1934	2,971	1,518	1,453
1865	4,223	2,084	2,139	1900	3,234	1,616	1,618	1935	2,971	1,520	1,451
1866	4,163	2,051	2,112	1901	3,213	1,607	1,606	1936	2,967	1,520	1,447
1867	4,130	2,033	2,097	1902	3,200	1,603	1,597	1937	2,948	1,510	1,438
1868	4,109	2,022	2,087	1903	3,185	1,599	1,586	1938	2,937	1,505	1,432
1869	4,090	2,012	2,078	1904	3,175	1,597	1,578	1939	2,934	1,503	1,431
1870	4,062	1,996	2,066	1905	3,165	1,594	1,571	1940	2,958	1,515	1,443
1871	4,042	1,986	2,056	1906	3,160	1,593	1,567	1941	2,993	1,533	1,460
1872	4,023	1,975	2,048	1907	3,151	1,589	1,562	1942	2,963	1,499	1,464
1873	3,989	1,955	2,034	1908	3,145	1,588	1,557	1943	2,946	1,490	1,456
1874	3,966	1,944	2,022	1909	3,142	1,589	1,553	1944	2,944	1,487	1,457
1875	3,951	1,940	2,011	1910	3,139	1,588	1,551	1945	2,952	1,490	1,462
1876	3,949	1,942	2,007	1911	3,132	1,586	1,546	1946	2,957	1,496	1,461
1877	3,956	1,947	2,009	1912	3,120	1,581	1,539	1947	2,974	1,505	1,469
1878	3,952	1,948	2,004	1913	3,103	1,572	1,531	1948	2,985	1,512	1,473
1879	3,939	1,944	1,995	1914	3,092	1,568	1,524	1949	2,981	1,513	1,468
1880	3,891	1,920	1,971	1915	3,068	1,546	1,522	1950	2,969	1,510	1,459
1881	3,847	1,901	1,946	1916	3,068	1,549	1,519	1951	2,961	1,507	1,454
1882	3,808	1,882	1,926	1917	3,065	1,551	1,514	1952	2,949	1,500	1,449
1883	3,745	1,853	1,892	1918	3,066	1,553	1,513	1953	2,945	1,498	1,447
1884	3,703	1,834	1,869	1919	3,102	1,598	1,504	1954	2,933	1,491	1,442
1885	3,671	1,820	1,851	1920	3,103	1,598	1,505				

TABLE 2 - TOTAL POPULATION BY SEX AND AGE IN 1951

Age (years)	ACTUAL NUMBERS			PERCENTAGE DISTRIBUTION		
	Males	Females	Persons	Males	Females	Persons
				%	%	%
Under 1	32,630	30,927	63,557	2.17	2.13	2.15
1	32,083	30,719	62,802	2.13	2.11	2.12
2	31,932	30,494	62,426	2.12	2.10	2.11
3	31,982	30,457	62,439	2.12	2.09	2.11
4	31,604	30,004	61,608	2.10	2.06	2.08
5-9	143,490	137,553	281,043	9.53	9.46	9.49
10-14	132,726	128,209	260,935	8.82	8.82	8.81
15-19	125,742	115,440	241,182	8.35	7.94	8.15
20-24	105,380	96,792	202,172	6.99	6.65	6.83
25-29	99,595	98,826	198,421	6.61	6.80	6.70
30-34	96,441	95,125	191,566	6.40	6.54	6.47
35-39	102,278	98,638	200,916	6.79	6.78	6.79
40-44	94,006	86,320	180,326	6.24	5.94	6.09
45-49	82,374	78,541	160,915	5.47	5.40	5.44
50-54	82,922	80,064	162,986	5.50	5.51	5.51
55-59	65,028	63,820	128,848	4.32	4.39	4.35
60-64	61,346	60,714	122,060	4.07	4.18	4.12
65-69	54,145	53,403	107,548	3.59	3.67	3.63
70-74	49,121	50,995	100,116	3.26	3.51	3.38
75-79	31,642	32,913	64,555	2.10	2.26	2.18
80-84	14,649	16,238	30,887	0.97	1.12	1.04
85-89	4,285	5,882	10,167	0.28	0.40	0.34
90-94	973	1,542	2,515	0.06	0.11	0.09
95-99	205	368	573	0.01	0.03	0.02
100 and over	18	12	30	0.00	0.00	0.00
TOTAL	1,506,597	1,453,996	2,960,593	100.00	100.00	100.00

TABLE 3 - POPULATION BY SEX OF EACH COUNTY AND COUNTY BOROUGH IN 1951

County	1951 POPULATION		
	Males	Females	Persons
Carlow	17,848	16,314	34,162
Dublin County Borough	244,006	278,177	522,183
Dun Laoghaire Borough	20,843	27,077	47,920
Dublin County (remainder)	61,277	61,642	122,919
Kildare	36,364	30,073	66,437
Kilkenny	34,687	30,548	65,235
Laoighis	26,154	22,276	48,430
Longford	18,388	16,165	34,553
Louth	34,886	33,885	68,771
Meath	34,980	31,357	66,337
Offaly	28,306	24,238	52,544
Westmeath	28,737	25,726	54,463
Wexford	45,945	44,087	90,032
Wicklow	31,587	31,003	62,590
Clare	43,473	37,856	81,329
Cork County	136,150	130,567	266,717
Cork County Borough	34,715	39,852	74,567
Kerry	66,507	60,137	126,644
Limerick County	47,588	42,831	90,419
Limerick County Borough	24,103	26,717	50,820
Tipperary, N.R.	29,989	27,020	57,009
Tipperary, S.R.	39,877	36,427	76,304
Waterford County	24,478	21,892	46,370
Waterford County Borough	13,485	15,206	28,691
Galway	85,141	75,063	160,204
Leitrim	22,374	18,835	41,209
Mayo	73,345	68,522	141,867
Roscommon	36,626	31,476	68,102
Sligo	31,469	29,044	60,513
Cavan	36,187	30,190	66,377
Donegal	67,964	63,566	131,530
Monaghan	29,118	26,227	55,345
TOTAL	1,806,597	1,453,996	2,960,593

TABLE 4 - MARRIAGES, BIRTHS AND DEATHS REGISTERED AND NATURAL INCREASE (EXCESS OF BIRTHS OVER DEATHS) 1864-1954

PERIOD	MARRIAGES	BIRTHS								DEATHS			Natural Increase
		TOTAL (Including Illegitimate)				Legitimate							
		Total	Males	Females	Total	Total	Males	Females	Total	Males	Females		
Average 1864-70	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603	
1871-80	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768	
1881-90	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542	
1891-1900	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001	
1901-10	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803	
1911-20	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054	
1921-30	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203	
1931-40	14,359	57,105	29,279	27,826	55,212	1,893	970	923	41,841	21,469	20,372	15,264	
1941-50	16,585	65,010	33,495	31,515	62,728	2,282	1,173	1,109	41,450	21,726	19,724	23,561	
1941	15,021	56,780	29,198	27,582	54,805	1,975	1,007	968	43,797	22,642	21,155	12,983	
1942	17,470	66,117	34,013	32,104	63,698	2,419	1,298	1,121	41,640	21,868	19,772	24,477	
1943	17,328	64,375	33,241	31,134	61,927	2,448	1,229	1,219	43,494	22,663	20,831	20,881	
1944	16,772	65,425	33,637	31,788	62,858	2,567	1,301	1,266	45,128	23,477	21,651	20,297	
1945	17,301	66,861	34,336	32,525	64,235	2,626	1,322	1,304	42,762	22,266	20,496	24,099	
1946	17,525	67,922	35,120	32,802	65,280	2,642	1,379	1,263	41,457	21,863	19,594	26,465	
1947	16,290	68,978	35,674	33,304	66,630	2,348	1,224	1,124	44,061	23,461	20,600	24,917	
1948	16,115	65,930	33,993	31,937	63,765	2,165	1,122	1,043	36,357	19,117	17,240	29,573	
1949	16,009	64,153	32,880	31,273	62,147	2,006	1,051	955	38,062	19,876	18,186	26,091	
1950	16,018	63,565	32,867	30,698	61,938	1,627	799	828	37,741	20,026	17,715	25,824	
1951	16,017	62,878	32,303	30,575	61,290	1,588	833	755	42,382	22,476	19,906	20,496	
1952	15,876	64,631	33,026	31,605	63,012	1,619	816	803	35,105	18,918	16,187	29,526	
1953	15,888	62,558	32,241	30,317	61,218	1,340	683	657	34,591	18,420	16,171	27,967	
1954	15,831	62,534	32,087	30,447	61,224	1,310	692	618	35,535	19,199	16,336	26,999	

TABLE 5. MARRIAGE, BIRTH, DEATH AND INFANT MORTALITY RATES AND RATE OF NATURAL INCREASE 1864-1954

PERIOD	MARRIAGES		BIRTHS					DEATHS		Natural Increase per 1,000 of Population
	Per 1,000 Population	Per 1,000 Population	Legitimate per 1,000 Population	ILLEGITIMATE		Births of Males per 1,000 Births of Females	Per 1,000 Population	Infant Mortality per 1,000 Births		
				Per 1,000 Population	Per Cent of Total Births					
1864-70	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56	
1871-80	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25	
1881-90	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32	
1891-1900	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50	
1901-10	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63	
1911-20	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86	
1921-30	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76	
1931-40	4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17	
1941-50	5.59	21.90	21.13	0.77	3.51	1,063	13.97	65.80	7.94	
1941	5.02	18.97	18.31	0.66	3.48	1,059	14.63	73.53	4.34	
1942	5.90	22.31	21.50	0.82	3.66	1,059	14.05	69.44	8.26	
1943	5.88	21.85	21.02	0.83	3.80	1,068	14.76	82.63	7.09	
1944	5.70	22.22	21.35	0.87	3.92	1,058	15.33	79.45	6.89	
1945	5.86	22.65	21.76	0.89	3.93	1,056	14.49	70.88	8.16	
1946	5.91	22.91	22.02	0.89	3.89	1,071	13.98	64.63	8.93	
1947	5.49	23.23	22.44	0.79	3.40	1,071	14.84	67.95	8.39	
1948	5.38	22.00	21.28	0.72	3.28	1,064	12.13	50.25	9.87	
1949	5.36	21.46	20.79	0.67	3.13	1,051	12.73	53.23	8.72	
1950	5.40	21.41	20.86	0.55	2.56	1,071	12.71	45.97	8.70	
1951	5.41	21.24	20.70	0.54	2.53	1,057	14.32	45.74	6.92	
1952	5.38	21.92	21.37	0.55	2.50	1,045	11.90	41.37	10.01	
1953	5.39	21.24	20.79	0.46	2.14	1,063	11.75	39.37	9.50	
1954	5.40	21.32	20.87	0.45	2.09	1,054	12.12	37.80	9.20	

TABLE 6 - MARRIAGES, BIRTHS AND DEATHS REGISTERED DURING EACH OF THE YEARS 1941-54 WITH THE AVERAGE ANNUAL RATES FOR THE TEN YEARS 1941-50 AND THE RATES FOR EACH OF THE YEARS 1951-54 PER 1,000 OF THE POPULATION

YEAR	MARRIAGES										BIRTHS					DEATHS				
	CATHOLIC					ALL OTHERS					TOTAL					Quarter ending the last day of				
	Quarter ending the last day of					Quarter ending the last day of					Quarter ending the last day of					Quarter ending the last day of				
	Mar	June	Sept.	Dec	Total	Mar	June	Sept	Dec	Total	Mar	June	Sept.	Dec.	Total	Mar.	June	Sept.	Dec.	Total
1941	3,353	3,380	3,891	3,437	14,061	167	263	311	219	960	3,520	3,643	4,202	3,656	15,021	13,673	14,955	15,067	13,085	56,780
1942	3,837	4,316	4,677	3,636	16,466	176	287	344	197	1,004	4,013	4,603	5,021	3,833	17,470	14,427	18,181	17,749	15,760	66,117
1943	4,379	3,746	4,808	3,453	16,386	169	260	324	189	942	4,548	4,006	5,132	3,642	17,328	16,400	16,916	16,242	14,817	64,375
1944	4,034	3,852	4,292	3,704	15,882	188	217	307	178	890	4,222	4,069	4,599	3,882	16,772	17,066	17,663	15,749	14,947	65,425
1945	3,507	4,386	4,620	3,912	16,425	190	208	308	170	876	3,697	4,594	4,928	4,082	17,301	16,073	17,940	17,244	15,604	66,861
1946	4,317	3,921	4,895	3,572	16,705	161	226	266	167	820	4,478	4,147	5,161	3,739	17,525	17,005	18,122	17,230	15,565	67,922
1947	3,605	3,774	4,594	3,406	15,379	164	249	305	193	911	3,769	4,023	4,899	3,599	16,290	17,537	18,946	17,424	15,071	68,978
1948	3,427	3,770	4,699	3,397	15,293	141	230	312	139	822	3,568	4,000	5,011	3,536	16,115	16,310	18,143	16,385	15,092	65,930
1949	3,506	3,383	4,880	3,436	15,205	116	237	306	145	804	3,622	3,620	5,186	3,581	16,009	16,388	16,774	16,519	14,472	64,153
1950	3,253	3,545	5,060	3,191	15,049	176	268	350	175	969	3,429	3,813	5,410	3,366	16,018	15,843	17,172	15,960	14,590	63,565
Average for Ten Years 1941-50	3,722	3,807	4,642	3,514	15,685	165	245	313	177	900	3,887	4,052	4,955	3,691	16,585	16,072	17,481	16,557	14,900	65,010
1951	3,249	3,651	5,144	3,151	15,195	140	206	293	183	822	3,389	3,857	5,437	3,334	16,017	15,727	16,966	16,299	13,886	62,878
1952	3,217	3,478	4,914	3,376	14,985	156	276	282	177	891	3,373	3,754	5,196	3,583	15,876	16,341	17,502	16,048	14,740	64,631
1953	2,820	3,616	5,234	3,448	15,118	115	200	299	156	770	2,935	3,816	5,533	3,604	15,888	15,672	16,947	15,728	14,211	62,558
1954	3,210	3,386	5,211	3,193	15,000	122	256	296	157	831	3,332	3,642	5,507	3,350	15,831	15,379	16,487	15,974	14,694	62,534
Equivalent Annual Rate per 1,000 Population Average 1941-50	5.3	5.4	6.6	5.0	5.6	3.9	5.8	7.4	4.2	5.3	5.2	5.5	6.7	5.0	5.6	21.7	23.6	22.3	20.1	21.9
1951	4.7	5.2	7.4	4.5	5.4	3.3	4.9	6.9	4.3	4.9	4.6	5.2	7.3	4.5	5.4	21.2	22.9	22.0	18.8	21.2
1952	4.6	5.0	7.1	4.9	5.4	3.7	6.6	6.7	4.2	5.3	4.6	5.1	7.1	4.8	5.4	22.2	23.7	21.8	20.0	21.9
1953	4.1	5.2	7.5	5.0	5.4	2.7	4.8	7.1	3.7	4.6	4.0	5.2	7.5	4.9	5.4	21.3	23.0	21.4	19.3	21.2
1954	4.6	4.9	7.5	4.6	5.4	2.9	6.1	7.0	3.7	4.9	4.5	5.0	7.5	4.6	5.4	21.0	22.5	21.8	20.0	21.3
																17.5	14.2	11.4	12.8	14.0
																22.5	13.8	10.2	10.7	14.3
																14.5	11.8	9.8	11.5	11.9
																14.3	12.2	9.6	10.9	11.7
																14.3	12.1	10.5	11.7	12.1

TABLE 7 - AVERAGE ANNUAL NUMBER OF DEATHS FROM PRINCIPAL CAUSES, 1921-1950,
WITH RATES PER 100,000 POPULATION

Nos.	Causes of Death	ANNUAL AVERAGE NUMBER OF DEATHS			ANNUAL AVERAGE RATE PER 100,000 POPULATION		
		1921-30	1931-40	1941-50	1921-30	1931-40	1941-50
	All Causes	43,203	41,841	41,450	1446.9	1411.2	1397.5
1	Typhoid fever (including paratyphoid)	108	64	32	3.6	2.2	1.1
2	Cerebro-spinal meningitis	17	30	33	0.6	1.1	1.1
3	Scarlet fever	78	88	15	2.6	3.0	0.5
4	Whooping cough	365	215	189	12.3	7.3	6.4
5	Diphtheria	282	321	151	9.4	10.8	5.1
6	Tuberculosis of respiratory system	3,437	2,797	2,739	115.0	94.3	92.3
7	All other forms of tuberculosis	920	773	779	30.8	26.1	26.2
8	Dysentery	11	2	4	0.3	0.1	0.1
9	Influenza	1,221	1,265	554	40.9	42.6	18.7
10	Measles	253	173	69	8.5	5.8	2.3
11	Acute infectious encephalitis	40	27	17	1.3	0.9	0.6
12	Typhus	10	4	2	0.3	0.1	0.1
13	Cancer	2,933	3,529	4,034	98.4	119.0	136.0
14	Diabetes mellitus	227	260	234	7.6	8.8	7.9
15	Intra-cranial lesions of vascular origin	2,077	2,392	2,782	69.6	80.7	93.8
16	Diseases of the heart	4,981	7,273	9,897	167.1	245.2	333.7
17	Other diseases of the circulatory system	439	734	839	14.7	24.7	28.3
18	Bronchitis	2,750	2,182	1,331	92.0	73.6	44.9
19	Pneumonia	2,476	2,420	1,643	83.0	81.6	55.4
20	Other diseases of the respiratory system	722	688	610	24.2	23.2	20.6
21	Ulcer of stomach or duodenum	274	327	260	9.2	11.0	8.8
22	Diarrhoea and enteritis under 2 years	592	584	813	19.8	19.7	27.4
23	Appendicitis	169	189	110	5.7	6.4	3.7
24	Cirrhosis of the liver	95	72	55	3.2	2.4	1.9
25	Diseases of the liver and biliary passages	138	162	148	4.6	5.5	5.0
26	Other diseases of the digestive system	1,172	909	654	39.2	30.7	22.0
27	Nephritis	1,132	1,195	1,033	38.0	40.3	34.8
28	Puerperal infection	101	71	29	3.4	2.4	1.0
29	Other diseases of childbirth	190	170	110	6.4	5.7	3.7
30	Congenital debility, etc.	1,788	1,852	2,213	59.9	62.5	74.6
31	Senility	8,300	6,135	5,921	277.8	206.9	199.6
32	Suicide	89	98	77	3.0	3.3	2.6
33	Other violence	1,023	881	858	34.1	29.7	28.9
34	Other causes	4,793	3,959	3,215	160.4	133.6	108.4

TABLE 8 - DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES, 1954 WITH RATES PER 100,000 POPULATION

Note - The classification of cause of death in this Table is based on the Abbreviated List 1948

Detailed List No.	Causes of Death	IRELAND ¹		SIX COUNTIES	
		Number	Rate	Number	Rate
001-008	Tuberculosis of respiratory system	797	27.2	196	14.1
010-019	Tuberculosis, other forms	208	7.1	55	4.0
020-029	Syphilis and its sequelae	27	0.9	32	2.3
040	Typhoid fever	1	0.0	.	.
043	Cholera
045-048	Dysentery, all forms	3	0.1	2	0.1
050-051	Scarlet fever and streptococcal sore throat	10	0.3	2	0.1
055	Diphtheria	5	0.2	.	.
056	Whooping cough	33	1.1	8	0.6
057	Meningococcal infections	21	0.7	6	0.4
058	Plague
080	Acute poliomyelitis	14	0.5	4	0.3
084	Smallpox
085	Measles	33	1.1	3	0.2
100-108	Typhus and other rickettsial diseases
110-117	Malaria	1	0.0	.	.
030-039, 041, 042, 044, 049, 052-054, 059-074, 081-083, 086-096, 120-138	All other diseases classified as infective and parasitic	76	2.6	48	3.5
140-205	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues				
	(a) Cancer	4,423	150.8	2,057	148.3
201, 204	(b) Hodgkin's disease and leukaemia	171	5.8	83	6.0
210-239	Benign and unspecified neoplasms	150	5.1	41	3.0
260	Diabetes mellitus	200	6.8	104	7.5
290-293	Anaemias	235	8.0	82	5.9
330-334	Vascular lesions affecting central nervous system	3,488	118.9	2,086	150.2
340	Non-meningococcal meningitis	63	2.1	10	0.7
400-402	Rheumatic fever	63	2.1	36	2.6
410-416	Chronic rheumatic heart disease	404	13.8	147	10.6

¹ Exclusive of the Six Counties

TABLE 8 (contd.) - DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES 1954 WITH RATES PER 100,000 POPULATION

Detailed List No.	Causes of Death	IRELAND ¹		SIX COUNTIES	
		Number	Rate	Number	Rate
420-422	Arteriosclerotic and degenerative heart disease	8,853	301.8	4,005	288.7
430-434	Other diseases of the heart	1,373	46.8	533	38.4
440-443	Hypertension with heart disease	565	19.3	416	30.0
444-447	Hypertension without mention of heart	549	18.7	168	12.1
480-483	Influenza	174	5.9	85	6.1
490-493	Pneumonia	1,045	35.6	571	41.2
500-502	Bronchitis	1,002	34.2	461	33.2
540-541	Ulcer of stomach and duodenum	263	9.0	105	7.6
550-553	Appendicitis	62	2.1	19	1.4
560,561,570	Intestinal obstruction and hernia	193	6.6	115	8.3
543,571,572	Gastritis, duodenitis, enteritis and colitis except diarrhoea of newborn	261	8.9	105	7.6
581	Cirrhosis of liver	49	1.7	36	2.6
590-594	Nephritis and nephrosis	561	19.1	173	12.5
610	Hyperplasia of prostate	234	8.0	147	10.6
640-652, 670-689	Complications of pregnancy, childbirth and the puerperium	69	2.4	21	1.5
750-759	Congenital malformations	484	16.5	215	15.5
760-762	Birth injuries, postnatal asphyxia and atelectasis	375	12.8	208	15.0
763-768	Infections of newborn	116	4.0	28	2.0
769-776	Other diseases peculiar to early infancy and immaturity unqualified	712	24.3	264	19.0
780-795	Senility without mention of psychosis, ill-defined and unknown causes	4,122	140.5	843	60.9
	All other diseases	3,077	105.2	1,115	80.5
E810-E835	Motor vehicle accidents	206	7.0	165	11.9
E800-E802, E840-E962	All other accidents	692	23.6	270	19.4
E963 E970-E979	Suicide and self-inflicted injury	59	2.0	48	3.4
E980-E999	Homicide and operations of war	13	0.4	6	0.4
	All causes	35,535	1211.6	15,124	1090.2

¹ Exclusive of the Six Counties

TABLE 9 - AVERAGE ANNUAL NUMBER OF DEATHS OF MALES AND FEMALES CLASSIFIED BY AGE,
REGISTERED DURING THE YEARS 1864-1954

PERIOD	ALL AGES	Under 5 Years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95 and over
MALES														
1864-70	33,878 [/]	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
1871-80	36,224 [‡]	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
1881-90	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
1891-1900	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
1901-10	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
1911-20	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
1921-30	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1931-40	21,469	2,986	308	221	370	490	908	1,063	1,810	3,320	5,412	3,602	896	83
1941-50	21,726	2,970	208	143	291	385	748	910	1,527	2,833	5,602	4,940	1,100	69
1951	22,476	2,030	133	79	167	209	520	811	1,587	2,867	5,835	6,624	1,519	95
1952	18,918	1,788	126	86	136	152	413	726	1,391	2,420	4,866	5,446	1,301	67
1953	18,420	1,655	100	59	106	139	359	588	1,317	2,472	4,698	5,476	1,384	67
1954	19,199	1,629	85	67	91	118	338	636	1,371	2,552	4,885	5,834	1,519	74
FEMALES														
1864-70	33,445 [/]	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
1871-80	35,387 [‡]	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
1881-90	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
1901-10	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
1911-20	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
1921-30	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1931-40	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,937	3,875	1,129	117
1941-50	19,724	2,314	182	152	307	405	826	889	1,302	2,365	4,717	4,815	1,337	113
1951	19,906	1,490	95	91	144	204	486	740	1,187	2,228	5,003	6,230	1,863	145
1952	16,187	1,407	95	69	122	134	373	587	1,084	1,845	4,052	4,820	1,493	106
1953	16,171	1,286	103	70	80	109	346	584	1,066	1,804	3,923	5,010	1,650	140
1954	16,336	1,177	76	59	80	80	292	515	985	1,908	3,974	5,299	1,786	105
PERSONS														
1864-70	67,323 [/]	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
1871-80	71,611 [‡]	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
1881-90	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
1891-1900	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
1901-10	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
1911-20	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
1921-30	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
1931-40	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1941-50	41,450	5,285	389	295	598	790	1,574	1,799	2,829	5,198	10,319	9,755	2,437	182
1951	42,382	3,520	228	170	311	413	1,006	1,551	2,774	5,095	10,838	12,854	3,382	240
1952	35,105	3,195	221	155	258	286	786	1,313	2,475	4,265	8,918	10,266	2,794	173
1953	34,591	2,941	203	129	186	248	705	1,172	2,383	4,276	8,621	10,486	3,034	207
1954	35,535	2,806	161	126	171	198	630	1,151	2,356	4,460	8,859	11,133	3,305	179

[/] For the period 1864-70 the ages at death were unspecified for an average annual number of 80 persons, of whom 49 were males and 31 were females. These numbers are included in the totals

[‡] For the period 1871-80 the ages at death were unspecified for an average annual number of 44 persons, of whom 29 were males and 15 were females. These numbers are included in the totals.

TABLE 10 - AVERAGE ANNUAL NUMBER OF DEATHS OF MALES AND FEMALES, CLASSIFIED BY AGE, PER 1,000
CORRESPONDING POPULATIONS, 1864-1954

PERIOD	ALL AGES	Under 5 Years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
MALES													
1864-70	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871-80	18.55	39.78	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	295.18
1881-90	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891-1900	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901-10	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	283.22
1911-20	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921-30	14.39	23.58	2.58	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55
1931-40	14.21	21.19	2.19	1.50	2.61	3.81	4.48	6.02	10.94	25.34	57.22	105.78	174.77
1941-50	14.45	20.74	1.53	1.05	2.18	3.13	3.56	5.02	9.75	21.33	52.20	126.93	216.07
1951	14.92	12.67	0.93	0.60	1.33	1.98	2.65	4.13	9.60	22.69	56.50	143.09	294.47
1952	12.61	11.21	0.88	0.65	1.09	1.45	2.12	3.71	8.45	19.23	47.33	118.17	250.69
1953	12.30	10.39	0.70	0.45	0.85	1.33	1.84	3.01	8.01	19.67	45.76	118.97	266.24
1954	12.88	10.26	0.60	0.51	0.73	1.13	1.74	3.27	8.38	20.41	47.80	127.35	293.64
FEMALES													
1864-70	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-80	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-90	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891-1900	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-10	16.79	36.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-20	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-30	14.53	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1931-40	14.12	17.83	2.21	1.69	2.90	4.11	5.07	6.32	10.35	23.87	51.78	95.90	171.54
1941-50	13.47	16.72	1.37	1.15	2.38	3.48	4.03	5.02	8.61	18.39	45.25	110.41	196.15
1951	13.69	9.67	0.69	0.71	1.25	2.11	2.51	4.00	7.48	17.89	47.92	126.75	257.30
1952	11.17	9.25	0.69	0.54	1.06	1.39	1.93	3.18	6.86	14.87	38.95	98.41	205.63
1953	11.18	8.47	0.75	0.55	0.70	1.13	1.79	3.17	6.75	14.56	37.76	102.43	230.52
1954	11.33	7.78	0.56	0.46	0.70	0.83	1.52	2.81	6.26	15.45	38.38	108.72	244.44
PERSONS													
1864-70	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-80	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-90	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891-1900	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.82	289.88
1901-10	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-20	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-30	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1931-40	14.17	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56
1941-50	13.97	18.76	1.45	1.10	2.28	3.30	3.79	5.02	9.18	19.90	48.78	118.20	204.26
1951	14.32	11.25	0.81	0.65	1.29	2.04	2.58	4.07	8.56	20.31	52.19	134.68	272.64
1952	11.90	10.25	0.79	0.60	1.07	1.42	2.02	3.46	7.67	17.07	43.11	107.99	224.21
1953	11.75	9.45	0.73	0.50	0.78	1.23	1.82	3.09	7.40	17.13	41.73	110.45	245.25
1954	12.12	9.05	0.58	0.49	0.72	0.99	1.63	3.05	7.34	17.94	43.06	117.74	264.72

TABLE 11 - MARRIAGES, BIRTHS AND DEATHS CLASSIFIED BY SEX, REGISTERED DURING 1954 SHOWING ILLEGITIMATE BIRTHS AND DEATHS FROM SOME PRINCIPAL CAUSES SEPARATELY IN EACH COUNTY AND COUNTY BOROUGH.

Provinces and Counties	Marriages	Births						Deaths						
		Total (including Illegitimate)			Illegitimate			Total			Under 1 year of age	Principal Epidemic Diseases*	Tuberculosis	Malignant Neoplasms
		Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total	Total	Total
TOTAL	15,831	32,087	30,447	62,534	692	618	1,310	19,199	16,336	35,535	2,364	263	1,005	4,594
Carlow	189	417	374	791	11	16	27	244	199	443	29	1	14	56
Dublin Co. Borough	4,960	6,483	6,170	12,653	128	89	217	2,752	2,661	5,413	445	42	222	869
Dun Laoghaire Borough	335	521	512	1,033	10	7	17	267	289	556	33	3	16	88
Dublin Co. (remainder)	380	1,354	1,271	2,625	24	19	43	533	433	966	99	8	32	131
Dundare	300	872	801	1,673	18	21	39	410	298	708	60	6	28	94
Wick	304	718	622	1,340	20	16	36	477	377	854	60	3	22	105
Galway	192	481	497	978	16	21	37	341	282	623	45	3	14	73
Longford	123	372	335	707	7	7	14	267	183	450	28	2	8	57
Louth	435	863	764	1,627	13	15	28	433	357	790	55	3	30	105
May	316	702	686	1,388	18	18	36	478	342	820	50	4	16	113
Meath	248	556	558	1,114	12	12	24	348	257	605	57	5	17	87
Westmeath	252	668	672	1,340	18	15	33	369	293	662	48	4	19	72
Wexford	408	988	906	1,894	38	31	69	620	507	1,127	72	14	38	158
Wicklow	292	648	646	1,294	18	22	40	382	345	727	51	6	18	75
LEINSTER	8,734	15,643	14,814	30,457	351	309	660	7,921	6,823	14,744	1,132	104	494	2,083
Carlow	307	754	713	1,467	26	16	42	596	479	1,075	64	5	33	129
Dublin Co. Borough	763	758	719	1,477	15	6	21	451	445	896	35	2	34	139
Dublin Co.	1,056	2,764	2,685	5,449	45	41	86	1,857	1,614	3,471	191	19	88	494
Dun Laoghaire	528	1,297	1,229	2,526	23	20	43	831	737	1,568	94	14	36	162
Dundare	393	725	673	1,398	8	14	22	287	281	568	71	20	37	69
Dundare	314	938	859	1,797	40	33	73	620	518	1,138	93	10	21	123
Wick	280	651	642	1,293	17	17	34	426	338	764	39	7	17	98
Wick	283	838	817	1,655	17	16	33	540	471	1,011	78	13	25	138
Wexford	180	304	304	608	6	5	11	157	161	318	24	4	8	47
Wexford	236	479	402	881	22	11	33	349	274	623	45	8	14	81
MUNSTER	4,340	9,508	9,043	18,551	219	179	398	6,114	5,318	11,432	734	102	313	1,480
Clonmel	564	1,769	1,598	3,367	18	23	41	1,022	798	1,820	133	19	44	226
Clonmel	144	313	304	617	6	8	14	344	240	584	23	4	10	53
Clonmel	455	1,385	1,309	2,694	14	15	29	955	806	1,761	82	5	31	190
Clonmel	257	616	583	1,199	4	9	13	531	439	970	36	3	21	107
Clonmel	228	597	535	1,132	9	8	17	465	390	855	40	7	20	93
CONNACHT	1,648	4,680	4,329	9,009	51	63	114	3,317	2,673	5,990	314	38	126	669
Clonmel	270	566	589	1,155	13	20	33	547	409	956	45	7	19	123
Clonmel	571	1,151	1,116	2,267	48	37	85	949	797	1,746	90	11	43	172
Clonmel	268	539	556	1,095	10	10	20	351	316	667	49	1	10	67
STER (part of)	1,109	2,256	2,261	4,517	71	67	138	1,847	1,522	3,369	184	19	72	362

* Includes Typhoid Fever, Scarlet Fever, Whooping Cough, Diphtheria, Dysentery, Measles, Gastro-enteritis (under 2 years) Polio-myelitis and Acute Infectious Encephalitis.

TABLE 12 - MARRIAGES, BIRTHS AND DEATHS, REGISTERED

Provinces, Administrative Counties and County Boroughs	Area in Statute Acres	Popula- tion acc- ording to Census of Popula- tion, 1951	Total Number of Marriages Regis- tered	BIRTHS (including Illegitimate)				Total Number Regis- tered
				Total Number Regis- tered	Trans- ferred from Area	Trans- ferred to Area	Net Number	
TOTAL	17,024,092	2,960,593	15,831	62,534	-	-	62,534	1,310
Leinster	4,851,453	1,336,576	8,734	30,686	573	344	30,457	684
Munster	5,962,045	898,870	4,340	18,714	309	146	18,551	447
Connacht	4,230,826	471,895	1,648	8,847	61	223	9,009	70
Ulster (part of)	1,979,768	253,252	1,109	4,287	32	262	4,517	109

PROVINCE OF

Carlow	221,485	34,162	189	646	12	157	791	14
Dublin County Borough	21,907	522,183	4,960	16,760	4,188	81	12,653	319
Dun Laoghaire Borough	4,179	47,920	335	521	79	591	1,033	5
Dublin County (Remainder)	201,757	122,919	380	819	78	1,824	2,625	77
Kildare	418,644	66,437	300	1,150	8	531	1,673	22
Kilkenny	509,470	65,235	304	1,247	54	147	1,340	14
Laois	424,892	48,430	192	857	5	126	978	13
Longford	257,936	34,553	123	690	84	101	707	4
Louth	202,806	68,771	435	2,026	462	63	1,627	21
Meath	577,824	66,337	316	876	23	535	1,388	13
Offaly	493,636	52,544	248	1,007	18	125	1,114	9
Westmeath	435,606	54,463	252	1,362	153	131	1,340	106
Wexford	581,061	90,032	408	1,818	32	108	1,894	50
Wicklow	500,250	62,590	292	907	7	394	1,294	17

PROVINCE OF

Clare	787,704	81,329	307	1,341	7	133	1,467	18
Cork County Borough	2,511	74,567	763	2,839	1,636	274	1,477	12
Cork County	1,840,897	266,717	1,056	4,219	338	1,568	5,449	145
Kerry	1,161,706	126,644	528	2,463	34	97	2,526	14
Limerick County Borough	4,706	50,820	393	1,832	458	24	1,398	18
Limerick County	658,948	90,419	314	1,354	12	455	1,797	55
Tipperary, N.R.	493,258	57,009	280	1,401	171	63	1,293	128
Tipperary, S.R.	558,034	76,304	283	1,720	121	56	1,655	22
Waterford County Borough	1,970	28,691	180	903	311	16	608	11
Waterford County	452,311	46,370	236	642	20	259	881	24

PROVINCE OF

Galway	1,467,665	160,204	564	3,524	193	36	3,367	48
Leitrim	376,764	41,209	144	534	1	84	617	3
Mayo	1,333,940	141,867	455	2,547	14	161	2,694	5
Roscommon	608,540	68,102	257	1,116	11	94	1,199	5
Sligo	443,917	60,513	228	1,126	35	41	1,132	9

PROVINCE OF

Cavan	467,162	66,377	270	913	9	251	1,155	16
Donegal	1,193,621	131,530	571	2,257	13	23	2,267	78
Monaghan	318,985	55,345	268	1,117	83	61	1,095	15

DURING 1954 IN EACH COUNTY AND COUNTY BOROUGH

ILLEGITIMATE BIRTHS			DEATHS				Excess of Births over Deaths Net Number	Provinces, Administrative Counties and County Boroughs
Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number		
-	-	1,310	35,535	-	-	35,535	26,999	TOTAL
93	69	660	15,004	347	87	14,744	15,713	Leinster
84	35	398	11,343	64	153	11,432	7,119	Munster
4	48	114	5,902	34	122	5,990	3,019	Connacht
1	30	138	3,286	17	100	3,369	1,148	Ulster (part of)

LEINSTER

1	14	27	412	13	44	443	348	Carlow
137	35	217	6,384	1,154	183	5,413	7,240	Dublin County Borough
.	12	17	548	117	125	556	477	Dun Laoghaire Borough
64	30	43	731	186	421	966	1,659	Dublin County (Remainder)
.	17	39	628	8	88	708	965	Kildare
1	23	36	831	31	54	854	486	Kilkenny
.	24	37	617	26	32	623	355	Laois
.	10	14	400	4	54	450	257	Longford
2	9	28	778	32	44	790	837	Louth
1	24	36	743	11	88	820	568	Meath
.	15	24	552	5	58	605	509	Offaly
91	18	33	676	51	37	662	678	Westmeath
1	20	69	1,091	11	47	1,127	767	Wexford
1	24	40	613	17	131	727	567	Wicklow

MUNSTER

1	25	42	1,030	6	51	1,075	392	Clare
1	10	21	854	290	332	896	581	Cork County Borough
68	9	86	3,539	370	302	3,471	1,978	Cork County
.	29	43	1,530	9	47	1,568	958	Kerry
1	5	22	733	177	12	568	830	Limerick County Borough
.	18	73	963	7	182	1,138	659	Limerick County
103	9	34	754	32	42	764	529	Tipperary, N.R.
1	12	33	996	39	54	1,011	644	Tipperary, S.R.
2	2	11	414	115	19	318	290	Waterford County Borough
2	11	33	530	31	124	623	258	Waterford County

CONNACHT

15	8	41	1,858	82	44	1,820	1,547	Galway
.	11	14	544	5	45	584	33	Leitrim
.	24	29	1,690	7	78	1,761	933	Mayo
.	8	13	933	35	72	970	229	Roscommon
1	9	17	877	32	10	855	277	Sligo

ULSTER (part of)

.	17	33	882	4	78	956	199	Cavan
1	8	85	1,729	12	29	1,746	521	Donegal
.	5	20	675	38	30	667	428	Monaghan

TABLE 13 - MARRIAGES REGISTERED IN EACH

PROVINCES AND COUNTIES	Total Marriages	Catholic Marriages	Marriages other than Catholic						
			Total	Protestant Episco- palian	In Registered Presby- terian Meeting Houses-	In Registered Buildings	In Registrar's Offices	Society of Friends	Jews
TOTAL	15,831	15,000	831	582	121	41	64	2	21
LEINSTER	8,734	8,240	494	345	47	22	58	2	20
MUNSTER	4,340	4,216	124	108	4	7	4	.	1
CONNACHT	1,648	1,612	36	33	2	1	.	.	.
ULSTER (part of)	1,109	932	177	96	68	11	2	.	.

PROVINCE OF

Carlow	189	182	7	7
Dublin Co. Borough	4,960	4,660	300	167	36	18	57	2	20
Dun Laoghaire Borough	335	303	32	29	3
Dublin Co. (re- mainder)	380	357	23	23
Kildare	300	288	12	10	2
Kilkenny	304	298	6	6
Laois	192	170	22	19	.	2	1	.	.
Longford	123	119	4	3	.	1	.	.	.
Louth	435	427	8	5	3
Meath	316	298	18	16	2
Offaly	248	242	6	6
Westmeath	252	240	12	11	.	1	.	.	.
Wexford	408	389	19	19
Wicklow	292	267	25	24	1

PROVINCE OF

Clare	307	304	3	3
Cork Co. Borough	763	742	21	12	3	3	2	.	1
Cork Co.	1,056	997	59	54	1	2	2	.	.
Kerry	528	523	5	5
Limerick Co. Borough	393	391	2	2
Limerick Co.	314	307	7	7
Tipperary N.R.	280	265	15	13	.	2	.	.	.
Tipperary S.R.	283	278	5	5
Waterford Co. Borough	180	180
Waterford Co.	236	229	7	7

PROVINCE OF

Galway	564	559	5	5
Leitrim	144	136	8	6	1	1	.	.	.
Mayo	455	446	9	8	1
Roscommon	257	257
Sligo	228	214	14	14

PROVINCE OF

Cavan	270	229	41	36	1	3	1	.	.
Donegal	571	484	87	40	41	5	1	.	.
Monaghan	268	219	49	20	26	3	.	.	.

COUNTY AND COUNTY BOROUGH DURING 1954.

Total Marriages Registered in the Quarter ending the last day of				MARRIAGES						PROVINCES AND COUNTIES
March	June	Sept.	Dec.	Contracted between				Persons not of full age		
				Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	Men	Women	
3,332	3,642	5,507	3,350	15,215	159	369	88	294	1,277	TOTAL
1,628	1,958	3,383	1,765	8,380	88	212	54	185	748	LEINSTER
1,085	968	1,258	1,029	4,178	41	101	20	79	345	MUNSTER
393	435	514	306	1,593	20	28	7	18	96	CONNACHT
226	281	352	250	1,064	10	28	7	12	88	ULSTER (part of)

LEINSTER

40	42	68	39	179	2	6	2	5	20	Carlow
890	1,150	1,945	975	4,764	44	121	31	101	366	Dublin Co. Borough
52	70	147	66	313	7	11	4	7	17	Dun Laoghaire Borough
66	75	174	65	369	4	4	3	5	27	Dublin Co. (re- mainder)
71	60	98	71	289	3	5	3	10	43	Kildare
63	68	117	56	295	2	6	1	3	27	Kilkenny
42	48	59	43	183	3	4	2	1	17	Laois
19	38	34	32	122	1	.	.	1	6	Longford
81	82	182	90	419	5	9	2	14	37	Louth
58	73	123	62	303	3	8	2	6	34	Meath
51	58	79	60	240	2	6	.	3	26	Offaly
53	48	101	50	240	3	9	.	11	33	Westmeath
87	86	149	86	386	4	15	3	13	63	Wexford
55	60	107	70	278	5	8	1	5	32	Wicklow

MUNSTER

84	78	86	59	295	3	6	3	3	25	Clare
170	129	273	191	733	5	23	2	6	39	Cork Co. Borough
276	259	287	234	1,018	9	26	3	13	74	Cork Co.
148	122	123	135	511	4	10	3	1	25	Kerry
89	57	133	114	379	3	9	2	15	34	Limerick Co. Borough
84	96	70	64	302	4	7	1	10	35	Limerick Co.
79	67	72	62	274	4	2	.	5	28	Tipperary N.R.
70	61	84	68	267	4	10	2	11	34	Tipperary S.R.
37	43	63	37	174	2	2	2	8	19	Waterford Co. Borough
48	56	67	65	225	3	6	2	7	32	Waterford Co.

CONNACHT

145	146	155	118	544	4	12	4	4	32	Galway
24	45	61	14	139	.	3	2	.	5	Leitrim
110	111	137	97	439	7	8	1	5	29	Mayo
62	73	79	43	248	5	4	.	5	11	Roscommon
52	60	82	34	223	4	1	.	4	19	Sligo

ULSTER (part of)

49	75	77	69	259	3	6	2	4	23	Cavan
138	141	181	111	548	4	14	5	6	55	Donegal
39	65	94	70	257	3	8	.	2	10	Monaghan

TABLE 14 - MARRIAGE, BIRTH AND DEATH RATES AND THE PROPORTIONS OF ILLEGITIMATE BIRTHS IN 1954 IN EACH COUNTY AND COUNTY BOROUGH AND THE DEATH RATES FOR SOME OF THE PRINCIPAL DISEASES.

PROVINCES AND COUNTIES	Marriages per 1,000 Population	Births		Death Rate per 1,000 Population				Deaths under 1 year per 1,000 Births
		Total Births per 1,000 Population	Illegitimate % of total Births	All Causes	Principal Epidemic Diseases	Tuberculosis	Malignant Neoplasms	
TOTAL	5.40	21.32	2.09	12.12	0.09	0.34	1.57	38
Carlow	5.61	23.49	3.41	13.15	0.03	0.42	1.66	37
Dublin Co. Borough	8.63	22.02	1.72	9.42	0.07	0.39	1.51	35
Dun Laoghaire Borough	6.99	21.56	1.65	11.60	0.06	0.33	1.84	32
Dublin Co. (Remainder)	3.59	24.78	1.64	9.12	0.08	0.30	1.24	38
Kildare	4.52	25.19	2.33	10.66	0.09	0.42	1.42	36
Kilkenny	4.80	21.15	2.69	13.48	0.05	0.35	1.66	45
Laois	4.09	20.84	3.78	13.27	0.06	0.30	1.56	46
Longford	3.71	21.30	1.98	13.56	0.06	0.24	1.72	40
Louth	6.35	23.75	1.72	11.53	0.04	0.44	1.53	34
Meath	4.83	21.21	2.59	12.53	0.06	0.24	1.73	36
Offaly	4.86	21.84	2.15	11.86	0.10	0.33	1.71	51
Westmeath	4.75	25.24	2.46	12.47	0.08	0.36	1.36	36
Wexford	4.63	21.49	3.64	12.79	0.16	0.43	1.79	38
Wicklow	4.68	20.75	3.09	11.66	0.10	0.29	1.20	39
LEINSTER	6.42	22.39	2.17	10.84	0.08	0.36	1.53	37
Clare	3.94	18.81	2.86	13.78	0.06	0.42	1.65	44
Cork Co. Borough	10.23	19.81	1.42	12.02	0.03	0.46	1.86	24
Cork Co.	4.03	20.78	1.58	13.24	0.07	0.34	1.88	35
Kerry	4.37	20.89	1.70	12.97	0.12	0.30	1.34	37
Limerick Co. Borough	7.73	27.51	1.57	11.18	0.39	0.73	1.36	51
Limerick Co.	3.60	20.61	4.06	13.05	0.11	0.24	1.41	52
Tipperary N.R.	5.03	23.24	2.63	13.73	0.13	0.31	1.76	30
Tipperary S.R.	3.80	22.23	1.99	13.58	0.17	0.34	1.85	47
Waterford Co. Borough	6.27	21.19	1.81	11.08	0.14	0.28	1.64	39
Waterford Co.	5.27	19.67	3.75	13.91	0.18	0.31	1.81	51
MUNSTER	4.95	21.15	2.15	13.03	0.12	0.36	1.69	40
Galway	3.65	21.79	1.22	11.78	0.12	0.28	1.46	40
Leitrim	3.73	16.00	2.27	15.14	0.10	0.26	1.37	37
Mayo	3.35	19.81	1.08	12.95	0.04	0.23	1.40	30
Roscommon	3.99	18.61	1.08	15.05	0.05	0.33	1.66	30
Sligo	3.91	19.41	1.50	14.66	0.12	0.34	1.59	35
CONNACHT	3.65	19.94	1.27	13.26	0.08	0.28	1.48	35
Cavan	4.29	18.33	2.86	15.17	0.11	0.30	1.95	39
Donegal	4.51	17.91	3.75	13.79	0.09	0.34	1.36	40
Monaghan	5.01	20.48	1.83	12.47	0.02	0.19	1.25	45
ULSTER (part of)	4.56	18.58	3.06	13.86	0.08	0.30	1.49	41

TABLE 15 - BIRTHS AND DEATHS CLASSIFIED BY SEX, REGISTERED DURING 1954 SHOWING ILLEGITIMATE BIRTHS AND DEATHS FROM SOME OF THE PRINCIPAL CAUSES SEPARATELY IN THE PRINCIPAL TOWNS AND IN AGGREGATE URBAN AND AGGREGATE RURAL DISTRICTS

AREA	Births						Deaths					
	Total (including Illegitimate)			Illegitimate			Total			Under 1 year of age	Tuber- culosis	Malignant Neo- plasms
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total	Total
Dublin Co. Borough and Dun Laoghaire Borough	7,004	6,682	13,686	138	96	234	3,019	2,950	5,969	478	238	957
Remaining Co. Boroughs	1,787	1,696	3,483	29	25	54	895	887	1,782	130	79	255
Galway Borough	244	191	435	3	3	6	100	92	192	16	7	27
Dundalk U.D.	250	229	479	2	-	2	94	86	180	18	6	25
Drogheda "	180	149	329	2	2	4	102	66	168	16	6	19
Sligo "	149	121	270	3	1	4	73	66	139	14	3	19
Wexford "	125	111	236	1	-	1	82	67	149	18	6	22
Kilkenny "	135	125	260	2	-	2	62	59	121	10	4	19
Bray "	112	100	212	2	-	2	52	63	115	8	1	15
Tralee "	104	116	220	-	1	1	63	65	128	18	5	24
Clonmel "	131	121	252	4	2	6	67	56	123	12	6	20
Total above Principal Towns	10,221	9,641	19,862	186	130	316	4,609	4,457	9,066	738	361	1,402
All Other Urban Districts	1,990	1,912	3,902	16	18	34	1,102	1,004	2,106	167	66	280
All Boroughs and Urban Districts	12,211	11,553	23,764	202	148	350	5,711	5,461	11,172	905	427	1,682
All Rural Districts	19,876	18,894	38,770	490	470	960	13,488	10,875	24,363	1,459	578	2,912
All Co. Boroughs and Urban Districts:-												
LEINSTER	8,563	8,120	16,683	150	109	259	3,806	3,606	7,412	611	288	1,145
MUNSTER	2,846	2,756	5,602	41	31	72	1,519	1,475	2,994	226	117	430
CONNACHT	583	467	1,050	9	5	14	246	247	493	44	14	70
ULSTER (part of)	219	210	429	2	3	5	140	133	273	24	8	37
All Rural Districts:-												
LEINSTER	7,080	6,694	13,774	201	200	401	4,115	3,217	7,332	521	206	938
MUNSTER	6,662	6,287	12,949	178	148	326	4,595	3,843	8,438	508	196	1,050
CONNACHT	4,097	3,862	7,959	42	58	100	3,071	2,426	5,497	270	112	599
ULSTER (part of)	2,037	2,051	4,088	69	64	133	1,707	1,389	3,096	160	64	325
TOTAL	32,087	30,447	62,534	692	618	1,310	19,199	16,336	35,535	2,364	1,005	4,594

TABLE 16 - BIRTH AND DEATH RATES IN 1954 IN THE PRINCIPAL TOWNS AND IN AGGREGATE URBAN AND AGGREGATE RURAL DISTRICTS AND THE PROPORTIONS OF ILLEGITIMATE BIRTHS AND THE DEATH RATES FOR SOME OF THE PRINCIPAL DISEASES.

AREA	Births		Death Rates per 1,000 population			Deaths under 1 year per 1,000 Births
	Total Births per 1,000 population	Illegitimate % of Total Births	All Causes	Tuberculosis	Malignant Neoplasms	
Dublin Co. Borough and Dun Laoghaire Borough	21.98	1.71	9.59	0.38	1.54	34.93
Remaining Co. Boroughs	22.61	1.55	11.57	0.51	1.66	37.32
Galway Borough	20.41	1.38	9.01	0.33	1.27	36.78
Dundalk U.D.	24.34	0.42	9.15	0.30	1.27	37.58
Drogheda "	19.61	1.22	10.01	0.36	1.13	48.63
Sligo "	19.96	1.48	10.27	0.22	1.40	51.85
Wexford "	19.70	0.42	12.44	0.50	1.84	76.27
Kilkenny "	24.59	0.77	11.45	0.38	1.80	38.46
Bray "	17.58	0.94	9.53	0.08	1.24	37.74
Tralee "	19.92	0.45	11.59	0.45	2.17	81.82
Clonmel "	24.07	2.38	11.75	0.57	1.91	47.62
Total above Principal Towns	21.97	1.59	10.03	0.40	1.55	37.16
All Other Urban Districts	20.63	0.87	11.14	0.35	1.48	42.80
All Boroughs and Urban Districts	21.74	1.47	10.22	0.39	1.54	38.08
All Rural Districts	21.08	2.48	13.24	0.31	1.58	37.63
All Co. Boroughs and Urban Districts:-						
LEINSTER	22.01	1.55	9.78	0.38	1.51	36.62
MUNSTER	21.77	1.29	11.64	0.45	1.67	40.34
CONNACHT	19.07	1.33	8.96	0.25	1.27	41.90
ULSTER (part of)	18.92	1.17	12.04	0.35	1.63	55.94
All Rural Districts:-						
LEINSTER	22.72	2.91	12.09	0.34	1.55	37.82
MUNSTER	20.95	2.52	13.65	0.32	1.70	39.23
CONNACHT	20.12	1.26	13.90	0.28	1.51	33.92
ULSTER (part of)	18.61	3.25	14.09	0.29	1.48	39.14
TOTAL	21.32	2.09	12.12	0.34	1.57	37.80

TABLE 17 - DEATHS IN 1954 AT EACH YEAR OF AGE IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS

AGE	AGGREGATE URBAN DISTRICTS			AGGREGATE RURAL DISTRICTS			TOTAL		
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
Under 1 year	520	385	905	874	585	1,459	1,394	970	2,364
1	39	41	80	55	56	111	94	97	191
2	16	21	37	40	29	69	56	50	106
3	11	10	21	25	21	46	36	31	67
4	22	11	33	27	18	45	49	29	78
1 - 4 years	88	83	171	147	124	271	235	207	442
5	7	3	10	16	12	28	23	15	38
6	5	6	11	11	16	27	16	22	38
7	6	7	13	11	13	24	17	20	37
8	2	4	6	12	6	18	14	10	24
9	5	4	9	10	5	15	15	9	24
5 - 9 years	25	24	49	60	52	112	85	76	161
10	5	4	9	11	9	20	16	13	29
11	2	3	5	12	9	21	14	12	26
12	1	5	6	9	5	14	10	10	20
13	7	6	13	8	9	17	15	15	30
14	4	3	7	8	6	14	12	9	21
10 - 14 years	19	21	40	48	38	86	67	59	126
15	4	8	12	6	10	16	10	18	28
16	9	4	13	6	10	16	15	14	29
17	8	7	15	11	12	23	19	19	38
18	9	4	13	16	8	24	25	12	37
19	7	10	17	15	7	22	22	17	39
15 - 19 years	37	33	70	54	47	101	91	80	171
20	9	5	14	16	10	26	25	15	40
21	6	6	12	18	11	29	24	17	41
22	13	4	17	19	10	29	32	14	46
23	4	8	12	12	10	22	16	18	34
24	6	4	10	15	12	27	21	16	37
20 - 24 years	38	27	65	80	53	133	118	80	198
25	10	11	21	15	8	23	25	19	44
26	7	9	16	13	12	25	20	21	41
27	13	9	22	17	12	29	30	21	51
28	14	5	19	14	17	31	28	22	50
29	9	15	24	18	15	33	27	30	57
25 - 29 years	53	49	102	77	64	141	130	113	243
30	17	11	28	19	27	46	36	38	74
31	10	7	17	24	22	46	34	29	63
32	21	13	34	22	22	44	43	35	78
33	14	12	26	30	23	53	44	35	79
34	17	18	35	34	24	58	51	42	93
30 - 34 years	79	61	140	129	118	247	208	179	387

TABLE 17 (contd.) - DEATHS IN 1954 AT EACH YEAR OF AGE IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS

AGE	AGGREGATE URBAN DISTRICTS			AGGREGATE RURAL DISTRICTS			TOTAL		
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
35	11	16	27	23	21	44	34	37	71
36	12	15	27	37	28	65	49	43	92
37	13	17	30	25	22	47	38	39	77
38	20	21	41	39	32	71	59	53	112
39	18	20	38	32	38	70	50	58	108
35 - 39 years	74	89	163	156	141	297	230	230	460
40	26	32	58	62	40	102	88	72	160
41	17	16	33	37	24	61	54	40	94
42	40	25	65	57	40	97	97	65	162
43	31	22	53	49	34	83	80	56	136
44	35	19	54	52	33	85	87	52	139
40 - 44 years	149	114	263	257	171	428	406	285	691
45	26	32	58	68	43	111	94	75	169
46	30	28	58	64	46	110	94	74	168
47	41	27	68	54	34	88	95	61	156
48	50	42	92	66	56	122	116	98	214
49	54	32	86	68	39	107	122	71	193
45 - 49 years	201	161	362	320	218	538	521	379	900
50	69	50	119	106	88	194	175	138	313
51	46	31	77	42	37	79	88	68	156
52	76	47	123	78	71	149	154	118	272
53	77	41	118	92	69	161	169	110	279
54	101	77	178	163	95	258	264	172	436
50 - 54 years	369	246	615	481	360	841	850	606	1,456
55	81	52	133	94	62	156	175	114	289
56	103	69	172	121	105	226	224	174	398
57	87	56	143	104	90	194	191	146	337
58	127	89	216	135	115	250	262	204	466
59	76	65	141	122	78	200	198	143	341
55 - 59 years	474	331	805	576	450	1,026	1,050	781	1,831
60	137	114	251	218	184	402	355	298	653
61	100	60	160	133	91	224	233	151	384
62	132	75	207	173	143	316	305	218	523
63	94	94	188	171	111	282	265	205	470
64	123	86	209	221	169	390	344	255	599
60 - 64 years	586	429	1,015	916	698	1,614	1,502	1,127	2,629
65	146	115	261	260	204	464	406	319	725
66	134	95	229	202	148	350	336	243	579
67	125	93	218	209	150	359	334	243	577
68	156	135	291	314	209	523	470	344	814
69	120	138	258	304	234	538	424	372	796
65 - 69 years	681	576	1,257	1,289	945	2,234	1,970	1,521	3,491

TABLE 17 (contd.) - DEATHS IN 1954 AT EACH YEAR OF AGE IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS

AGE	AGGREGATE URBAN DISTRICTS			AGGREGATE RURAL DISTRICTS			TOTAL		
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
70	188	182	370	360	274	634	548	456	1,004
71	132	125	257	323	248	571	455	373	828
72	177	158	335	413	361	774	590	519	1,109
73	161	176	337	477	348	825	638	524	1,162
74	165	174	339	519	407	926	684	581	1,265
70 - 74 years	823	815	1,638	2,092	1,638	3,730	2,915	2,453	5,368
75	153	167	320	517	424	941	670	591	1,261
76	156	176	332	483	415	898	639	591	1,230
77	113	144	257	476	363	839	589	507	1,096
78	163	226	389	548	457	1,005	711	683	1,394
79	124	137	261	459	337	796	583	474	1,057
75 - 79 years	709	850	1,559	2,483	1,996	4,479	3,192	2,846	6,038
80	170	203	373	531	453	984	701	656	1,357
81	83	88	171	342	290	632	425	378	803
82	101	128	229	428	350	778	529	478	1,007
83	104	121	225	377	337	714	481	458	939
84	93	130	223	413	353	766	506	483	989
80 - 84 years	551	670	1,221	2,091	1,783	3,874	2,642	2,453	5,095
85	58	79	137	294	276	570	352	355	707
86	61	95	156	259	249	508	320	344	664
87	26	78	104	201	188	389	227	266	493
88	29	57	86	149	152	301	178	209	387
89	18	51	69	117	139	256	135	190	325
85 - 89 years	192	360	552	1,020	1,004	2,024	1,212	1,364	2,576
90	15	39	54	95	102	197	110	141	251
91	8	18	26	57	52	109	65	70	135
92	5	27	32	43	62	105	48	89	137
93	6	17	23	36	55	91	42	72	114
94	5	15	20	37	35	72	42	50	92
90 - 94 years	39	116	155	268	306	574	307	422	729
95	1	8	9	23	26	49	24	34	58
96	1	4	5	15	18	33	16	22	38
97	1	2	3	10	10	20	11	12	23
98	.	4	4	8	12	20	8	16	24
99	1	1	2	7	8	15	8	9	17
95 - 99 years	4	19	23	63	74	137	67	93	160
100 years and over	.	2	2	7	10	17	7	12	19
TOTAL	5,711	5,461	11,172	13,488	10,875	24,363	19,199	16,336	35,535

TABLE 18 DEATHS, CLASSIFIED BY SEX AND AGE, REGISTERED

AREA		TOTAL DEATHS	AGE AT DEATH								
			Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9	10-14	15-19
TOTAL	Males	19,199	1,394	94	56	36	49	1,629	85	67	91
	Females	16,336	970	97	50	31	29	1,177	76	59	80
	Persons	35,535	2,364	191	106	67	78	2,806	161	126	171
LEINSTER	Males	7,921	681	41	23	19	23	787	30	33	50
	Females	6,823	451	50	24	12	12	549	34	25	43
	Persons	14,744	1,132	91	47	31	35	1,336	64	58	93
MUNSTER	Males	6,114	432	26	16	12	15	501	37	21	19
	Females	5,318	302	30	19	11	10	372	23	18	22
	Persons	11,432	734	56	35	23	25	873	60	39	41
CONNACHT	Males	3,317	184	16	10	3	6	219	10	6	18
	Females	2,673	130	10	3	8	4	155	9	10	10
	Persons	5,990	314	26	13	11	10	374	19	16	28
ULSTER (part of)	Males	1,847	97	11	7	2	5	122	8	7	4
	Females	1,522	87	7	4	.	3	101	10	6	5
	Persons	3,369	184	18	11	2	8	223	18	13	9
LEINSTER CARLOW	Males	244	19	2	.	1	.	22	.	4	3
	Females	199	10	2	1	.	2	15	3	1	1
	Persons	443	29	4	1	1	2	37	3	5	4
DUBLIN COUNTY BOROUGH	Males	2,752	261	12	5	2	11	291	10	10	22
	Females	2,661	184	20	8	5	3	220	14	9	13
	Persons	5,413	445	32	13	7	14	511	24	19	35
DUN LAOGHAIRE BOROUGH	Males	267	21	1	.	1	1	24	3	.	1
	Females	289	12	1	.	.	1	14	.	.	4
	Persons	556	33	2	.	1	2	38	3	.	5
DUBLIN COUNTY (excluding Dun Laoghaire Borough)	Males	533	61	6	2	6	2	77	3	2	4
	Females	433	38	1	2	.	2	43	5	2	6
	Persons	966	99	7	4	6	4	120	8	4	10
KILDARE	Males	410	32	1	2	2	2	39	1	3	4
	Females	298	28	2	3	3	2	38	4	.	4
	Persons	708	60	3	5	5	4	77	5	3	8
KILKENNY	Males	477	40	3	3	.	.	46	.	1	.
	Females	377	20	2	1	2	.	25	1	2	2
	Persons	854	60	5	4	2	.	71	1	3	2
LAOIGHIS	Males	341	27	2	2	.	1	32	1	2	1
	Females	282	18	3	.	.	.	21	.	2	3
	Persons	623	45	5	2	.	1	53	1	4	4
LONGFORD	Males	267	15	2	2	.	.	19	2	.	2
	Females	183	13	3	.	.	.	16	.	.	1
	Persons	450	28	5	2	.	.	35	2	.	3
LOUTH	Males	433	29	.	1	1	.	31	3	1	4
	Females	357	26	1	1	.	.	28	1	3	.
	Persons	790	55	1	2	1	.	59	4	4	4
MEATH	Males	478	28	2	.	2	1	33	2	2	2
	Females	342	22	1	3	2	.	28	1	.	.
	Persons	820	50	3	3	4	1	61	3	2	2
OFFALY	Males	348	38	.	1	1	1	41	1	.	1
	Females	257	19	3	1	.	1	24	.	1	2
	Persons	605	57	3	2	1	2	65	1	1	3
WESTMEATH	Males	369	34	3	2	.	2	41	1	2	1
	Females	293	14	5	1	.	1	21	3	2	2
	Persons	662	48	8	3	.	3	62	4	4	3
WEXFORD	Males	620	43	6	2	2	2	55	2	5	2
	Females	507	29	5	2	.	.	36	2	3	4
	Persons	1,127	72	11	4	2	2	91	4	8	6
WICKLOW	Males	382	33	1	1	1	.	36	1	1	3
	Females	345	18	1	1	.	.	20	.	.	1
	Persons	727	51	2	2	1	.	56	1	1	4

DURING 1954 FOR EACH COUNTY AND COUNTY BOROUGH

DEATH

20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 and over
118	130	208	230	406	521	850	1,050	1,502	1,970	2,915	3,192	2,642	1,212	307	67	7
80	113	179	230	285	379	606	781	1,127	1,521	2,453	2,846	2,453	1,364	422	93	12
198	243	387	460	691	900	1,456	1,831	2,629	3,491	5,368	6,038	5,095	2,576	729	160	19
45	69	112	96	191	237	434	525	680	856	1,188	1,197	900	394	78	18	1
33	64	74	113	123	175	277	355	530	665	1,031	1,101	938	503	153	34	3
78	133	186	209	314	412	711	880	1,210	1,521	2,219	2,298	1,838	897	231	52	4
43	37	55	82	119	186	242	311	474	629	956	1,060	850	368	105	17	2
27	28	54	71	92	125	192	271	357	508	815	947	823	409	132	29	3
70	65	109	153	211	311	434	582	831	1,137	1,771	2,007	1,673	777	237	46	5
18	14	26	25	61	66	105	135	201	293	469	612	627	303	84	24	1
12	13	33	33	47	47	90	97	155	216	383	501	451	291	95	19	6
30	27	59	58	108	113	195	232	356	509	852	1,113	1,078	594	179	43	7
12	10	15	27	35	32	69	79	147	192	302	323	265	147	40	8	3
8	8	18	13	23	32	47	58	85	132	224	297	241	161	42	11	3
20	18	33	40	58	64	116	137	232	324	526	620	506	308	82	19	3
.	2	4	1	1	4	10	12	19	28	42	39	28	18	6	1	.
1	2	1	4	3	9	9	5	22	17	30	34	18	17	6	1	.
1	4	5	5	4	13	19	17	41	45	72	73	46	35	12	2	.
16	25	34	36	84	100	201	261	290	323	362	319	266	91	10	1	.
14	28	28	40	48	76	129	186	229	276	391	390	327	173	59	10	1
30	53	62	76	132	176	330	447	519	599	753	709	593	264	69	11	1
.	5	7	2	7	12	16	20	32	27	30	37	27	12	4	1	.
1	2	5	4	7	5	10	12	23	27	48	45	41	34	5	2	.
1	7	12	6	14	17	26	32	55	54	78	82	68	46	9	3	.
.	6	7	8	12	21	38	30	41	55	75	68	53	26	6	1	.
6	3	5	9	8	13	21	16	34	39	62	65	56	29	9	2	.
6	9	12	17	20	34	59	46	75	94	137	133	109	55	15	3	.
3	1	13	5	10	11	17	29	38	42	67	52	44	23	4	3	1
2	4	5	6	4	7	13	16	23	27	35	56	33	17	4	.	.
5	5	18	11	14	18	30	45	61	69	102	108	77	40	8	3	1
1	4	6	3	3	15	17	19	40	40	93	92	57	33	6	1	.
1	3	2	10	9	6	16	12	30	38	49	66	69	28	6	2	.
2	7	8	13	12	21	33	31	70	78	142	158	126	61	12	3	.
5	.	2	2	8	5	9	8	25	40	59	74	40	25	2	1	.
2	1	5	2	3	4	10	13	24	20	47	55	40	23	5	2	.
7	1	7	4	11	9	19	21	49	60	106	129	80	48	7	3	.
4	5	1	3	5	5	14	8	19	24	42	48	37	20	6	3	.
1	.	1	3	1	2	5	5	17	12	28	33	31	22	4	1	.
5	5	2	6	6	7	19	13	36	36	70	81	68	42	10	4	.
2	1	11	3	10	11	22	22	36	43	79	74	53	22	5	.	.
2	4	5	7	11	6	15	14	20	45	56	57	46	24	11	2	.
4	5	16	10	21	17	37	36	56	88	135	131	99	46	16	2	.
2	5	7	6	15	10	11	28	31	45	100	87	65	20	5	2	.
.	3	3	4	6	9	5	13	24	39	54	69	49	21	10	4	.
2	8	10	10	21	19	16	41	55	84	154	156	114	41	15	6	.
1	2	7	5	6	12	13	15	18	37	48	61	45	26	8	1	.
1	4	1	6	3	8	5	14	15	16	37	44	42	24	7	2	1
2	6	8	11	9	20	18	29	33	53	85	105	87	50	15	3	1
2	4	3	2	6	9	18	19	18	41	56	65	47	27	7	.	.
.	6	2	4	2	5	11	14	17	20	43	64	47	21	8	1	.
2	10	5	6	8	14	29	33	35	61	99	129	94	48	15	1	.
6	6	8	10	12	14	29	30	42	66	88	114	87	35	8	1	.
1	1	5	11	11	16	17	19	31	52	84	75	90	35	9	4	1
7	7	13	21	23	30	46	49	73	118	172	189	177	70	17	5	1
3	3	2	10	12	8	19	24	31	45	47	67	51	16	1	2	.
1	3	6	3	7	9	11	16	21	37	67	48	49	35	10	1	.
4	6	8	13	19	17	30	40	52	82	114	115	100	51	11	3	.

TABLE 18 (contd.) - DEATHS, CLASSIFIED BY SEX AND AGE,

AREA		TOTAL DEATHS	AGE AT								
			Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9	10-14	15-19
MUNSTER											
CLARE	Males	596	44	2	2	1	3	52	2	5	5
	Females	479	20	5	.	1	2	28	1	2	4
	Persons	1,075	64	7	2	2	5	80	3	7	9
CORK COUNTY BOROUGH	Males	451	22	4	.	1	1	28	1	1	.
	Females	445	13	3	1	1	.	18	4	2	4
	Persons	896	35	7	1	2	1	46	5	3	4
CORK COUNTY	Males	1,857	116	4	5	4	5	134	11	4	3
	Females	1,614	75	9	5	4	.	93	3	2	1
	Persons	3,471	191	13	10	8	5	227	14	6	4
KERRY	Males	831	53	1	3	1	2	60	4	1	3
	Females	737	41	1	4	.	5	51	4	4	1
	Persons	1,568	94	2	7	1	7	111	8	5	4
LIMERICK COUNTY BOROUGH	Males	287	38	7	.	1	1	47	2	1	.
	Females	281	33	4	3	.	1	41	.	3	4
	Persons	568	71	11	3	1	2	88	2	4	4
LIMERICK COUNTY	Males	620	60	.	1	.	.	61	9	2	2
	Females	518	33	2	1	1	.	37	4	2	1
	Persons	1,138	93	2	2	1	.	98	13	4	3
TIPPERARY NORTH RIDING	Males	426	20	2	3	1	1	27	3	3	1
	Females	338	19	3	4	2	.	28	3	.	1
	Persons	764	39	5	7	3	1	55	6	3	2
TIPPERARY SOUTH RIDING	Males	540	40	4	1	1	.	46	5	2	1
	Females	471	38	2	1	1	1	43	3	1	6
	Persons	1,011	78	6	2	2	1	89	8	3	7
WATERFORD COUNTY BOROUGH	Males	157	15	1	1	1	2	20	.	1	2
	Females	161	9	1	.	.	.	10	.	1	.
	Persons	318	24	2	1	1	2	30	.	2	2
WATERFORD COUNTY	Males	349	24	1	.	1	.	26	.	1	2
	Females	274	21	.	.	1	1	23	1	1	.
	Persons	623	45	1	.	2	1	49	1	2	2
CONNACHT											
GALWAY	Males	1,022	80	6	3	1	3	93	4	1	5
	Females	798	53	5	1	3	.	62	2	2	3
	Persons	1,820	133	11	4	4	3	155	6	3	8
LEITRIM	Males	344	15	1	2	.	.	18	.	.	3
	Females	240	8	.	.	.	1	9	1	1	2
	Persons	584	23	1	2	.	1	27	1	1	5
MAYO	Males	955	45	5	1	1	2	54	1	2	4
	Females	806	37	1	.	3	2	43	4	7	3
	Persons	1,761	82	6	1	4	4	97	5	9	7
ROSCOMMON	Males	531	20	1	2	1	1	25	3	1	2
	Females	439	16	2	1	.	.	19	.	.	2
	Persons	970	36	3	3	1	1	44	3	1	4
SLIGO	Males	465	24	3	2	.	.	29	2	2	4
	Females	390	16	2	1	2	1	22	2	.	.
	Persons	855	40	5	3	2	1	51	4	2	4
ULSTER (part of)											
CAVAN	Males	547	24	3	1	1	.	29	2	1	1
	Females	409	21	2	2	.	1	26	2	3	1
	Persons	956	45	5	3	1	1	55	4	4	2
DONEGAL	Males	949	46	4	5	.	4	59	6	6	3
	Females	797	44	2	2	.	.	48	8	2	3
	Persons	1,746	90	6	7	.	4	107	14	8	6
MONAGHAN	Males	351	27	4	1	1	1	34	.	.	.
	Females	316	22	3	.	.	2	27	.	1	1
	Persons	667	49	7	1	1	3	61	.	1	1

REGISTERED DURING 1954 FOR EACH COUNTY AND COUNTY BOROUGH

DEATH

20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 and over
8	5	9	8	8	20	18	23	27	57	100	91	91	46	17	2	2
8	3	5	9	7	10	16	26	26	40	69	70	96	48	13	5	1
8	8	14	17	15	30	34	49	53	97	169	161	187	94	30	7	3
5	.	5	4	8	21	27	43	52	69	72	64	34	14	3	.	.
4	1	3	8	9	15	21	34	41	50	73	83	52	19	4	.	.
9	1	8	12	17	36	48	77	93	119	145	147	86	33	7	.	.
9	10	24	32	40	53	86	85	128	192	291	336	265	120	28	6	.
6	7	14	16	38	31	65	81	119	147	253	295	253	141	44	5	.
15	17	38	48	78	84	151	166	247	339	544	631	518	261	72	11	.
3	3	.	11	14	23	15	37	68	72	131	167	135	64	15	5	.
4	4	4	11	14	18	23	27	37	59	113	142	131	61	22	7	.
7	7	4	22	28	41	38	64	105	131	244	309	266	125	37	12	.
3	3	6	2	4	11	12	18	34	26	44	40	28	5	1	.	.
3	3	3	3	5	8	9	20	20	32	37	39	24	17	8	2	.
6	6	9	5	9	19	21	38	54	58	81	79	52	22	9	2	.
7	7	3	7	10	14	21	32	44	56	90	116	84	38	16	1	.
5	5	13	3	6	11	19	24	24	65	75	89	84	34	13	4	.
12	12	16	10	16	25	40	56	68	121	165	205	168	72	29	5	.
2	6	4	7	9	13	15	17	27	45	75	85	43	30	13	1	.
1	2	5	2	1	11	8	23	30	28	58	52	44	29	10	2	.
3	8	9	9	10	24	23	40	57	73	133	137	87	59	23	3	.
3	3	2	5	15	13	24	36	46	61	74	85	82	30	6	1	.
1	2	4	10	6	12	16	22	31	47	69	87	68	29	11	2	1
4	5	6	15	21	25	40	58	77	108	143	172	150	59	17	3	1
2	.	1	6	4	5	12	9	16	16	24	20	12	6	1	.	.
2	1	3	6	5	4	5	3	11	11	29	28	30	10	1	.	1
4	1	4	12	9	9	17	12	27	27	53	48	42	16	2	.	1
1	.	1	.	7	13	12	11	32	35	55	56	76	15	5	1	.
1	.	.	3	1	5	10	11	18	29	39	62	41	21	6	2	.
2	.	1	3	8	18	22	22	50	64	94	118	117	36	11	3	.
6	5	5	14	21	16	30	51	62	82	162	179	167	86	22	11	.
4	2	15	16	15	19	24	30	45	64	102	156	118	86	25	5	3
10	7	20	30	36	35	54	81	107	146	264	335	285	172	47	16	3
2	1	4	1	8	8	15	16	15	34	53	76	53	29	8	.	.
2	2	2	1	4	2	10	4	17	22	33	58	45	19	6	1	1
2	3	6	2	12	10	25	20	32	56	86	134	98	48	14	1	1
4	6	8	7	16	21	28	29	65	87	111	171	209	96	29	7	.
5	2	9	8	17	11	26	30	44	55	118	127	149	104	33	9	2
9	8	17	15	33	32	54	59	109	142	229	298	358	200	62	16	2
4	1	2	.	12	6	17	25	30	46	84	100	99	54	18	2	.
2	5	5	5	7	7	15	12	27	40	65	86	75	45	20	2	.
6	6	7	5	19	13	32	37	57	86	149	186	174	99	38	4	.
2	1	7	3	4	15	15	14	29	44	59	86	99	38	7	4	1
1	2	2	3	4	8	15	21	22	35	65	74	64	37	11	2	.
3	3	9	6	8	23	30	35	51	79	124	160	163	75	18	6	1
2	4	.	9	8	11	25	28	49	53	105	98	69	35	16	1	1
3	4	7	4	6	10	13	13	39	35	54	81	69	29	8	2	.
5	8	7	13	14	21	38	41	88	88	159	179	138	64	24	3	1
6	5	7	15	21	14	30	33	74	95	147	174	145	83	19	6	1
4	2	9	5	12	16	21	35	32	60	124	163	115	102	28	8	.
10	7	16	20	33	30	51	68	106	155	271	337	260	185	47	14	1
4	1	8	3	6	7	14	18	24	44	50	51	51	29	5	1	1
1	2	2	4	5	6	13	10	14	37	46	53	57	30	6	1	.
5	3	10	7	11	13	27	28	38	81	96	104	108	59	11	2	1

TABLE 19 - DEATHS IN 1954, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Causes of Death		Age at Death								
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
	TOTAL DEATHS	M F	19,199 16,336	1,394 970	94 97	56 50	36 31	49 29	1,629 1,177	85 76	67 59
001-138	1. Infective and parasitic diseases	M F	734 495	41 27	20 24	9 15	4 12	7 3	81 81	15 16	12 18
001-019	Tuberculosis - all forms	M F	598 407	8 12	11 11	5 6	2 8	4 2	30 39	6 12	7 14
002	Pulmonary tuberculosis	M F	487 292	. 1	. 3	. .	. 1	1 .	1 5	. 2	4 3
003	Pleural tuberculosis	M F	5 1
004	Primary tuberculosis complex with symptoms	M F	1 2	. .	1 .	. 1	1 1
008	Tuberculosis, unspecified site	M F	3 6 1
010	Tuberculosis of meninges and central nervous system	M F	52 56	7 8	9 6	5 5	2 5	3 1	26 25	4 8	. 8
011	Tuberculosis of intestines, peritoneum and mesenteric glands	M F	14 17	. .	. 2	. .	. 2	. 1	. 5	1 1	3 .
012	Tuberculosis of bones and joints, active or unspecified	M F	17 13	. 1 1	1 .	. 1
014	Tuberculosis of skin and subcutaneous cellular tissue	M F	. 1
015	Tuberculosis of lymphatic system	M F	2 1	. .	1	1
016	Tuberculosis of genito-urinary system	M F	9 9
018	Tuberculosis of other organs	M F	. 3 1	. 1
019	Disseminated tuberculosis	M F	8 6	1 2	1 2
020	Congenital syphilis	M F	. 1 1 1
022	Aneurysm of aorta	M F	13 2
023	Other cardiovascular syphilis	M F	1
024	Tabes dorsalis	M F	. 1
025	General paralysis of insane	M F	2 4
026	Other syphilis of central nervous system	M F	1
029	Syphilis, unqualified	M F	1 1
040	Typhoid fever	M F	1
041	Paratyphoid fever	M F	1
042	Other salmonella infections	M F	. 1 1	. .
045	Bacillary dysentery	M F	3	1	1 .	1 .	. .
050	Scarlet fever	M F	2 1	2 .	. 1
051	Streptococcal sore throat	M F	5 2	1	1 .	1 1	. .
052	Erysipelas	M F	. 3

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Age at Death (contd.)															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
91 80	118 80	130 113	208 179	230 230	406 285	521 379	850 606	1,050 781	1,502 1,127	1,970 1,521	2,915 2,453	3,192 2,846	2,642 2,453	1,593 1,891	
20 19	27 19	34 36	51 36	47 41	65 34	63 32	77 29	62 30	66 30	58 33	37 22	13 8	3 10	3 1	001-138
15 18	24 17	32 36	45 34	40 38	57 33	55 30	71 26	57 29	60 25	52 30	32 15	12 5	1 6	2 .	001-019
7 7	18 13	22 33	40 28	35 29	48 25	52 27	61 23	50 27	57 20	47 28	32 15	10 4	1 3	2 .	002
.	1	.	1	.	.	.	1	1	.	.	.	1	.	.	003
.	1	004
1	008
1	.	.	.	2	1	.	1	.	.	1	.	.	1	.	010
5 5	3 3	5 1	1	2	2	.	2	3 1	2	011
.	2	2	3 1	2	2	3	2	1	.	1	012
.	1	2	2	1	3	1	3	1	1	3	.	1	2	.	014
.	1	015
1	.	.	.	1	016
1	.	1	.	2	4 2	1	1 2	1	1	018
.	1	019
2 1	.	1	1 2	2	.	1	.	.	.	1	020
.	022
.	1	1	3	1	4	3	1	.	.	023
.	1	024
.	1	025
.	1	.	1	1	1	1	.	.	026
.	1	029
.	.	.	.	1	.	.	1	040
.	1	041
.	1	.	.	.	042
.	045
.	1	050
.	051
.	1	.	.	1	1	1	052
.	1	.	.	.	2	.	

TABLE 19 (contd.) - DEATHS IN 1954, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Causes of Death		Age at Death								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
053	Septicaemia and pyaemia	M	8	3	1	.	.	.	4	.	.
		F	1
055	Diphtheria	M	2	.	1	.	.	1	2	.	.
		F	3	.	1	1	.	.	2	1	.
056	Whooping cough	M	14	10	1	2	.	.	13	1	.
		F	19	8	6	2	2	.	18	1	.
057	Meningococcal infections	M	13	6	2	1	1	.	10	.	1
		F	8	1	2	.	2	.	5	.	1
061	Tetanus	M
		F	3	1
064	Other bacterial diseases	M
		F	2
072	Leptospirosis icterohaemorrhagica (Weil's disease)	M	14
		F	2
074	Other spirochaetal and leptospirochaetal infections	M	2
		F
080	Acute poliomyelitis	M	12	2
		F	2	1
081	Late effects of acute poliomyelitis	M
		F	1
082	Acute infectious encephalitis	M	3	1	1	.	.	.	2	.	1
		F	2	.	.	1	.	.	1	.	.
083	Late effects of acute infectious encephalitis	M	1
		F	1
085	Measles	M	17	8	3	.	.	2	13	3	.
		F	16	6	4	3	.	1	14	.	.
087	Chickenpox	M	1	1	1	.	.
		F
088	Herpes zoster	M	3
		F	6
092	Infectious hepatitis	M	8	1
		F	1
116	Unspecified forms of malaria	M	1
		F
127	Filariasis	M
		F	1
130	Infestation with worms of other, mixed and unspecified type	M	1	.	.	.	1	.	1	.	.
		F	2	.	.	1	.	.	1	.	.
132	Actinomycosis	M
		F	1
134	Other fungus infections	M	2	2	2	.	.
		F
138	Other infective and parasitic diseases	M	4	1	1	1	.
		F	1
140-239	II. Neoplasms	M	2,536	2	4	4	4	5	19	11	8
		F	2,208	4	6	3	.	2	15	5	6
140-205	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues	M	2,458	1	3	2	4	5	15	10	3
		F	2,136	2	3	3	.	2	10	5	5
140	Malignant neoplasm of lip	M	47
		F	9
141	Malignant neoplasm of tongue	M	49
		F	5
142	Malignant neoplasm of salivary gland	M	6
		F	3
143	Malignant neoplasm of floor of mouth	M	10
		F	1
144	Malignant neoplasm of other parts of mouth and mouth unspecified	M	23
		F	3

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Age at Death (contd.)															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & over	
.	1	.	.	1	1	1	1	.	.	053
.	055
.	056
.	057
2	1	061
1	1	.	1	.	.	064
.	1	1	.	.	.	072
.	.	.	3	1	2	3	1	.	4	.	1	.	.	.	074
.	1	1	080
1	1	1	2	1	1	1	1	1	081
.	.	.	.	1	082
.	1	083
.	1	.	1	085
.	1	.	.	1	1	.	.	.	087
.	088
.	1	3	.	1	1	092
2	.	.	.	2	2	1	.	116
.	.	.	.	1	127
.	1	130
.	.	.	1	132
.	1	134
.	138
.	.	.	1	.	1	1	
9	15	20	23	38	64	103	193	241	310	387	474	345	205	71	140-239
8	12	10	26	46	78	117	203	227	272	301	361	293	164	64	
9	15	19	19	34	59	96	181	233	295	383	471	343	203	70	140-205
5	11	9	26	43	69	115	197	215	267	295	352	289	161	62	
.	1	3	5	7	11	13	5	2	140
.	1	4	3	1	
.	.	.	.	1	.	.	1	4	3	11	10	14	5	.	141
.	2	.	3	
.	1	.	.	1	2	.	.	2	2	142
.	1	.	
.	1	1	1	2	1	2	2	.	143
.	1	.	.	.	
.	2	1	.	4	6	4	1	3	2	144
.	1	1	1	.	

TABLE 19 (contd.) - DEATHS IN 1954, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Causes of Death		Age at Death							
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9
145	Malignant neoplasm of oral mesopharynx	M F	13 2
147	Malignant neoplasm of hypopharynx	M F	1 7
148	Malignant neoplasm of pharynx, unspecified	M F	39 21
150	Malignant neoplasm of oesophagus	M F	91 77
151	Malignant neoplasm of stomach	M F	525 410	1	1 .	. 1
152	Malignant neoplasm of small intestine, including duodenum	M F	10 3
153	Malignant neoplasm of large intestine, except rectum	M F	260 275
154	Malignant neoplasm of rectum	M F	187 79	1 .
155	Malignant neoplasm of biliary passages and of liver (stated to be primary site)	M F	22 27
156	Malignant neoplasm of liver (secondary and unspecified)	M F	63 70
157	Malignant neoplasm of pancreas	M F	95 61
158	Malignant neoplasm of peritoneum	M F	12 9	1 .	2 .	3 .	. .
159	Malignant neoplasm of unspecified digestive organs	M F	1 4
160	Malignant neoplasm of nose, nasal cavities, middle ear and accessory sinuses	M F	9 9
161	Malignant neoplasm of larynx	M F	55 21
162	Malignant neoplasm of trachea, and of bronchus and lung specified as primary	M F	68 20
163	Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary	M F	248 86
164	Malignant neoplasm of mediastinum	M F	5 2
170	Malignant neoplasm of breast	M F	7 355
171	Malignant neoplasm of cervix uteri	F	33
172	Malignant neoplasm of corpus uteri	F	4
174	Malignant neoplasm of uterus, unspecified	F	107
175	Malignant neoplasm of ovary, Fallopian tube and broad ligament	F	81
176	Malignant neoplasm of other and unspecified female genital organs	F	18
177	Malignant neoplasm of prostate	M	180
178	Malignant neoplasm of testis	M	9
179	Malignant neoplasm of other and unspecified male genital organs	M	8
180	Malignant neoplasm of kidney	M F	42 13	1 .	. .	1 .	. .
181	Malignant neoplasm of bladder and other urinary organs	M F	41 33
190	Malignant melanoma of skin	M F	1 7
191	Other malignant neoplasm of skin	M F	42 49
192	Malignant neoplasm of eye	M F	4 2	1 .	1 .	1 .

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Age at Death (contd.)															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & over	
.	1	.	1	1	4	3	1	2	.	145
.	1	.	.	1	.	.	
1	1	.	2	.	2	1	.	.	1	.	147
.	.	1	.	1	2	2	5	2	4	2	12	6	2	1	148
.	.	1	.	1	1	.	5	1	3	2	4	3	.	.	
.	.	.	.	2	2	1	7	7	7	18	20	18	10	1	150
.	.	.	.	2	4	4	3	9	9	11	15	14	6	.	
.	1	1	2	7	11	17	45	52	62	97	107	76	33	14	151
.	1	.	4	6	3	8	22	32	50	72	89	72	34	16	
.	1	.	.	.	2	1	5	.	1	.	152
.	1	1	.	.	1	
.	.	.	1	3	4	11	11	11	29	41	64	44	34	7	153
.	.	.	2	4	7	15	17	29	32	38	53	43	28	7	
1	1	.	.	3	2	3	6	15	27	27	42	33	15	12	154
.	2	1	7	3	16	12	9	14	12	2	
.	1	4	2	3	2	3	4	1	2	1	155
.	1	1	2	1	2	6	7	5	2	.	
.	.	2	.	1	3	.	4	10	8	12	13	7	.	3	156
.	.	.	.	2	.	2	4	7	11	10	12	11	9	2	
.	1	.	.	1	1	4	8	9	16	13	19	12	9	2	157
.	.	1	.	.	.	1	5	1	10	14	15	11	1	2	
1	.	1	1	2	.	.	.	2	1	.	.	1	.	.	158
.	1	2	.	3	.	.	1	2	.	.	
.	.	.	.	1	.	.	.	1	1	.	1	.	1	.	159
.	.	.	.	1	.	1	.	4	2	.	1	.	1	.	160
.	.	.	.	1	1	.	.	.	1	1	2	3	1	.	
.	.	1	1	1	3	5	5	4	7	8	11	8	2	.	161
.	.	.	1	.	.	1	1	3	3	6	3	2	1	.	
.	.	.	1	3	3	3	13	13	7	14	7	4	.	.	162
.	1	.	3	3	5	2	3	1	2	.	
.	.	1	2	1	10	9	41	50	51	36	35	8	2	2	163
.	.	.	1	2	4	8	6	13	15	14	13	8	2	.	
.	.	1	.	.	.	1	.	1	.	1	.	1	.	.	164
.	1	.	.	.	1	.	.	.	
.	.	.	5	9	21	32	45	41	47	36	51	39	19	10	170
.	.	1	.	1	6	4	3	5	3	4	4	.	2	.	171
.	.	.	1	.	.	.	2	.	.	1	172
.	.	.	1	2	3	8	20	15	17	14	11	9	6	1	174
.	2	.	1	5	4	7	11	10	11	9	11	5	4	1	175
.	1	2	2	3	.	4	2	1	2	1	176
.	2	4	7	14	28	40	41	35	9	177
.	1	2	.	.	.	1	.	2	1	1	.	1	.	.	178
.	.	.	1	.	.	.	1	.	.	1	2	.	2	1	179
.	1	.	.	2	3	4	5	7	.	6	6	6	1	.	180
.	.	2	1	.	3	3	2	1	.	1	
.	.	1	.	.	.	4	2	4	8	7	6	3	5	1	181
.	5	5	3	5	7	4	2	2	
.	.	.	.	2	1	1	1	.	.	.	1	.	1	.	190
.	1	1	3	.	2	4	6	15	7	3	191
.	1	2	.	.	2	3	8	14	11	8	
.	1	1	192
.	1	.	.	.	1	.	.	

TABLE 19 (contd.) - DEATHS IN 1954, CLASSIFIED BY CAUSE (INTERNATIONAL

[illegible]

Age at Death (contd.)															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & over	
1	2	.	2	1	4	5	1	5	4	4	1	.	.	.	193
.	1	7	1	1	1	1	.	.	.	194
.	.	.	.	1	.	.	2	2	1	5	2	1	1	.	195
.	1	.	.	.	1	1	.	.	196
2	.	.	.	1	1	1	2	3	3	2	10	7	4	2	197
3	.	.	1	.	1	.	5	8	1	4	4	2	2	.	198
.	1	1	.	.	199
.	.	.	1	.	.	.	1	1	.	.	200
1	1	.	1	2	.	1	2	2	1	.	201
.	1	1	.	.	1	1	202
.	1	1	2	.	1	2	1	4	10	11	15	12	14	7	203
1	1	.	.	1	2	4	6	6	6	6	12	9	4	4	204
.	2	.	1	.	.	1	.	1	.	.	1	.	1	.	205
.	3	1	2	3	1	206
.	4	3	3	5	1	2	4	2	4	1	.	.	1	.	207
.	1	1	2	1	1	1	.	2	.	2	1	.	1	.	208
.	1	.	.	1	209
.	210
.	1	.	.	1	3	1	.	.	.	211
.	.	.	.	1	.	.	1	2	1	.	2	.	.	.	212
3	2	4	3	1	5	4	3	3	7	6	6	4	2	.	213
.	5	3	6	2	3	7	4	4	6	3	4	5	.	.	214
.	1	.	.	215
.	216
.	217
.	218
.	219
.	220
.	221
.	222
.	223
.	224
.	225
.	226
.	227
.	228
.	229
.	230
.	231
.	232
.	233
.	234
.	235
.	236
.	237
.	238
.	239
.	240
.	241
.	242
.	243
.	244
.	245
.	246
.	247
.	248
.	249
.	250
.	251
.	252
.	253
.	254
.	255
.	256
.	257
.	258
.	259
.	260
.	261
.	

TABLE 19 (contd.) - DEATHS IN 1954, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Causes of Death		Age at Death								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
250	Simple goitre	M
		F	1
251	Nontoxic nodular goitre	M
		F	1
252	Thyrototoxicosis with or without goitre	M	1
		F	23
253	Myxoedema and cretinism	M	2	.	1	.	.	.	1	.	.
		F	13
254	Other diseases of thyroid gland	M	2
		F	2
260	Diabetes mellitus	M	89
		F	111	1	.
270	Disorders of pancreatic internal secretion other than diabetes mellitus	M	1
		F	1
272	Diseases of pituitary gland	M
		F	2
273	Diseases of thymus gland	M	6	6	6	.	.
		F	6	3	2	.	.	.	5	.	.
274	Diseases of adrenal gland	M	7	1	1	.	.
		F	12	1
281	Pellagra	M	1
		F
283	Active rickets	M	4	1	1	.	.	.	2	1	.
		F	1	1	1	.	.
286	Other avitaminoses and nutritional deficiency states	M	14	2	1	1	1	1	6	1	.
		F	5	2	1	.	.	.	3	.	.
287	Obesity, not specified as of endocrine origin	M	1
		F	2
288	Gout	M	1
		F	1
289	Other metabolic diseases	M	3	.	1	.	.	.	1	.	.
		F	1
290-299	IV. Diseases of blood and blood-forming organs	M	125	6	.	2	.	2	10	2	3
		F	148	1	.	1	.	1	3	2	3
290	Pernicious and other hyperchromic anaemias	M	51
		F	73
291	Iron deficiency anaemias (hypo-chromic anaemias)	M	2
		F	3
292	Other anaemias of specified type	M	10	1	.
		F	7	2	.
293	Anaemia of unspecified type	M	40	3	3	.	.
		F	49	1	1	.	1
295	Haemophilia	M	1
		F
296	Purpura and other haemorrhagic conditions	M	15	3	.	2	.	2	7	1	3
		F	9	1	.	1	.	.	2	.	1
297	Agranulocytosis	M	1
		F	2
298	Diseases of the spleen	M	5
		F	5	1
300-326	V. Mental, psychoneurotic and personality disorders	M	68	5	3	1	.	2	11	4	.
		F	71	5	2	.	1	1	9	2	.
300	Schizophrenic disorders (dementia praecox)	M	4
		F	1
301	Manic-depressive reaction	M	12
		F	17

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Age at Death (contd.)															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & over	
.	1	250
.	1	251
.	.	1	1	.	2	1 3	.	5	3	7	1	.	.	.	252
1	.	.	1	1	.	1	2	.	1	1	5	1	.	.	253
1 1	1	.	.	.	1	254
2	3	1	2 3	1	2	2 2	4 2	4 2	3 18	10 16	29 19	23 23	9 11	7	260
.	1	.	1	270
.	1	1	.	.	.	272
.	.	1	273
.	1	2	1	.	1 2	.	1 1	1	1 1	.	1 2	2	.	.	274
.	1	281
1	283
.	.	.	1	.	1	1	.	.	1	1	2 1	1	.	.	286
.	1	.	1	.	1	.	.	287
.	1	1	.	.	288
.	.	1	1	.	1	289
2	1 1	2	1 3	2 3	1 3	2 5	11 7	8 13	15 12	19 27	26 28	11 23	7 8	4 5	290-299
.	.	.	1	1 3	1	3	5 4	2 7	6 8	10 13	19 16	4 11	1 5	2 1	290
.	1	1	1	1	1	.	291
.	.	1	.	.	.	3	1 1	2 1	2 1	2	1	1	1	.	292
.	1 1	.	1 1	.	1	1 2	2 1	2 3	4 2	7 11	7 10	5 10	5 2	2 3	293
.	.	.	.	1	295
2	.	1	1	.	1	.	1 1	1	1	1	296
.	1 1	.	1	1	297
.	1	1	2	1	1	.	1	.	.	298
1	1	2 2	4 3	3 1	.	2 2	2 3	4 2	3 5	3 11	7 9	10 5	7 11	5 5	300-326
1	.	1	1	1	300
.	.	1	.	.	.	1	2 1	2 1	2 1	1 5	2 4	.	1 3	.	301

TABLE 19 (contd.) - DEATHS IN 1954, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Causes of Death		Age at Death								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
304	Senile psychosis	M	24
		F	25
307	Alcoholic psychosis	M	1
		F
309	Other and unspecified psychoses	M	7
		F	5
311	Hysterical reaction without mention of anxiety reaction	M	1
		F	2
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	M
		F	1
318	Psychoneurotic disorders, other, mixed and unspecified types	M	1
		F	3
325	Mental deficiency	M	18	5	3	1	.	2	11	4	.
		F	17	5	2	.	1	1	9	2	.
330-398	VI. Diseases of the nervous system and sense organs	M	1,965	18	13	4	3	6	44	8	7
		F	2,244	12	8	2	.	3	25	5	4
330	Subarachnoid haemorrhage	M	57	1	1
		F	62	1	.	1	.	.	2	.	.
331	Cerebral haemorrhage	M	720	1	.	.	.	1	2	.	.
		F	939	1	1	2	1
332	Cerebral embolism and thrombosis	M	540	1	1	.	.
		F	560	1	1
334	Other and ill-defined vascular lesions affecting central nervous system	M	265	1	1	.	.
		F	345	1	.
340	Meningitis, except meningococcal and tuberculous	M	40	12	6	2	1	3	24	3	2
		F	23	9	2	1	.	2	14	1	1
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	M
		F	1	1	1	.	.
342	Intracranial and intraspinal abscess	M	9	1	.
		F	2
343	Encephalitis, myelitis and encephalomyelitis (except acute infectious)	M	10	1	1	.	.	.	2	1	.
		F	6
344	Late effects of intracranial abscess of pyogenic infection	M	5	.	2	1	.	1	4	.	.
		F	5
345	Multiple sclerosis	M	39
		F	34
350	Paralysis agitans	M	59
		F	44
351	Cerebral spastic infantile paralysis	M	11	.	2	.	1	1	4	1	2
		F	5	.	1	.	.	.	1	.	.
352	Other cerebral paralysis	M	119
		F	149
353	Epilepsy	M	47	1	.	.	1	.	2	.	2
		F	40	.	1	.	.	1	2	.	1
354	Migraine	M
		F	1
355	Other diseases of brain	M	8	1	.
		F
356	Motor neurone disease and muscular atrophy	M	21
		F	6
357	Other diseases of spinal cord	M	7
		F	5
361	Trigeminal neuralgia	M
		F	1
364	Polyneuritis and polyradiculitis	M
		F	1
365	Erythroedema polyneuritica	M	1	1	1	.	.
		F	1	.	1	.	.	.	1	.	.

Age at Death (contd.)															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & over	
.	1	4	9	6	4	304
.	4	3	5	8	5	
.	.	.	1	307
.	.	.	1	2	.	1	.	1	1	1	309
.	1	.	.	4	
.	.	.	1	311
.	.	.	1	1	.	.	.	
.	316
.	1	
.	1	1	318
.	2	
.	.	1	1	.	.	1	1	.	.	325
.	.	1	2	.	.	.	2	.	.	.	1	.	.	.	
11	14	10	29	13	48	44	74	121	157	261	358	385	264	117	330-398
6	12	14	15	22	33	49	108	124	193	272	410	445	309	188	
2	2	2	6	2	6	6	3	7	10	3	3	2	1	.	330
1	2	3	3	5	2	5	9	8	7	4	5	3	2	1	
.	.	2	5	2	24	11	51	53	54	112	141	143	101	39	331
.	1	2	3	3	16	24	53	71	99	117	170	167	138	71	
.	.	.	2	1	5	10	20	28	41	72	114	119	85	42	332
.	1	1	.	2	4	9	14	27	32	73	115	138	84	58	
.	.	.	.	1	2	3	4	13	17	34	52	67	47	24	334
.	.	.	.	2	2	5	12	10	30	39	65	83	55	41	
.	3	1	2	1	.	.	.	2	1	.	1	.	.	.	340
1	3	1	1	.	.	.	1	.	.	
.	341
.	
2	.	.	1	.	.	3	.	1	.	1	342
.	1	1	.	.	.	
.	1	.	.	3	.	.	2	1	.	343
2	2	2	.	.	.	
.	1	.	.	344
.	.	.	1	.	1	.	.	.	1	1	.	.	.	1	
.	.	1	6	2	4	8	4	4	4	3	.	3	.	.	345
.	.	4	3	5	1	1	6	5	2	2	3	1	.	1	
.	.	.	1	4	9	14	13	10	5	3	350
.	2	2	3	4	8	11	12	1	1	
1	1	.	.	.	1	.	.	1	.	.	351
.	1	1	1	1	.	.	
.	.	.	.	1	2	.	2	3	8	13	27	33	21	9	352
.	1	1	.	1	.	1	4	5	15	16	36	35	22	12	
4	9	2	5	1	3	1	3	2	3	4	4	1	1	.	353
1	3	2	4	4	4	1	4	1	2	3	.	3	4	1	
.	1	354
.	
.	.	2	2	1	.	.	.	2	.	.	355
.	
1	.	.	1	1	.	.	3	2	5	2	3	1	2	.	356
.	1	
1	.	1	.	1	1	.	1	1	1	1	357
.	
.	1	361
.	364
.	1	
.	365

TABLE 19 (contd.) - DEATHS IN 1954, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Causes of Death		Age at Death								
			All ages	Under 1 year	1	2	3	4	Total Under 5	5-9	10-14
366	Other and unspecified forms of neuralgia and neuritis	M	1
		F	6
367	Other diseases of cranial nerves	M
		F	1	.	1	.	.	.	1	.	.
370	Conjunctivitis and ophthalmia	M
		F	1
379	Other inflammatory diseases of eye	M
		F	1
388	Other diseases of eye	M
		F	1
391	Otitis media without mention of mastoiditis	M	6	.	2	1	.	.	3	.	.
		F	3	.	1	.	.	.	1	.	.
393	Mastoiditis without mention of otitis media	M
		F	1	.	1	.	.	.	1	.	.
400-468	VII. Diseases of the circulatory system	M	6,949	4	.	.	.	1	5	5	6
		F	5,658	2	.	.	1	2	5	3	7
400	Rheumatic fever without mention of heart involvement	M	5	2
		F	4	1	1	.	1
401	Rheumatic fever with heart involvement	M	21	1	2
		F	30	2	3
402	Chorea	M	1
		F	2
410	Diseases of mitral valve	M	138	1	1
		F	141	1	1	.	.
411	Diseases of aortic valve specified as rheumatic	M	4
		F	4
414	Other endocarditis specified as rheumatic	M	20	1	.
		F	19
415	Other myocarditis specified as rheumatic	M	15
		F	11
416	Other heart disease specified as rheumatic	M	23
		F	29
420	<i>Arteriosclerotic heart disease including coronary disease</i>	M	1,969
		F	962
420.0	Arteriosclerotic heart disease	M	28
		F	23
420.1	Heart disease specified as involving coronary arteries	M	1,884
		F	912
420.2	Angina pectoris without mention of coronary disease	M	57
		F	27
421	Chronic endocarditis not specified as rheumatic	M	323
		F	269
422	Other myocardial degeneration	M	2,750	1	1	.	1
		F	2,580	.	.	.	1	.	1	1	.
430	Acute and subacute endocarditis	M	16	1	.
		F	11	1	.	.	.	1	2	.	.
431	Acute myocarditis not specified as rheumatic	M	14	1	1	.	.
		F	10
432	Acute pericarditis specified as nonrheumatic	M
		F	2
433	Functional disease of heart	M	292	1
		F	310
434	Other and unspecified diseases of heart	M	403	3	3	1	1
		F	315
441	Essential malignant hypertension with heart disease	M	4
		F	4
442	Hypertensive heart disease with arteriolar nephrosclerosis	M	5
		F	8

TAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Age at Death (contd.)															Detailed List Number
5-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & over	
.	1	.	.	.	2	1	1	1	.	366
.	1	367
.	1	370
.	.	.	1	379
.	1	388
1	1	.	1	.	.	2	391
.	393
12 11	18 11	16 14	31 28	50 45	99 63	147 82	296 155	389 245	627 401	820 610	1,302 1,068	1,455 1,239	1,111 982	560 679	400-468
.	.	.	1	2	.	1	400
1 2	2 2	2 2	1 1	2	5 3	1 4	1 2	1 2	2 .	1 2	1 2	.	.	.	401
1 1	.	1	402
2 2	2 3	4 3	2 9	3 13	7 10	10 11	8 13	8 11	12 6	15 7	18 15	25 21	10 11	10 5	410
.	1	1	1	1	.	1	.	411
1	1	1	1	1	2	2	1	.	3	3	3	1	.	.	414
.	2	1	1	1	2	2	3	2	1	415
.	1	2	3	1	1	1	.	2	416
1	.	1	1	4	2	2	1	.	5	3	8	3	.	1	420
2	.	1	8	22	46	84	161	219	275	288	383	271	152	57	420
.	2	.	6	6	7	21	44	77	128	155	202	174	82	58	420.0
.	1	1	.	1	2	1	6	4	7	2	420.1
2	2	1	8	22	44	83	156	211	268	278	362	259	138	52	420.2
.	.	.	6	5	7	19	43	74	123	149	191	168	72	53	421
.	.	.	.	1	1	1	5	7	4	7	11	5	12	4	422
.	4	1	4	4	5	7	17	18	25	43	66	73	42	15	423
1	1	1	3	3	9	15	43	55	150	265	512	705	646	338	424
1	1	1	3	9	11	12	35	56	114	215	461	632	592	435	425
1	.	1	1	3	1	1	1	1	2	.	2	1	.	.	430
1	2	2	1	1	.	.	1	1	.	431
.	2	1	.	3	4	2	.	1	.	432
.	1	1	.	2	3	1	1	1	433
.	.	.	.	2	434
.	2	.	1	2	4	2	10	10	26	50	63	63	46	13	435
.	.	1	1	1	1	5	9	15	22	40	63	70	52	29	436
1	.	1	4	2	4	6	24	20	43	44	74	91	57	28	437
2	.	.	3	2	3	4	12	15	20	35	62	73	48	35	438
.	2	1	.	1	.	.	.	439
.	1	2	.	.	.	1	.	.	440
.	2	1	.	.	2	441
.	1	2	4	1	.	442

TABLE 19 (contd.) - DEATHS IN 1954, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Causes of Death		Age at Death								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
443	Other and unspecified hypertensive heart disease	M	253
		F	291
444	Essential benign hypertension without mention of heart	M	169
		F	216
445	Essential malignant hypertension without mention of heart	M	32
		F	20
446	Hypertension with arteriolar nephrosclerosis without mention of heart	M	13
		F	12
447	Other hypertensive disease without mention of heart	M	41
		F	46
450	General arteriosclerosis	M	352
		F	280
451	Aortic aneurysm specified as non-syphilitic, and dissecting aneurysm	M	3
		F	2
452	Other aneurysm, except of heart and aorta	M	1
		F	4
453	Peripheral vascular disease	M	2
		F	3
454	Arterial embolism and thrombosis	M	7
		F	2
455	Gangrene of unspecified cause	M	30
		F	14
456	Other diseases of arteries	M	3
		F	5	1
460	Varicose veins of lower extremities	M	6
		F	8
462	Varicose veins of other specified sites	M	1
		F	2
463	Phlebitis and thrombophlebitis of lower extremities	M	4
		F	2
464	Phlebitis and thrombophlebitis of other sites	M	5
		F	8
465	Pulmonary embolism and infarction	M	14
		F	22
466	Other venous embolism and thrombosis	M	3
		F	4
467	Other diseases of circulatory system	M	5
		F	6
468	Certain diseases of lymph nodes and lymph channels	M	2
		F
470-527	VIII. Diseases of the respiratory system	M	1,405	186	22	6	7	3	224	8	2
		F	1,137	156	23	13	8	3	203	5	4
470	Acute nasopharyngitis (common cold)	M
		F	4	2	2	.	.
473	Acute tonsillitis	M
		F	2	1	.
475	Acute upper respiratory infection of multiple or unspecified sites	M	2	2	2	.	.
		F	3	3	3	.	.
480	Influenza with pneumonia	M	14
		F	24	6	6	.	.
481	Influenza with other respiratory manifestations and influenza unqualified	M	55	2	1	.	.	.	3	.	.
		F	78	5	.	.	.	1	6	1	1
482	Influenza with digestive manifestations, but without respiratory symptoms	M	1	.	.	1	.	.	1	.	.
		F	2
490	Lobar pneumonia	M	85	16	1	.	.	.	17	3	.
		F	68	12	2	1	.	1	16	.	.
491	Bronchopneumonia	M	311	107	13	3	5	1	129	2	1
		F	309	84	11	8	3	1	107	.	2

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Age at Death (contd.)															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	1	3	1	9	16	34	43	51	53	30	12	443
.	2	5	9	17	34	35	74	58	38	19	
.	1	2	.	1	4	5	5	13	21	19	23	39	17	19	444
.	4	7	5	10	22	38	52	39	27	12	
.	2	3	3	2	4	3	2	8	.	3	.	2	.	.	445
.	.	.	2	2	3	2	4	5	1	.	.	1	.	.	
.	1	1	.	3	1	1	2	2	1	2	446
.	2	1	3	1	2	2	
.	1	1	1	4	3	3	8	10	8	2	447
.	1	1	4	4	12	10	8	6	
.	1	1	3	5	14	20	67	97	92	52	450
.	1	.	3	4	8	17	45	74	72	56	
.	2	.	.	.	1	451
.	.	.	.	1	1	
.	.	1	.	.	1	.	.	1	.	2	452
.	
.	1	.	2	1	.	.	1	.	.	.	453
.	
.	1	.	1	3	.	2	.	454
.	1	.	.	.	1	
.	2	3	5	10	4	6	455
.	5	5	2	2	
.	1	.	1	.	1	1	2	1	.	.	456
.	
.	.	.	1	1	2	2	.	.	1	1	460
.	2	1	2	.	1	.	
.	1	.	.	.	1	1	.	.	462
.	1	.	.	.	2	1	463
.	1	.	1	
.	.	.	.	1	1	1	2	1	1	.	3	.	2	.	464
1	
.	.	1	.	.	1	.	2	1	1	1	3	4	.	.	465
.	2	2	3	7	2	.	.	
.	1	2	2	1	.	.	466
.	1	1	.	
.	.	.	2	2	.	1	1	1	.	467
1	.	.	1	1	468
.	
5 4	3 3	2 5	4 5	10 14	17 7	37 21	48 23	73 38	96 60	145 79	210 166	244 193	179 166	98 141	470-527
.	1	1	.	.	470
.	1	473
.	475
.	1	.	2	1	3	2	5	3	.	480
.	1	2	5	2	3	2	
.	.	.	.	1	.	4	2	2	6	4	6	15	6	6	481
.	2	2	1	3	7	15	14	14	12	
.	482
.	1	.	.	1	
1	1	.	.	1	2	4	4	7	8	4	16	8	6	3	490
.	.	1	1	6	3	3	1	2	9	6	3	6	7	4	
1	.	.	2	1	4	3	8	6	9	23	22	38	40	22	491
2	1	1	.	4	.	4	4	7	11	15	31	53	31	36	

TABLE 19 (contd.) - DEATHS IN 1954, CLASSIFIED BY CAUSE (INTERNATIONAL)

Detailed List Number	Causes of Death		Age at Death								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
492	Primary atypical pneumonia	M	11	9	1	.	.	.	10	.	.
		F	13	6	.	.	1	.	7	.	.
493	Pneumonia, other and unspecified	M	126	28	2	.	.	1	31	1	.
		F	122	26	7	4	2	.	39	.	.
500	Acute bronchitis	M	57	6	3	.	.	.	9	1	.
		F	52	5	1	.	1	.	7	1	.
501	Bronchitis unqualified	M	169	7	1	1	.	.	9	.	.
		F	144	7	7	.	.
502	Chronic bronchitis	M	394	1	1	.	.
		F	186	1	.
511	Peritonsillar abscess (quinsy)	M	1
		F
513	Chronic sinusitis	M	1
		F
517	Other diseases of upper respiratory tract	M	3	1	.	.	2	.	3	.	.
		F	1
518	Empyema	M	6	2	2	.	.
		F	1
519	Pleurisy	M	13
		F	5
520	Spontaneous pneumothorax	M	3
		F	2
521	Abscess of lung	M	2
		F	5	.	.	.	1	.	1	.	.
522	Pulmonary congestion and hypostasis	M	77	1	1	1	.
		F	72
523	Pneumoconiosis due to silica and silicates (occupational)	M	2
		F
525	Other chronic inter-stitial pneumonia	M	8
		F	3
526	Bronchiectasis	M	32
		F	26	.	1	.	.	.	1	1	.
527	Other diseases of lung and pleural cavity	M	32	4	.	1	.	1	6	.	.
		F	15	.	1	.	.	.	1	.	.
530-587	IX - Diseases of the digestive system	M	623	95	13	6	6	5	125	7	.
		F	419	52	11	6	2	3	74	10	.
531	Abscesses of supporting structures of teeth	M	1
		F
532	Other inflammatory diseases of supporting structures of teeth	M
		F	1
533	Disorders of occlusion, eruption and tooth development	M	1	.	1	.	.	.	1	.	.
		F
536	Stomatitis	M	2	1	.	.	1	.	2	.	.
		F	3	2	2	.	.
537	Diseases of salivary glands	M
		F	3
539	Diseases of oesophagus	M	6
		F	1
540	Ulcer of stomach	M	151
		F	36	1	1	.	.
541	Ulcer of duodenum	M	65
		F	11
542	Gastrojejunal ulcer	M	2
		F
543	Gastritis and duodenitis	M	9	.	.	.	1	.	1	.	.
		F	17	1	1	.	.
544	Disorders of function of stomach	M	4	1	1	.	.
		F	3

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Age at Death (contd.)															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	1	.	492
.	1	.	1	1	2	1	.	.	
1	.	.	.	2	3	3	4	4	9	8	16	16	16	11	493
.	.	.	1	1	.	4	4	5	3	6	14	20	16	9	
.	2	.	.	1	1	3	9	17	11	5	500
.	2	3	11	7	6	13	
1	.	.	.	1	.	1	4	6	10	19	35	43	25	15	501
1	.	.	.	1	.	2	2	3	5	11	19	30	40	22	
.	.	1	.	1	4	16	19	35	37	55	82	69	50	24	502
.	3	4	11	14	13	46	41	31	22	
.	1	511
.	
.	.	.	1	513
.	
.	1	517
.	1	1	.	1	.	2	.	.	518
.	1	1	2	1	1	5	2	.	519
.	1	.	1	1	.	1	1	.	.	.	
.	1	1	.	.	1	.	520
.	1	.	1	
.	.	.	1	1	.	1	.	1	.	.	1	.	.	.	521
.	.	.	.	1	1	1	1	1	7	11	13	15	13	11	522
.	.	1	1	2	4	7	10	13	16	18	
.	.	.	.	1	1	523
.	1	1	2	1	.	1	1	.	1	.	525
.	1	1	1	.	.	.	
1	1	1	.	1	.	4	1	4	2	6	5	4	2	1	526
1	.	2	4	4	1	3	5	2	1	1	
1	1	.	3	3	3	4	2	7	2	.	527
.	.	.	.	1	1	1	.	.	4	2	.	3	1	1	
2	2	5	9	22	24	31	48	33	65	70	79	56	32	12	530-587
3	1	4	6	8	15	21	22	22	29	36	57	50	42	14	
.	1	531
.	532
.	1	533
.	536
.	1	
.	2	1	537
.	.	.	1	2	.	.	3	.	1	.	539
.	
.	.	1	1	11	8	11	12	11	14	29	23	22	6	4	540
.	2	3	3	.	5	6	3	5	4	2	
.	.	1	5	2	7	8	4	4	13	7	7	6	1	.	541
.	.	.	1	.	.	1	.	1	1	3	1	2	1	.	
.	2	542
.	1	.	1	.	1	1	1	.	2	1	543
.	5	4	4	2	
.	.	1	1	.	.	1	.	1	.	.	544
.	1	1	1	.	

TABLE 19 (contd.) - DEATHS IN 1954, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Causes of Death		Age at Death								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
545	Other diseases of stomach and duodenum	M F	14 2	1	1
550	Acute appendicitis	M F	36 19	. .	. 1	5 1	2 .	1 1	8 3	4 4	1 1
551	Appendicitis unqualified	M F	4 1
552	Other appendicitis	M F	1
553	Other diseases of appendix	M F	1
560	Hernia of abdominal cavity without mention of obstruction	M F	5 7	1	1 1
561	Hernia of abdominal cavity with obstruction	M F	27 35
570	Intestinal obstruction without mention of hernia	M F	63 56	3 1	2 2	. 1	. 1	. .	5 5	1 1	. .
571.0	Gastro-enteritis and colitis, except ulcerative, ages between 4 weeks and 2 years	M F	90 51	82 44	8 7	90 51
571.1	Gastro-enteritis and colitis, ages 2 years and over	M F	22 35 3	1 .	3 1	4 4	1 2	. 1
572	Chronic enteritis and ulcerative colitis	M F	14 23	1	1 1
573	Functional disorders of intestines	M F	1 1
576	Peritonitis	M F	15 10	2 1	1 1	. 1	3 3	1 2	. .
577	Peritoneal adhesion	M F	1 1
578	Other diseases of intestines and peritoneum	M F	15 6	1 .	. .	1 .	2
580	Acute and subacute yellow atrophy of liver	M F	4	1 .	. .	1
581	Cirrhosis of liver	M F	29 20	1	1
583	Other diseases of liver	M F	7 7	1	1
584	Cholelithiasis	M F	8 19
585	Cholecystitis without mention of calculi	M F	11 27
586	Other diseases of gallbladder and biliary ducts	M F	4 15	. 1 1
587	Diseases of pancreas	M F	10 9	1 2	1 1	. .	2 3	. 1	. .
590-637	X. Diseases of the genito-urinary system	M F	624 316	1 .	1 3	. .	. 1	1 .	3 4	1 4	2 1
590	Acute nephritis	M F	19 14	1 .	. 2	. .	. 1	1 .	2 3
591	Nephritis with oedema, including nephrosis	M F	11 9 1	. .
592	Chronic nephritis	M F	171 147	. .	. 1 1	. 2	. .
593	Nephritis not specified as acute or chronic	M F	92 95	1 .	1 1
594	Other renal sclerosis	M F	1 2
600	Infections of kidney	M F	23 22 1	. .

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Age at Death (contd.)															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	1	2	.	2	3	.	1	1	2	1	.	.	545
.	.	1	1	
2	.	.	1	2	2	1	3	.	6	1	2	1	2	.	550
1	2	2	.	2	1	.	1	1	1	.	
.	1	1	.	.	1	.	1	.	.	551
.	1	.	.	
.	1	552
.	
.	1	.	.	.	553
.	1	.	.	.	1	1	.	.	1	.	560
.	1	.	.	.	2	.	1	.	2	.	
.	.	.	.	2	2	1	2	1	6	2	9	6	3	.	561
.	2	3	7	5	5	4	2	
1	.	1	1	1	1	2	8	3	6	7	11	8	6	3	570
.	3	3	3	4	5	9	9	11	1	
.	571.0
.	.	.	1	.	.	1	2	.	3	2	2	1	4	1	571.1
.	.	.	2	.	.	2	1	.	3	3	8	5	3	1	
1	.	1	.	1	1	1	1	1	.	4	2	1	.	.	572
.	.	1	.	1	2	2	2	1	.	3	3	5	1	.	
.	1	1	.	573
.	1	.	.	.	1	.	1	1	1	4	1	1	.	.	576
.	.	1	.	.	1	.	1	.	.	2	
.	1	.	.	.	1	.	.	577
.	.	.	.	1	.	1	1	3	3	2	2	.	.	.	578
.	1	.	1	.	.	1	2	1	.	.	
.	.	.	.	1	.	.	1	1	580
.	1	2	6	2	4	4	4	3	1	1	581
.	1	4	2	3	4	.	4	1	.	1	
.	1	2	1	.	.	2	.	.	1	583
.	1	1	.	.	1	3	.	1	
.	.	.	.	2	1	.	1	3	1	1	2	2	1	1	584
.	1	.	1	2	2	3	3	3	3	.	
.	.	.	.	1	1	1	1	1	2	1	2	1	1	3	585
.	.	.	.	2	.	2	2	2	2	2	2	1	2	.	586
.	.	1	.	1	1	1	1	1	1	.	1	1	1	.	587
.	1	.	1	1	2	
1	4	7	5	6	14	22	21	31	42	61	101	131	120	52	590-637
5	3	1	8	13	15	15	18	25	31	33	54	40	30	16	
.	1	2	1	.	.	.	3	4	2	.	1	1	1	1	590
.	1	.	.	.	2	.	.	3	.	4	.	.	.	1	
1	1	1	.	1	1	.	2	2	1	1	.	.	2	.	591
1	1	1	.	.	3	.	.	.	
2	2	2	2	3	5	15	11	16	16	24	27	23	16	8	592
.	1	.	1	2	7	12	8	12	14	17	24	19	17	8	
.	.	2	1	1	6	6	4	3	9	16	13	17	8	4	593
.	.	1	1	3	.	2	7	4	15	10	18	19	7	7	
.	1	594
.	2	.	
2	.	.	1	1	2	1	1	2	2	3	5	5	2	2	600
.	.	.	3	.	.	1	.	2	2	1	2	1	3	.	

TABLE 19 (contd.) - DEATHS IN 1954, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Causes of Death		Age at Death								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
601	Hydronephrosis	M	6	.	1	.	.	.	1	.	.
		F	1
602	Calculi of kidney and ureter	M	5
		F	6
603	Other diseases of kidney and ureter	M	4
		F	3
604	Calculi of other parts of urinary system	M	1
		F
605	Cystitis	M	16
		F	4
606	Other diseases of bladder	M	7
		F	4
608	Stricture of urethra	M	3
		F
609	Other diseases of urethra	M	2
		F
610	Hyperplasia of prostate	M	234
611	Prostatitis	M	18
612	Other diseases of prostate	M	8
614	Orchitis and epididymitis	M	2
615	Redundant prepuce and phimosis	M	1
621	Other diseases of breast	M
		F	1
626	Diseases of parametrium and pelvic peritoneum	F	1
631	Uterovaginal prolapse	F	4
634	Disorders of menstruation	F	1
637	Other diseases of female genital organs	F	2
640-689	XI. Deliveries and complications of pregnancy, childbirth and the puerperium	F	69
641	Other infections of genito-urinary tract during pregnancy	F	1
642	Toxaemias of pregnancy	F	17
643	Placenta praevia	F	1
644	Other haemorrhage of pregnancy	F	2
646	Anaemia of pregnancy	F	1
648	Other complications arising from pregnancy	F	3
651	Abortion with sepsis	F	1
652	Abortion with toxæmia, without mention of sepsis	F	1
670	Delivery complicated by placenta praevia or antepartum haemorrhage	F	5
671	Delivery complicated by retained placenta	F	5
672	Delivery complicated by other postpartum haemorrhage	F	7
674	Delivery complicated by disproportion or malposition of foetus	F	1
675	Delivery complicated by prolonged labour or other origin	F	2
677	Delivery with other trauma	F	3
678	Delivery with other complications of childbirth	F	2
682	Puerperal phlebitis and thrombosis	F	4
684	Puerperal pulmonary embolism	F	5
685	Puerperal eclampsia	F	2
687	Cerebral haemorrhage in the puerperium	F	2
688	Other and unspecified complications of the puerperium	F	4

[illegible]

TABLE 19 (contd.) - DEATHS IN 1954, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Causes of Death		Age at Death								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
690-716	XII. Diseases of the skin and cellular tissue	M F	23 32	6	6 .	1 .	. .
690	Boil and carbuncle	M F	1 2
691	Cellulitis of finger and toe	M F	1 .	1	1
692	Other cellulitis and abscess without mention of lymphangitis	M F	5 2	1	1
698	Other local infections of skin and subcutaneous tissue	M F	. 1
701	Eczema	M F	3 2	2	2
704	Pemphigus	M F	3 6	1	1 .	1 .	. .
705	Erythematous conditions	M F	2 4	1	1
710	Other hypertrophic and atrophic conditions	M F	. 2
715	Chronic ulcer of skin	M F	7 13
716	Other diseases of skin	M F	1
720-749	XIII. Diseases of the bones and organs of movement	M F	145 145	1	1 .	. .	1 .
720	Acute arthritis due to pyogenic organisms	M F	1 1
722	Rheumatoid arthritis and allied conditions	M F	55 83
723	Osteo-arthritis (arthrosis) and allied conditions	M F	6 11
724	Other specified forms of arthritis	M F	1 1
725	Arthritis, unspecified	M F	22 14
726	Muscular rheumatism	M F	1
727	Rheumatism unspecified	M F	38 24
730	Osteomyelitis and periostitis	M F	9 4	1 .
731	Osteitis deformans	M F	1 2
733	Other diseases of bone	M F	4 1
738	Other diseases of joint	M F	1
744	Other diseases of muscle, tendon and fascia	M F	4 3	1	1
745	Curvature of spine	M F	2 1
750-759	XIV. Congenital malformations	M F	263 221	227 179	7 7	3 3	2 1	2 5	241 195	1 6	4 2
750	Monstrosity	M F	11 20	11 20	11 20
751	Spina bifida and meningocele	M F	38 51	37 49	1 1 1	38 51

[illegible]

TABLE 19 (contd.) - DEATHS IN 1954, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Causes of Death		Age at Death								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
752	Congenital hydrocephalus	M F	35 23	31 22	2 1	. .	1 .	. .	34 23	1 .	. .
753	Other congenital malformations of nervous system and sense organs	M F	1 2	1 1	. .	. 1	1 2
754	Congenital malformations of circulatory system	M F	107 81	91 53	3 4	1 1	1 .	2 2	98 60	. 6	3 2
755	Cleft palate and harelip	M F	2 .	2	2
756	Congenital malformations of digestive system	M F	33 20	32 18 1	32 19
757	Congenital malformations of genito-urinary system	M F	16 6	8 3 1	. .	8 4
758	Congenital malformations of bone and joint	M F	2 2	. 1	. .	1 1	1 2
759	Other and unspecified congenital malformations, not elsewhere classified	M F	18 16	14 12	1 1	1 1	16 14	. .	1 .
760-776	XV. Certain diseases of early infancy	M F	728 475	727 475	1	728 475
760	Intracranial and spinal injury at birth	M F	91 43	91 43	91 43
761	Other birth injury	M F	21 14	21 14	21 14
762	Postnatal asphyxia and atelectasis	M F	122 84	122 84	122 84
763	Pneumonia of newborn	M F	54 32	54 32	54 32
764	Diarrhoea of newborn	M F	16 8	16 8	16 8
768	Other sepsis of newborn	M F	6 .	6	6
769	Neonatal disorders arising from maternal toxæmia	M F	6 5	6 5	6 5
770	Haemolytic disease of newborn (erythroblastosis)	M F	37 26	36 26	1	37 26
771	Haemorrhagic disease of newborn	M F	15 8	15 8	15 8
772	Nutritional maladjustment	M F	9 1	9 1	9 1
773	Ill-defined diseases peculiar to early infancy	M F	132 79	132 79	132 79
774	Immaturity with mention of any other subsidiary condition	M F	6 16	6 16	6 16
776	Immaturity, unqualified	M F	213 159	213 159	213 159
780-795	XVI. Symptoms, senility and ill-defined conditions	M F	2,055 2,067	33 27	1 5	1 2	2 .	3 1	40 35	1 2	1 .
780	Certain symptoms referable to nervous system and special senses	M F	31 26	25 18	1 4	. 1	. .	1 1	27 24
782	Symptoms referable to cardiovascular and lymphatic system	M F	223 199	1	1
783	Symptoms referable to respiratory system	M F	. 2
784	Symptoms referable to upper gastro-intestinal tract	M F	9 4
785	Symptoms referable to abdomen and lower gastro-intestinal system	M F	6 8	3 5	3 5

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Age at Death (contd.)															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	752
.	753
1 7	3 3	2	1	.	1	1	754
.	755
1	1	.	.	.	756
.	.	.	1	1	2	2	1	.	1	.	.	.	1 1	.	757
.	1	758
.	1 1	.	1	759
.	760-776
.	760
.	761
.	762
.	763
.	764
.	768
.	769
.	770
.	771
.	772
.	773
.	774
.	776
2 2	.	1	2 3	1 1	8 3	6 4	14 5	14 12	34 24	56 52	173 158	420 425	647 627	635 714	780-795
.	.	.	1	1	.	.	2	2	.	780
1 2	.	1	1 2	.	4	2 4	9 4	6 7	21 16	32 25	41 34	55 47	31 28	18 30	782
.	1	1	.	.	.	783
1	.	.	1	.	1	1 1	3 2	1	2	.	784
.	2	.	.	1	.	1	1	.	785

TABLE 19 (contd.) - DEATHS IN 1954, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Causes of Death		Age at Death								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
786	Symptoms referable to genito-urinary system	M F	8
787	Symptoms referable to limbs and back	M F	. 1
788	Other general symptoms	M F	3 1	1	2 .	. .	3
790	Nervousness and debility	M F	4 4	1 1	. .
792	Uraemia, unqualified	M F	48 17	. 1 1
794	Senility without mention of psychosis	M F	1,677 1,774
795	Ill-defined and unknown causes of mortality	M F	46 31	3 3	. 1	1 1	. .	2 .	6 5	. 1	1 .
E800-E999	XVII. Accidents, poisonings and violence	M F	638 332	30 23	5 5	19 5	7 4	11 5	72 42	17 15	18 7
E800	Railway accident involving railroad employee	M F	1
E802	Railway accident involving other and unspecified person	M F	1
E812	Motor vehicle traffic accident to pedestrian	M F	59 28	1 1	3 1	5 .	9 2	3 5	1 3
E813	Motor vehicle traffic accident to pedal cyclist	M F	27 4 1	3 .
E814	Motor vehicle traffic accident to rider or passenger of motorcycle, in collision with nonmotor vehicle or object	M F	3 1
E815	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle	M F	16
E816	Other motor vehicle traffic accident involving two or more motor vehicles	M F	17 2
E817	Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle	M F	3	1 .	. .
E819	Motor vehicle traffic accident involving collision with fixed or unspecified object	M F	2
E820	Motor vehicle traffic accident while boarding or alighting	M F	. 1
E821	Motor vehicle traffic accident to rider of motorcycle not involving collision	M F	7
E822	Motor vehicle traffic accident involving overturning in roadway	M F	7 1
E823	Motor vehicle traffic accident involving running off roadway	M F	7
E824	Other noncollision motor vehicle traffic accident	M F	10	1 .	. .	1 .	2 .	1 .	. .
E825	Motor vehicle traffic accident of unspecified nature	M F	3 2	1 .	. .
E834	Motor vehicle nontraffic accident while boarding and alighting	M F	1
E835	Motor vehicle nontraffic accident of other and unspecified nature	M F	5
E842	Accident to pedestrian caused by pedal cycle	M F	1 2
E843	Accident to rider of pedal cycle not involving collision with a motor vehicle	M F	3 6 2
E845	Other nonmotor road vehicle accidents	M F	9 2 1	. 1	. .	1 .

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Age at Death (contd.)															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	1	1	.	1	3	2	.	786
.	787
.	1	.	788
.	1	790
.	1	.	1	1	2	.	.	.	1	.	792
.	.	.	.	1	.	1	.	2	3	6	6	11	11	7	794
.	1	1	2	2	3	4	1	3	795
.	3	3	2	3	7	3	8	5	3	2	799
.	.	.	.	1	2	.	.	4	1	3	6	4	3	1	800
20	29	26	40	32	43	38	44	44	49	35	51	42	17	21	E800-E999
7	4	5	9	8	1	6	7	8	13	15	40	44	58	43	
.	.	.	.	1	E800
.	1	E802
3	1	.	5	1	4	2	5	4	4	5	6	4	1	1	E812
1	.	.	1	1	.	1	1	1	3	3	5	1	.	.	E813
1	1	.	.	.	4	3	4	4	4	.	.	1	1	1	E814
.	.	.	.	1	1	E815
1	3	2	2	2	2	1	1	.	2	E816
.	E817
1	3	.	2	3	.	.	.	3	2	1	1	.	1	.	E819
.	.	1	1	.	E820
.	.	.	.	1	1	E821
.	.	3	2	1	.	.	1	E822
.	E823
.	1	.	2	1	1	1	1	E824
.	1	1	.	1	.	.	1	1	.	2	E825
1	.	2	1	.	.	.	1	1	.	.	1	.	.	.	E834
.	1	E835
1	.	.	.	2	1	.	1	E842
.	1	1	.	.	1	.	.	E843
2	1	1	2	1	2	3	2	5	6	3	6	1	.	.	E845
1	.	.	.	1	.	.	1	1	2	1	1	.	1	1	

TABLE 19 (contd.) - DEATHS IN 1954, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Causes of Death		Age at Death								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
E853	Other falls from one level to another in water transport	M F	1
E871	Accidental poisoning by barbituric acid and derivatives	M F	. 1
E874	Accidental poisoning by other anal- gesic and soporific drugs	M F	. 1
E876	Accidental poisoning by strychnine	M F	. 1
E878	Accidental poisoning by other and unspecified drugs	M F	. 1
E880	Accidental poisoning by alcohol	M F	. 1	1 .	. .
E888	Accidental poisoning by other and un- specified solid and liquid sub- stances	M F	. 1
E890	Accidental poisoning by utility (illuminating) gas	M F	. 1
E892	Accidental poisoning by other carbon monoxide gas	M F	2 3
E894	Accidental poisoning by other specified gases and vapours	M F	1
E900	Fall on stairs	M F	9 1
E901	Fall from ladders	M F	. 1
E902	Other falls from one level to another	M F	31 3	2	2 .	. .	2 .
E903	Fall on same level	M F	10 10	1 .	. .
E904	Unspecified falls	M F	46 126
E910	Blow from falling object	M F	7
E911	Accident caused by vehicle	M F	1	1 .
E912	Accident caused by machinery	M F	13
E913	Accident caused by cutting and piercing instruments	M F	. 3
E914	Accident caused by electric current	M F	7 1 1	. .
E916	Accident caused by fire and explosion of combustible material	M F	11 18	1 .	. .	2 1	1 .	. 1	4 2	1 3	. 1
E917	Accident caused by hot substance, corrosive liquid and steam	M F	20 31	1 .	4 2	5 2	1 2	1 1	12 7	1 1	. .
E919	Accident caused by firearm	M F	15 1
E921	Inhalation and ingestion of food causing obstruction or suffocation	M F	16 5	7 4	. 1	2	9 5	2 .	. .
E922	Inhalation and ingestion of other object causing obstruction or suffocation	M F	. 2	. 1 1
E923	Foreign body entering other orifice	M F	. 1 1	. 1

[illegible]

Age at Death (contd.)															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	1	E924
.	E925
.	1	1	.	.	.	1	.	.	.	E926
.	E927
.	E928
.	1	2	.	2	1	1	.	.	1	E929
.	2	.	.	E930
5	5	5	4	6	7	3	4	8	11	7	9	5	2	1	E931
.	.	.	3	2	1	.	2	.	1	1	5	1	.	.	E932
.	1	1	.	.	.	1	.	.	.	E933
.	E934
.	2	1	.	E935
.	E936
2	2	2	1	.	2	4	.	2	1	.	4	4	3	.	E937
.	.	1	1	1	.	.	.	1	.	.	.	1	3	2	E938
1	.	.	1	1	E939
.	1	2	1	.	.	E940
.	E941
.	2	1	1	.	.	.	1	.	.	.	1	.	.	.	E942
1	.	.	1	E943
.	.	.	1	.	.	.	1	1	1	1	E944
.	E945
.	.	1	1	1	3	2	1	3	2	3	2	1	.	.	E946
1	1	.	2	.	.	.	E947
.	.	1	.	.	1	1	2	E948
.	1	.	1	E949
.	.	.	1	1	.	2	1	E950
.	E951
.	.	.	1	1	.	1	1	.	1	E952
.	E953
.	.	.	1	1	.	1	1	.	1	E954
.	E955
.	.	.	1	2	.	1	1	.	1	E956
.	E957
.	.	.	1	1	E958
.	E959
.	.	.	1	E960
.	E961
.	.	.	1	1	.	1	1	.	1	E962
.	E963
.	.	.	1	1	.	1	1	.	1	E964
.	E965
.	.	.	1	2	.	1	1	.	1	E966
.	E967
.	.	.	1	1	E968
.	E969
.	.	.	1	E970
.	E971
.	.	.	1	E972
.	E973
.	.	.	1	1	.	1	1	.	1	E974
.	E975
.	.	.	1	1	.	1	1	.	1	E976
.	E977
.	.	.	1	2	.	1	1	.	1	E978
.	E979
.	.	.	1	1	E980
.	E981
.	.	.	.	1	.	.	2	1	.	.	E982
.	1	E983
.	1	E984
.	E985

TABLE 20 - DEATHS IN 1954, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE FOR DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS

DUBLIN COUNTY BOROUGH

Abbreviated List No.	Causes of Death		Age at Death											
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over	
	ALL CAUSES	M F	2,752 2,661	261 184	30 36	20 23	38 27	59 56	120 88	301 205	551 415	685 667	687 960	
B.1	Tuberculosis of respiratory system	M F	129 65	. .	1 .	1 .	5 5	14 21	20 13	30 10	29 6	26 7	3 3	
B.2	Tuberculosis, other forms	M F	13 15	1 3	3 6	2 3	1 2	3 .	. .	1 .	. .	2 .	. 1	
B.3	Syphilis and its sequelae	M F	4 1	1 .	2 1	1 .	. .	
B.4	Typhoid fever	M F	
B.6	Dysentery, all forms	M F	1 .	. .	1	
B.7a	Scarlet fever	M F	
B.7b	Streptococcal sore throat	M F	1 1	1 .	. .	1	
B.8	Diphtheria	M F	1 3	. .	1 2	. 1	
B.9	Whooping cough	M F	2 .	2	
B.10	Meningococcal infections	M F	4 1	2 .	2 1	
B.12	Acute poliomyelitis	M F	1	1	
B.17a	Acute infectious encephalitis	M F	
B.14	Measles	M F	6 6	4 2	2 4	
B.16	Malaria	M F	
B.17b	All other diseases classified as infective and parasitic	M F	3 2	. .	1 .	. 1	. .	. 1	. 1	. .	1	
B.18a	Malignant neoplasms	M F	422 403	. .	1 .	1 1	3 1	4 2	20 23	70 74	118 97	128 109	77 96	
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M F	26 18	. .	1 1	2 .	2 2	4 1	2 3	1 1	3 5	5 3	6 2	
B.19	Benign and unspecified neoplasms	M F	13 7	1 .	. .	1 1	. .	3 .	8 4	. .	2 .	
B.20	Diabetes mellitus	M F	6 16	1 .	. .	2 1	3 8	. 6	
B.21	Anaemias	M F	10 20	1	1 2	1 1	5 11	2 6	
B.22	Vascular lesions affecting central nervous system	M F	272 305	1 1	1 .	3 3	12 5	19 29	49 75	76 98	111 174	
B.23	Nonmeningococcal meningitis	M F	4 4	2 .	2 1	1 .	1 .	. .	1 .	
B.24	Rheumatic fever	M F	8 9	2 4	1 2	2 .	1 1	1 2	1	
B.25	Chronic rheumatic heart disease	M F	24 49	2 1	2 5	5 10	4 9	2 9	6 7	3 8	
B.26	Arteriosclerotic and degenerative heart disease	M F	643 576	2 .	2 6	21 20	76 86	153 167	184 297	205 297	
B.27	Other diseases of the heart	M F	107 116	. .	1 1	1 1	. 1	1 1	1 1	3 5	24 18	42 42	35 45	
B.28	Hypertension with heart disease	M F	57 72	2 .	3 4	11 14	21 24	20 30	
B.29	Hypertension without mention of heart	M F	45 68	1 .	2 3	5 3	15 10	9 25	14 26	
B.46a	Other circulatory diseases	M F	45 59	1 2	. 1	6 .	4 8	9 18	25 30	
B.30	Influenza	M F	2 11	1	4 .	1 5	
B.31	Pneumonia	M F	99 134	28 25	2 5	. 1	1 2	. 2	3 1	5 6	10 9	15 23	35 60	

^ B.18a includes International List Nos. 140-199.

‡ B.18b includes International List Nos. 200-205.

DUBLIN COUNTY BOROUGH (contd.)

Abbreviated List No.	Causes of Death		Age at Death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
B.32	Bronchitis	M	148	1					4	12	34	46	51
		F	75		1	1			1	3	5	25	39
B.46b	Other respiratory diseases	M	40	5				1	2	4	8	13	7
		F	29	2	1			2	1	1	7	5	10
B.36a	Gastritis and duodenitis	M	3							1		1	1
		F	1									1	
B.33	Ulcer of stomach and duodenum	M	31					1	1	8	8	9	4
		F	10	1				1		1	1	3	3
B.34	Appendicitis	M	6			1	2			1	1	1	
		F	1										1
B.35	Intestinal obstruction and hernia	M	12							1	2	4	5
		F	14		1					1	2	4	6
B.36b	Gastro-enteritis and colitis except diarrhoea of newborn	M	17	12	1					1		1	2
		F	11	4	1						1	3	2
B.37	Cirrhosis of liver	M	4							4			
		F	5							3	1	1	
B.46c	Other diseases of the liver, gallbladder and pancreas	M	10					1		1	2	4	2
		F	16			1			1	3	4	4	3
B.46d	Other digestive diseases	M	13	2				1		2	2	4	2
		F	6	1	2					1	1		
B.38	Nephritis and nephrosis	M	33			1				8	11	8	5
		F	40				2	2	1	8	8	7	12
B.39	Hyperplasia of prostate	M	20								3	7	10
B.40a	Complications of pregnancy and childbirth	F	4					2	2				
B.40b	Puerperal sepsis	F											
B.40c	Other complications of the puerperium	F	1				1						
B.41	Congenital malformations	M	46	43		1				1			1
		F	43	34	6	1	2						
B.42	Birth injuries, postnatal asphyxia and atelectasis	M	58	58									
		F	34	34									
B.43a	Diarrhoea of newborn	M	5	5									
		F											
B.43b	Other infections of newborn	M	20	20									
		F	9	9									
B.44	Other diseases peculiar to early infancy and immaturity unqualified	M	59	58	1								
		F	56	56									
B.45a	Senility without mention of psychosis	M	22								1	3	18
		F	34									4	30
B.45b	Ill-defined and unknown causes	M	40	4	2			1	2	1	11	15	4
		F	43	3					3		9	16	12
B.46e	All other diseases	M	112	3	4	1	1	7	6	13	22	24	31
		F	128	3		1	4	5	8	15	23	38	31
EXTERNAL CAUSES													
BE.47	Motor vehicle accidents	M	41		3	1	7	5	8	7	7	2	1
		F	17			2	2	1	1	2	4	5	
BE.48	All other accidents	M	57	9	2	4	8	4	5	5	5	9	6
		F	42	3	3	5		3	2		2	5	19
BE.49	Suicide and self-inflicted injury	M	5					1		1	2	1	
		F	1								1		
BE.50	Homicide and operations of war	M	2							1		1	
		F											

TABLE 20 (contd.) - DEATHS IN 1954, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX AND AGE FOR DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS

REMAINING URBAN DISTRICTS

Abbreviated List No.	Causes of Death		Age at Death											
			All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over	
	ALL CAUSES	M F	2,959 2,800	259 201	58 47	24 22	37 33	73 54	103 115	269 202	509 345	819 724	808 1,057	
B.1	Tuberculosis of respiratory system	M F	109 55	.	1 3	.	5 5	15 7	16 9	26 7	30 7	16 12	.	
B.2	Tuberculosis, other forms	M F	21 20	2 2	5 4	2 3	2 2	3 3	2 1	3 3	2 1	.	1	
B.3	Syphilis and its sequelae	M F	4 2	2 1	1 .	1 .	1	
B.4	Typhoid fever	M F	
B.6	Dysentery, all forms	M F	1 .	.	.	1	
B.7a	Scarlet fever	M F	
B.7b	Streptococcal sore throat	M F	1 1	.	.	.	1	.	1	
B.8	Diphtheria	M F	1 .	.	1	
B.9	Whooping cough	M F	3 4	2 2	1 2	
B.10	Meningococcal infections	M F	2 1	1 .	1 1	
B.12	Acute poliomyelitis	M F	
B.17a	Acute infectious encephalitis	M F	
B.14	Measles	M F	3 2	2 2	.	1	
B.16	Malaria	M F	
B.17b	All other diseases classified as infective and parasitic	M F	6 2	1 .	1 .	.	.	1 .	1 1	1 .	.	1 1	.	
B.18a	Malignant neoplasms	M F	402 379	.	.	1	2 1	5 7	10 17	64 56	108 80	143 126	70 91	
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M F	14 18	.	3 1	1 2	1 1	2 1	1 3	2 1	2 4	2 2	3	
B.19	Benign and unspecified neoplasms	M F	14 21	1 .	.	1	2	1	3	3	5	1	.	
B.20	Diabetes mellitus	M F	12 20	.	.	.	2	1	.	1	2 4	6 6	4 6	
B.21	Anaemias	M F	14 21	1 .	.	.	1	.	1	2 3	1 4	7 3	2 9	
B.22	Vascular lesions affecting central nervous system	M F	236 303	1 1	.	1 3	1 1	2 3	7 10	18 28	47 39	83 110	76 108	
B.23	Nonmeningococcal meningitis	M F	6 9	3 3	2 1	1 2	1 3	
B.24	Rheumatic fever	M F	6 7	.	.	1 2	1	1 3	2 1	1	.	1	.	
B.25	Chronic rheumatic heart disease	M F	29 38	.	.	.	1 2	3 3	1 7	6 6	3 5	10 7	5 8	
B.26	Arteriosclerotic and degenerative heart disease	M F	792 729	.	1 1	1	1 .	3 2	17 12	58 25	141 84	277 231	293 374	
B.27	Other diseases of the heart	M F	113 143	.	.	1	3 3	4 3	4 2	10 12	19 20	32 45	41 57	
B.28	Hypertension with heart disease	M F	34 40	1	2 2	11 9	13 10	7 19	
B.29	Hypertension without mention of heart	M F	38 43	.	.	.	1	1	1	3	9	10	13	
B.46a	Other circulatory diseases	M F	77 59	1 1	1 3	8 4	23 19	44 32	
B.30	Influenza	M F	12 11	1	1	3 2	4	1	3	
B.31	Pneumonia	M F	85 74	28 24	11 9	3	.	1	3	3 5	13 4	9 12	14 17	

/ B.18a includes International List Nos. 140-199.

† B.18b includes International List Nos. 200-205.

REMAINING URBAN DISTRICTS (contd.)

Abbreviated List No.	Causes of Death		All ages	Age at Death										
				Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over	
B.32	Bronchitis	M	127	3	2		1				14	23	48	36
		F	68	1							3	15	15	34
B.46b	Other respiratory diseases	M	41		1		2			3	2	9	9	15
		F	38		2	1		4	2	2	5	8		14
B.36a	Gastritis and duodenitis	M	1											
		F	4		1	1					1			
B.33	Ulcer of stomach and duodenum	M	40					2	5	5	7	17		4
		F	9					1		3	2	1		2
B.34	Appendicitis	M	6		3					1	1			
		F	4		1					1				1
B.35	Intestinal obstruction and hernia	M	11					1	1	1	3	1		4
		F	12		1			1	1	2	3	3		1
B.36b	Gastro-enteritis and colitis except diarrhoea of newborn	M	32	25	3						1	1		2
		F	27	13	3	1		1	2	1		3		3
B.37	Cirrhosis of liver	M	6								3	2		1
		F	4						1					
B.46c	Other diseases of the liver, gallbladder and pancreas	M	3									2		1
		F	13								4	3		2
B.46d	Other digestive diseases	M	10	1						1	3	2		
		F	10	1			1	1	1		1	3		2
B.38	Nephritis and nephrosis	M	55	1	1		2	2	3	9	12	12		13
		F	40		1	1	1		3	7	6	15		6
B.39	Hyperplasia of prostate	M	27							1	1	8		17
B.40a	Complications of pregnancy and childbirth	F	10					2	8					
B.40b	Puerperal sepsis	F												
B.40c	Other complications of the puerperium	F	3					1	2					
B.41	Congenital malformations	M	42	40	1		1							
		F	52	43	4		3	1			1			
B.42	Birth injuries, postnatal asphyxia and atelectasis	M	41	41										
		F	31	31										
B.43a	Diarrhoea of newborn	M	3	3										
		F	2	2										
B.43b	Other infections of newborn	M	13	13										
		F	7	7										
B.44	Other diseases peculiar to early infancy and immaturity unqualified	M	75	75										
		F	50	50										
B.45a	Senility without mention of psychosis	M	108									21		87
		F	181									19		162
B.45b	Ill-defined and unknown causes	M	48	7	2		1		1	2	5	16		14
		F	33	5	2		1		1	2	1	9		12
B.46e	All other diseases	M	136	6	4	5	5	10	5	12	21	35		33
		F	146	5	5		2	7	15	19	21	32		40
EXTERNAL CAUSES														
BE.47	Motor vehicle accidents	M	24		2	2	1	6	4	2	4	2		1
		F	4			1				1	1	1		
BE.48	All other accidents	M	69	2	11	5	3	10	8	9	7	6		8
		F	49	7	5	1	1	1		2	1	9		22
BE.49	Suicide and self-inflicted injury	M	2								2			
		F	1					1						
BE.50	Homicide and operations of war	M	4	1			1					2		
		F												

TABLE 20 (contd.) - DEATHS IN 1954, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX AND AGE FOR DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS

RURAL DISTRICTS

Abbreviated List No.	Causes of Death		Age at Death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
	ALL CAUSES	M	13,488	874	147	108	134	206	413	801	1,492	3,381	5,932
		F	10,875	585	124	90	100	182	312	578	1,148	2,583	5,173
B.1	Tuberculosis of respiratory system	M	258	.	.	3	17	34	47	59	49	38	11
		F	181	1	2	4	11	33	35	34	34	25	2
B.2	Tuberculosis, other forms	M	68	5	12	5	9	8	12	7	7	2	1
		F	71	6	12	14	10	6	13	2	6	1	1
B.3	Syphilis and its sequelae	M	10	1	2	2	5	.
		F	6	.	1	2	.	2	1
B.4	Typhoid fever	M	1	1	.
		F
B.6	Dysentery, all forms	M	1	1
		F
B.7a	Scarlet fever	M	2	.	.	2
		F	1	.	.	1
B.7b	Streptococcal sore throat	M	3	.	.	1	.	.	1	1	.	.	.
		F
B.8	Diphtheria	M
		F
B.9	Whooping cough	M	9	6	2	1
		F	15	6	8	1
B.10	Meningococcal infections	M	7	3	1	1	2
		F	6	1	2	1	1	.	.	1	.	.	.
B.12	Acute poliomyelitis	M	11	.	.	2	1	3	2	2	1	.	.
		F	2	.	.	1	.	1
B.17a	Acute infectious encephalitis	M	3	1	1	1
		F	2	.	1	.	1
B.14	Measles	M	8	2	3	2	1	.
		F	8	2	4	.	1	.	1
B.16	Malaria	M	1	1
		F
B.17b	All other diseases classified as infective and parasitic	M	36	6	.	2	2	3	8	5	5	1	4
		F	22	.	1	2	.	1	.	1	4	7	6
/B.18a	Malignant neoplasms	M	1,520	1	5	4	8	15	51	127	284	564	461
		F	1,261	1	1	5	8	14	64	165	285	399	319
‡B.18b	Neoplasms of lymphatic and haematopoietic tissues	M	74	.	4	5	8	8	9	13	13	12	2
		F	57	1	5	1	3	10	2	15	11	8	1
B.19	Benign and unspecified neoplasms	M	51	1	3	4	.	3	6	13	10	6	5
		F	44	1	3	1	2	.	7	7	6	12	5
B.20	Diabetes mellitus	M	71	2	2	6	3	30	28
		F	75	.	.	1	3	3	1	2	15	21	29
B.21	Anaemias	M	79	2	.	.	1	1	1	8	16	33	17
		F	91	.	1	3	.	3	4	5	17	39	19
B.22	Vascular lesions affecting central nervous system	M	1,074	1	1	1	2	12	24	51	127	372	483
		F	1,218	.	1	3	4	6	21	74	170	380	559
B.23	Nonmeningococcal meningitis	M	30	7	8	5	2	3	1	.	3	1	.
		F	10	6	3	.	1
B.24	Rheumatic fever	M	13	.	.	2	2	.	4	1	2	2	.
		F	20	.	1	.	4	2	3	4	2	3	1
B.25	Chronic rheumatic heart disease	M	147	.	.	3	4	3	13	14	22	40	48
		F	117	1	.	.	3	10	10	16	18	24	35
B.26	Arteriosclerotic and degenerative heart disease	M	3,607	.	.	.	5	13	51	193	448	1,096	1,801
		F	2,506	.	.	1	4	12	28	84	246	718	1,413
B.27	Other diseases of the heart	M	505	4	.	1	3	3	11	32	62	165	224
		F	389	.	.	.	1	4	6	14	36	118	210
B.28	Hypertension with heart disease	M	171	1	5	31	64	70
		F	191	2	9	30	78	72
B.29	Hypertension without mention of heart	M	172	.	.	.	2	7	9	10	29	40	75
		F	183	1	6	12	27	73	64
B.46a	Other circulatory diseases	M	316	.	.	.	2	1	1	9	21	79	203
		F	244	.	.	1	1	3	7	3	12	56	161
B.30	Influenza	M	56	2	1	3	5	14	31
		F	82	8	1	2	.	.	.	3	7	24	37
B.31	Pneumonia	M	349	104	14	5	3	1	7	18	20	65	112
		F	304	79	27	1	.	2	11	10	25	43	106

/ B.18a includes International List Nos. 140-199.

‡ B.18b includes International List Nos. 200-299.

TABLE 20 (contd.) - DEATHS IN 1954, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX AND AGE FOR DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS

RURAL DISTRICTS (contd.)

Abbreviated List No.	Causes of Death		Age at Death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
B.32	Bronchitis	M	345	10	3	1	.	1	2	14	33	109	172
		F	239	11	1	2	1	.	2	5	15	63	139
B.46b	Other respiratory diseases	M	101	5	3	1	1	2	2	7	10	26	44
		F	72	3	.	1	3	.	1	4	6	21	33
B.36a	Gastritis and duodenitis	M	5	.	1	.	.	.	1	.	.	1	2
		F	12	3	9
B.33	Ulcer of stomach and duodenum	M	145	3	22	22	27	40	31
		F	28	1	2	3	4	9	9
B.34	Appendicitis	M	30	.	5	4	1	1	3	3	4	5	4
		F	15	.	2	5	1	.	1	2	2	1	1
B.35	Intestinal obstruction and hernia	M	72	4	2	1	.	.	2	8	12	25	18
		F	72	1	2	2	1	.	4	6	9	20	27
B.36b	Gastro enteritis and colitis except diarrhoea of newborn	M	77	46	8	1	.	2	2	4	3	8	3
		F	71	27	7	3	1	2	1	6	3	11	10
B.37	Cirrhosis of liver	M	19	1	1	4	3	6	4
		F	11	3	3	3	2
B.46c	Other diseases of the liver, gallbladder and pancreas	M	31	2	2	.	.	.	3	5	6	5	8
		F	48	3	1	.	.	.	3	6	6	13	16
B.46d	Other digestive diseases	M	39	2	5	1	1	2	3	4	9	10	2
		F	15	1	.	2	.	1	1	2	.	3	5
B.38	Nephritis and nephrosis	M	206	.	.	2	3	9	12	24	31	62	63
		F	187	.	3	3	3	1	12	14	35	54	62
B.39	Hyperplasia of prostate	M	187	9	42	136
B.40a	Complications of pregnancy and childbirth	F	38	.	.	.	2	19	16	1	.	.	.
B.40b	Puerperal sepsis	F
B.40c	Other complications of the puerperium	F	13	.	.	.	1	3	9
B.41	Congenital malformations	M	175	144	13	4	3	3	4	3	.	1	.
		F	126	102	6	7	6	.	1	2	1	.	1
B.42	Birth injuries, postnatal asphyxia and atelectasis	M	135	135
		F	76	76
B.43a	Diarrhoea of newborn	M	8	8
		F	6	6
B.43b	Other infections of newborn	M	27	27
		F	16	16
B.44	Other diseases peculiar to early infancy and immaturity unqualified	M	284	284
		F	188	188
B.45a	Senility without mention of psychosis	M	1,547	2	104	1,441
		F	1,559	3	107	1,449
B.45b	Ill-defined and unknown causes	M	290	22	3	2	1	2	6	17	29	70	138
		F	217	19	6	2	1	3	.	7	23	55	101
B.46e	All other diseases	M	678	21	23	18	22	20	37	50	88	173	226
		F	542	6	11	7	14	33	32	46	75	154	164
EXTERNAL CAUSES													
BE.47	Motor vehicle accidents	M	102	.	6	7	11	14	14	13	16	13	8
		F	18	.	2	6	1	1	1	.	1	4	2
BE.48	All other accidents	M	286	17	18	15	16	18	27	32	46	44	53
		F	189	13	9	7	5	6	5	6	7	29	102
EE.49	Suicide and self-inflicted injury	M	41	.	.	1	2	8	8	11	4	6	1
		F	9	.	.	.	2	.	.	2	3	2	.
BE.50	Homicide and operations of war	M	5	1	1	1	.	.	2
		F	2	1	.	.	1	.	.

TABLE 21 - DEATHS IN EACH COUNTY AND COUNTY BOROUGH IN 1954 CLASSIFIED BY CAUSE AND

Note - Deaths are allocated to the area in which deceased normally resided but the place

THE ABBREVIATED LIST OF CAUSES OF DEATH ADOPTED BY THE ARD CHLARAITHEOIR

Code No.	Causes of death	Numbers in Detailed International Classification
1	Tuberculosis of respiratory system	001-008
2	Tuberculosis, other forms	010-019
3	Diphtheria	005
4	Whooping cough	056
5	Meningococcal infections	057
6	Acute poliomyelitis	080
7	Measles	085
8	Other infective and parasitic diseases	020-054, 058-074, 081-084, 086-138
9	Malignant neoplasms of stomach	151
10	Malignant neoplasms of small and large intestine including duodenum	152, 153
11	Malignant neoplasms of rectum	154
12	Other malignant neoplasms of digestive organs and peritoneum	150, 155-159
13	Malignant neoplasms of trachea, bronchus and lung	162, 163
14	Other malignant neoplasms of respiratory system	160, 161, 164, 165
15	Malignant neoplasms of breast	170
16	Malignant neoplasms of uterus	171-174
17	Other malignant neoplasms of genito-urinary system	175-181
18	Other malignant neoplasms	140-148, 190-199
19	Hodgkin's disease and leukaemia and aleukaemia	201, 204
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	200, 202, 203, 205
21	Diabetes	260
22	Cerebral haemorrhage	331
23	Other vascular lesions affecting the central nervous system	330, 332-334

PLACE OF OCCURRENCE AND SHOWING THE NUMBERS OF UNCERTIFIED DEATHS FOR EACH CAUSE

of occurrence is not necessarily in the county to which the death has been allocated

AND ITS RELATION TO DETAILED INTERNATIONAL CLASSIFICATION

Code No.	Causes of death	Numbers in Detailed International Classification
24	Other diseases of nervous system and sense organs	340-398
25	Chronic rheumatic heart disease	410-416
26	Arteriosclerotic and degenerative heart disease	420-422
27	Other diseases of the heart	430-434
28	Hypertension with heart disease	440-443
29	Hypertension without heart disease	444-447
30	Other diseases of circulatory system	400-402, 450-468
31	Influenza	480-483
32	Pneumonia	490-493
33	Bronchitis	500-502
34	Other diseases of respiratory system	470-475, 510-527
35	Ulcer of stomach and duodenum	540, 541
36	Gastro-enteritis and diarrhoea under 2 years	571.0, 764
37	Nephritis and nephrosis	590-594
38	Hyperplasia of prostate	610
39	Complications of pregnancy, childbirth and the puerperium	640-689
40	Congenital malformations	750-759
41	Diseases of early infancy	760-776 except 764
42	Senility	794
43	Ill-defined causes	780-793, 795
44	Other defined diseases	210-254, 270-326, 530-539, 542-570, 571.1, 572-587, 600-609, 611-637, 690-749
45	Accidents	E800-E962
46	Suicide	E963, E970-E979
47	Other external causes	E964, E965, E980-E999

TABLE 21 - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING THE
Note - Deaths are allocated to the area in which deceased normally resided but the place
TOTAL

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	496	199	39	103	155	2
		F	301	115	40	41	105	4
2	Tuberculosis, other forms	M	102	29	7	51	15	2
		F	106	36	2	56	12	.
3	Diphtheria	M	2	2
		F	3	3
4	Whooping cough	M	14	4	.	2	8	2
		F	19	3	.	.	16	3
5	Meningococcal infections	M	13	7	.	4	2	.
		F	8	4	.	4	.	.
6	Acute poliomyelitis	M	12	2	.	8	2	.
		F	2	1	.	1	.	.
7	Measles	M	17	5	.	6	6	1
		F	16	6	.	3	7	.
8	Other infective and parasitic diseases	M	78	19	2	36	21	.
		F	40	7	3	14	16	.
9	Malignant neoplasms of stomach	M	525	85	8	182	250	8
		F	410	57	10	125	218	4
10	Malignant neoplasms of small and large intestine including duodenum	M	270	46	2	88	134	2
		F	278	54	7	79	138	.
11	Malignant neoplasms of rectum	M	187	52	3	58	74	2
		F	79	13	1	23	42	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	284	69	4	86	125	.
		F	248	64	6	51	127	1
13	Malignant neoplasms of trachea, bronchus and lung	M	316	103	2	84	127	1
		F	106	27	2	22	55	.
14	Other malignant neoplasms of respiratory system	M	69	24	.	14	31	.
		F	32	7	1	5	19	.
15	Malignant neoplasms of breast	M	7	1	.	2	4	.
		F	355	70	6	94	185	1
16	Malignant neoplasms of uterus	F	144	32	4	44	64	1
17	Other malignant neoplasms of genito-urinary system	M	280	49	5	96	130	1
		F	145	40	2	42	61	.
18	Other malignant neoplasms	M	406	80	1	146	179	7
		F	246	53	4	85	104	5
19	Hodgkin's disease and leukaemia and aleukaemia	M	96	25	1	43	27	.
		F	75	22	.	20	33	.
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M	18	6	.	5	7	.
		F	18	9	.	4	5	.
21	Diabetes	M	89	10	2	24	53	2
		F	111	14	.	34	63	6
22	Cerebral haemorrhage	M	720	65	26	193	436	21
		F	939	90	16	196	637	28
23	Other vascular lesions affecting the central nervous system	M	862	126	22	260	454	38
		F	967	125	30	222	590	45

NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH
of occurrence is not necessarily in the County to which the death has been allocated.
TOTAL (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmeries	Elsewhere	
24	Other diseases of nervous system and sense organs	M	383	44	25	131	183	16
		F	338	40	16	97	185	23
25	Chronic rheumatic heart disease	M	200	21	7	59	113	2
		F	204	41	3	54	106	1
26	Arteriosclerotic and degenerative heart disease	M	5,042	327	267	1,033	3,415	199
		F	3,811	235	282	711	2,583	118
27	Other diseases of the heart	M	725	62	11	215	437	88
		F	648	72	10	146	420	78
28	Hypertension with heart disease	M	262	24	12	64	162	2
		F	303	30	9	52	212	3
29	Hypertension without heart disease	M	255	35	8	59	153	7
		F	294	31	7	70	186	11
30	Other diseases of circulatory system	M	465	55	13	204	193	10
		F	398	60	17	106	215	5
31	Influenza	M	70	2	1	8	59	9
		F	104	3	1	3	97	12
32	Pneumonia	M	533	71	18	194	250	15
		F	512	57	18	153	284	15
33	Bronchitis	M	620	66	16	137	401	21
		F	382	27	10	56	289	13
34	Other diseases of respiratory system	M	182	29	5	48	100	1
		F	139	9	1	38	91	1
35	Ulcer of stomach and duodenum	M	216	57	2	90	67	2
		F	47	9	1	19	18	.
36	Gastro-enteritis and diarrhoea under 2 years	M	106	36	.	26	44	2
		F	59	14	.	18	27	3
37	Nephritis and nephrosis	M	294	45	7	80	162	7
		F	267	35	2	76	154	6
38	Hyperplasia of prostate	M	234	33	3	106	92	2
39	Complications of pregnancy, childbirth and the puerperium	F	69	19	.	32	18	.
40	Congenital malformations	M	263	91	1	99	72	3
		F	221	73	2	68	78	3
41	Diseases of early infancy	M	712	269	1	291	151	19
		F	467	189	.	186	92	20
42	Senility	M	1,677	8	53	210	1,406	989
		F	1,774	12	36	165	1,561	977
43	Ill-defined causes	M	378	29	2	56	291	184
		F	293	27	3	30	233	147
44	Other defined diseases	M	1,081	224	60	320	477	34
		F	1,026	195	52	292	487	36
45	Accidents	M	579	124	7	138	310	1
		F	319	58	4	122	135	1
46	Suicide	M	48	2	1	3	42	.
		F	11	1	.	.	10	.
47	Other external causes	M	11	1	.	.	10	.
		F	2	.	.	.	2	.
	All causes	M	19,199	2,663	644	5,062	10,830	1,702
		F	16,336	2,089	608	3,659	9,980	1,571

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING
LEINSTER

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	254	112	12	48	82	1
		F	142	57	16	12	57	
2	Tuberculosis, other forms	M	49	22	3	19	5	1
		F	49	24	1	20	4	
3	Diphtheria	M	2	2
		F	3	3	.	.	.	
4	Whooping cough	M	6	2	.	1	3	.
		F	4	.	.	.	4	
5	Meningococcal infections	M	7	6	.	.	1	.
		F	1	1	.	.	.	
6	Acute poliomyelitis	M	3	1	.	2	.	.
		F	2	1	.	1	.	
7	Measles	M	9	4	.	3	2	.
		F	10	5	.	1	4	
8	Other infective and parasitic diseases	M	30	12	.	14	4	.
		F	16	5	.	5	6	
9	Malignant neoplasms of stomach	M	207	38	2	76	91	1
		F	198	34	3	59	102	
10	Malignant neoplasms of small and large intestine including duodenum	M	114	26	2	38	48	1
		F	123	34	3	27	59	
11	Malignant neoplasms of rectum	M	77	23	.	18	36	.
		F	37	5	1	14	17	
12	Other malignant neoplasms of digestive organs and peritoneum	M	113	44	2	24	43	.
		F	119	36	2	21	60	
13	Malignant neoplasms of trachea, bronchus and lung	M	216	79	1	59	77	.
		F	59	20	1	15	23	
14	Other malignant neoplasms of respiratory system	M	32	15	.	6	11	.
		F	15	3	.	2	10	
15	Malignant neoplasms of breast	M	3	.	.	2	1	.
		F	160	42	2	35	81	
16	Malignant neoplasms of uterus	F	59	11	1	22	25	.
17	Other malignant neoplasms of genito-urinary system	M	119	18	2	42	57	.
		F	62	20	1	15	26	
18	Other malignant neoplasms	M	168	43	.	52	73	3
		F	113	30	2	34	47	
19	Hodgkin's disease and leukaemia and aleukaemia	M	44	16	1	17	10	.
		F	28	11	.	3	14	
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M	9	4	.	2	3	.
		F	8	5	.	.	3	
21	Diabetes	M	26	5	1	7	13	.
		F	44	12	.	15	17	
22	Cerebral haemorrhage	M	323	47	12	78	186	1
		F	433	55	6	94	278	
23	Other vascular lesions affecting the central nervous system	M	416	95	11	141	169	4
		F	478	82	15	129	252	

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH
LEINSTER (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	153	30	11	45	67	1
		F	130	21	3	37	69	1
25	Chronic rheumatic heart disease	M	85	8	4	29	44	.
		F	101	26	.	23	52	1
26	Arteriosclerotic and degenerative heart disease	M	2,119	184	128	384	1,423	71
		F	1,585	119	141	253	1,072	29
27	Other diseases of the heart	M	302	33	6	120	143	24
		F	265	35	3	76	151	8
28	Hypertension with heart disease	M	130	19	5	35	71	1
		F	158	21	3	29	105	1
29	Hypertension without heart disease	M	126	21	6	29	70	.
		F	135	19	5	38	73	1
30	Other diseases of circulatory system	M	217	35	5	96	81	2
		F	203	34	10	51	108	3
31	Influenza	M	14	1	.	2	11	.
		F	34	.	1	1	32	1
32	Pneumonia	M	219	44	10	93	72	2
		F	250	38	10	89	113	1
33	Bronchitis	M	301	42	7	67	185	3
		F	161	22	6	21	112	.
34	Other diseases of respiratory system	M	96	24	3	21	48	.
		F	60	8	.	15	37	.
35	Ulcer of stomach and duodenum	M	85	31	1	34	19	1
		F	25	8	1	6	10	.
36	Gastro-enteritis and diarrhoea under 2 years	M	38	20	.	7	11	.
		F	20	8	.	5	7	.
37	Nephritis and nephrosis	M	112	25	1	36	50	1
		F	103	20	1	27	55	.
38	Hyperplasia of prostate	M	80	12	2	34	32	.
39	Complications of pregnancy, childbirth and the puerperium	F	25	9	.	8	8	.
40	Congenital malformations	M	127	66	.	38	23	.
		F	120	55	1	30	34	1
41	Diseases of early infancy	M	348	203	.	78	67	5
		F	210	140	.	39	31	2
42	Senility	M	296	3	12	61	220	82
		F	382	3	5	55	319	106
43	Ill-defined causes	M	128	17	.	15	96	64
		F	114	15	1	12	86	51
44	Other defined diseases	M	417	126	25	95	171	9
		F	426	105	20	108	193	5
45	Accidents	M	280	96	4	48	132	1
		F	146	34	3	44	65	1
46	Suicide	M	15	1	1	.	13	.
		F	6	1	.	.	5	.
47	Other external causes	M	6	1	.	.	5	.
		F	1	.	.	.	1	.
	All causes	M	7,921	1,656	280	2,016	3,969	278
		F	6,823	1,237	268	1,491	3,827	228

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING
MUNSTER

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	148	67	17	28	36	.
		F	98	41	10	14	33	3
2	Tuberculosis, other forms	M	35	4	2	21	8	1
		F	32	7	1	20	4	.
3	Diphtheria	M
		F
4	Whooping cough	M	4	2	.	.	2	.
		F	8	3	.	.	5	.
5	Meningococcal infections	M	2	.	.	2	.	.
		F	6	2	.	4	.	.
6	Acute poliomyelitis	M	4	1	.	2	1	.
		F
7	Measles	M	5	1	.	1	3	.
		F	5	1	.	2	2	.
8	Other infective and parasitic diseases	M	28	4	1	13	10	.
		F	14	2	3	3	6	.
9	Malignant neoplasms of stomach	M	177	38	2	54	83	.
		F	130	18	4	35	73	1
10	Malignant neoplasms of small and large intestine including duodenum	M	93	15	.	30	48	.
		F	87	17	2	27	41	.
11	Malignant neoplasms of rectum	M	71	22	2	26	21	.
		F	31	8	.	7	16	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	108	17	.	44	47	.
		F	78	20	4	18	36	.
13	Malignant neoplasms of trachea, bronchus and lung	M	66	17	1	14	34	.
		F	31	5	.	5	21	.
14	Other malignant neoplasms of respiratory system	M	22	8	.	3	11	.
		F	11	4	1	2	4	.
15	Malignant neoplasms of breast	M	3	1	.	.	2	.
		F	114	20	3	33	58	.
16	Malignant neoplasms of uterus	F	51	16	.	13	22	.
17	Other malignant neoplasms of genito-urinary system	M	83	24	2	23	34	.
		F	53	17	.	17	19	.
18	Other malignant neoplasms	M	131	28	1	53	49	3
		F	72	15	1	25	31	1
19	Hodgkin's disease and leukaemia and aleukaemia	M	31	8	.	13	10	.
		F	29	8	.	9	12	.
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M	4	2	.	1	1	.
		F	4	2	.	1	1	.
21	Diabetes	M	29	5	1	6	17	.
		F	29	1	.	9	19	2
22	Cerebral haemorrhage	M	217	13	5	76	123	4
		F	313	32	5	77	199	7
23	Other vascular lesions affecting the central nervous system	M	230	25	5	69	131	7
		F	269	37	8	42	182	8

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

MUNSTER (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	113	8	11	37	57	7
		F	110	13	8	29	60	8
25	Chronic rheumatic heart disease	M	63	11	2	13	37	1
		F	63	11	3	18	31	.
26	Arteriosclerotic and degenerative heart disease	M	1,587	121	66	382	1,018	51
		F	1,312	97	74	287	854	36
27	Other diseases of the heart	M	250	28	4	56	162	22
		F	221	35	3	37	146	26
28	Hypertension with heart disease	M	50	3	2	8	37	.
		F	86	9	1	13	63	1
29	Hypertension without heart disease	M	60	13	1	11	35	1
		F	83	9	.	16	58	4
30	Other diseases of circulatory system	M	142	14	3	72	53	3
		F	105	20	7	33	45	1
31	Influenza	M	28	1	.	3	24	1
		F	31	2	.	.	29	4
32	Pneumonia	M	176	24	5	62	85	1
		F	141	18	2	37	84	3
33	Bronchitis	M	212	23	6	55	128	9
		F	150	5	3	25	117	6
34	Other diseases of respiratory system	M	59	3	1	19	36	1
		F	49	1	1	14	33	.
35	Ulcer of stomach and duodenum	M	74	22	.	32	20	1
		F	14	1	.	8	5	.
36	Gastro-enteritis and diarrhoea under 2 years	M	49	15	.	13	21	1
		F	24	5	.	9	10	.
37	Nephritis and nephrosis	M	100	17	3	25	55	1
		F	97	14	.	32	51	2
38	Hyperplasia of prostate	M	83	18	1	34	30	.
39	Complications of pregnancy, childbirth and the puerperium	F	28	9	.	14	5	.
40	Congenital malformations	M	71	15	1	35	20	1
		F	63	15	1	22	25	1
41	Diseases of early infancy	M	226	53	1	121	51	7
		F	147	38	.	71	38	10
42	Senility	M	584	5	19	79	481	307
		F	614	8	17	53	536	312
43	Ill-defined causes	M	120	11	2	23	84	49
		F	84	11	2	11	60	34
44	Other defined diseases	M	387	79	24	127	157	3
		F	341	66	22	104	149	11
45	Accidents	M	163	20	2	44	97	.
		F	88	21	1	33	33	.
46	Suicide	M	22	.	.	1	21	.
		F	1	.	.	.	1	.
47	Other external causes	M	4	.	.	.	4	.
		F	1	.	.	.	1	.
	All causes	M	6,114	806	193	1,731	3,384	482
		F	5,318	684	187	1,229	3,218	481

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING
CONNACHT

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	58	10	5	18	25	2
		F	42	14	10	8	10	.
2	Tuberculosis, other forms	M	11	1	1	9	.	.
		F	15	1	.	11	3	.
3	Diphtheria	M
		F
4	Whooping cough	M	2	.	.	1	1	.
		F	3	.	.	.	3	2
5	Meningococcal infections	M	4	1	.	2	1	.
		F
6	Acute poliomyelitis	M	3	.	.	3	.	.
		F
7	Measles	M	2	.	.	2	.	.
		F
8	Other infective and parasitic diseases	M	10	2	.	3	5	.
		F	4	.	.	1	3	.
9	Malignant neoplasms of stomach	M	93	8	2	31	52	6
		F	47	2	2	22	21	.
10	Malignant neoplasms of small and large intestine including duodenum	M	41	4	.	15	22	.
		F	40	1	1	16	22	.
11	Malignant neoplasms of rectum	M	23	5	1	9	8	1
		F	7	.	.	1	6	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	45	7	1	14	23	.
		F	36	5	.	11	20	1
13	Malignant neoplasms of trachea, bronchus and lung	M	19	5	.	8	6	.
		F	11	1	1	2	7	.
14	Other malignant neoplasms of respiratory system	M	13	1	.	5	7	.
		F	3	.	.	1	2	.
15	Malignant neoplasms of breast	M
		F	50	6	1	22	21	.
16	Malignant neoplasms of uterus	F	18	4	1	5	8	.
	
17	Other malignant neoplasms of genito-urinary system	M	51	3	1	21	26	1
		F	18	3	.	7	8	.
18	Other malignant neoplasms	M	75	5	.	30	40	1
		F	41	7	.	18	16	2
19	Hodgkin's disease and leukaemia and aleukaemia	M	15	1	.	9	5	.
		F	14	2	.	8	4	.
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M	3	.	.	2	1	.
		F	6	2	.	3	1	.
21	Diabetes	M	21	.	.	8	13	1
		F	23	1	.	5	17	2
22	Cerebral haemorrhage	M	104	5	4	32	63	9
		F	114	2	2	19	91	9
23	Other vascular lesions affecting the central nervous system	M	125	4	2	31	88	13
		F	132	4	5	36	87	14

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH
CONNACHT (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	76	4	3	32	37	7
		F	60	5	4	20	31	8
25	Chronic rheumatic heart disease	M	32	1	1	11	19	.
		F	28	4	.	9	15	.
26	Arteriosclerotic and degenerative heart disease	M	869	17	49	195	608	50
		F	578	16	48	123	391	22
27	Other diseases of the heart	M	87	.	1	23	63	18
		F	94	1	3	24	66	24
28	Hypertension with heart disease	M	54	1	3	20	30	.
		F	33	.	5	4	24	.
29	Hypertension without heart disease	M	43	1	1	12	29	5
		F	43	3	1	9	30	5
30	Other diseases of circulatory system	M	71	5	5	28	33	3
		F	56	6	.	13	37	.
31	Influenza	M	18	.	1	3	14	5
		F	25	.	.	1	24	4
32	Pneumonia	M	96	1	3	27	65	10
		F	73	1	4	17	51	10
33	Bronchitis	M	63	1	3	12	47	5
		F	43	.	.	9	34	4
34	Other diseases of respiratory system	M	19	1	1	8	9	.
		F	21	.	.	5	16	1
35	Ulcer of stomach and duodenum	M	24	2	1	10	11	.
		F	5	.	.	3	2	.
36	Gastro-enteritis and diarrhoea under 2 years	M	13	1	.	6	6	1
		F	13	1	.	4	8	2
37	Nephritis and nephrosis	M	49	1	2	9	37	4
		F	40	1	1	15	23	2
38	Hyperplasia of prostate	M	45	1	.	25	19	1
39	Complications of pregnancy, childbirth and the puerperium	F	7	.	.	4	3	.
40	Congenital malformations	M	41	5	.	18	18	1
		F	21	1	.	10	10	.
41	Diseases of early infancy	M	91	11	.	62	18	6
		F	68	10	.	51	7	2
42	Senility	M	552	.	22	32	498	457
		F	533	1	14	21	497	420
43	Ill-defined causes	M	90	1	.	14	75	54
		F	68	.	.	7	61	44
44	Other defined diseases	M	171	13	9	63	86	13
		F	173	15	9	58	91	14
45	Accidents	M	89	2	.	32	55	.
		F	64	2	.	37	25	.
46	Suicide	M	6	.	.	1	5	.
		F	3	.	.	.	3	.
47	Other external causes	M
		F
	All causes	M	3,317	131	122	896	2,168	674
		F	2,673	122	112	640	1,799	592

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING
ULSTER (part of)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	36	10	5	9	12	.
		F	19	3	4	7	5	.
2	Tuberculosis, other forms	M	7	2	1	2	2	.
		F	10	4	.	5	1	.
3	Diphtheria	M
		F
4	Whooping cough	M	2	.	.	.	2	2
		F	4	.	.	.	4	1
5	Meningococcal infections	M
		F	1	1
6	Acute poliomyelitis	M	2	.	.	1	1	.
		F
7	Measles	M	1	.	.	.	1	1
		F	1	.	.	.	1	.
8	Other infective and parasitic diseases	M	10	1	1	6	2	.
		F	6	.	.	5	1	.
9	Malignant neoplasms of stomach	M	48	1	2	21	24	1
		F	35	3	1	9	22	3
10	Malignant neoplasms of small and large intestine including duodenum	M	22	1	.	5	16	1
		F	28	2	1	9	16	.
11	Malignant neoplasms of rectum	M	16	2	.	5	9	1
		F	4	.	.	1	3	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	18	1	1	4	12	.
		F	15	3	.	1	11	.
13	Malignant neoplasms of trachea, bronchus and lung	M	15	2	.	3	10	1
		F	5	1	.	.	4	.
14	Other malignant neoplasms of respiratory system	M	2	.	.	.	2	.
		F	3	.	.	.	3	.
15	Malignant neoplasms of breast	M	1	.	.	.	1	.
		F	31	2	.	4	25	.
16	Malignant neoplasms of uterus	F	16	1	2	4	9	1
17	Other malignant neoplasms of genito-urinary system	M	27	4	.	10	13	.
		F	12	.	1	3	8	.
18	Other malignant neoplasms	M	32	4	.	11	17	.
		F	20	1	1	8	10	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	6	.	.	4	2	.
		F	4	1	.	.	3	.
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M	2	.	.	.	2	.
		F
21	Diabetes	M	13	.	.	3	10	1
		F	15	.	.	5	10	1
22	Cerebral haemorrhage	M	76	.	5	7	64	7
		F	79	1	3	6	69	5
23	Other vascular lesions affecting the central nervous system	M	91	2	4	19	66	14
		F	88	2	2	15	69	19

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH
ULSTER (part of) (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	41	2	.	17	22	1
		F	38	1	1	11	25	6
25	Chronic rheumatic heart disease	M	20	1	.	6	13	1
		F	12	.	.	4	8	.
26	Arteriosclerotic and degenerative heart disease	M	467	5	24	72	366	27
		F	336	3	19	48	266	31
27	Other diseases of the heart	M	86	1	.	16	69	24
		F	68	1	1	9	57	20
28	Hypertension with heart disease	M	28	1	2	1	24	1
		F	26	.	.	6	20	1
29	Hypertension without heart disease	M	26	.	.	7	19	1
		F	33	.	1	7	25	1
30	Other diseases of circulatory system	M	35	1	.	8	26	2
		F	34	.	.	9	25	1
31	Influenza	M	10	.	.	.	10	3
		F	14	1	.	1	12	3
32	Pneumonia	M	42	2	.	12	28	2
		F	48	.	2	10	36	1
33	Bronchitis	M	44	.	.	3	41	4
		F	28	.	1	1	26	3
34	Other diseases of respiratory system	M	8	1	.	.	7	.
		F	9	.	.	4	5	.
35	Ulcer of stomach and duodenum	M	33	2	.	14	17	.
		F	3	.	.	2	1	.
36	Gastro-enteritis and diarrhoea under 2 years	M	6	.	.	.	6	.
		F	2	.	.	.	2	1
37	Nephritis and nephrosis	M	33	2	1	10	20	1
		F	27	.	.	2	25	2
38	Hyperplasia of prostate	M	26	2	.	13	11	1
39	Complications of pregnancy, childbirth and the puerperium	F	9	1	.	6	2	.
40	Congenital malformations	M	24	5	.	8	11	1
		F	17	2	.	6	9	1
41	Diseases of early infancy	M	47	2	.	30	15	1
		F	42	1	.	25	16	6
42	Senility	M	245	.	.	38	207	143
		F	245	.	.	36	209	139
43	Ill-defined causes	M	40	.	.	4	36	17
		F	27	1	.	.	26	18
44	Other defined diseases	M	106	6	2	35	63	9
		F	86	9	1	22	54	6
45	Accidents	M	47	6	1	14	26	.
		F	21	1	.	8	12	.
46	Suicide	M	5	1	.	1	3	.
		F	1	.	.	.	1	.
47	Other external causes	M	1	.	.	.	1	.
		F
	All causes	M	1,847	70	49	419	1,309	268
		F	1,522	46	41	299	1,136	270

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING
COUNTY CARLOW

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	4	1	.	1	2	.
		F	4	2	.	1	1	.
2	Tuberculosis, other forms	M	3	.	1	2	.	.
		F	3	1	.	2	.	.
3	Diphtheria	M
		F
4	Whooping cough	M
		F
5	Meningococcal infections	M
		F
6	Acute poliomyelitis	M	1	.	.	1	.	.
		F
7	Measles	M
		F
8	Other infective and parasitic diseases	M
		F
9	Malignant neoplasms of stomach	M	2	.	.	1	1	.
		F	5	.	.	1	4	.
10	Malignant neoplasms of small and large intestine including duodenum	M	4	2	.	1	1	.
		F	3	.	.	2	1	.
11	Malignant neoplasms of rectum	M	2	.	.	.	2	.
		F	2	.	.	.	2	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	2	.	.	2	.	.
		F	4	.	.	1	3	.
13	Malignant neoplasms of trachea, bronchus and lung	M	8	2	.	1	5	.
		F	1	.	.	1	.	.
14	Other malignant neoplasms of respiratory system	M
		F
15	Malignant neoplasms of breast	M
		F	3	1	.	1	1	.
16	Malignant neoplasms of uterus	F
17	Other malignant neoplasms of genito-urinary system	M	4	.	.	.	4	.
		F	1	1
18	Other malignant neoplasms	M	5	1	.	1	3	1
		F	8	3	.	1	4	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	1	.	.	.	1	.
		F	1	.	.	.	1	.
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M
		F
21	Diabetes	M
		F	1	.	.	1	.	.
22	Cerebral haemorrhage	M	12	.	1	5	6	.
		F	8	1	.	2	5	.
23	Other vascular lesions affecting the central nervous system	M	15	.	1	7	7	.
		F	10	.	.	3	7	.

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

COUNTY CARLOW (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmeries	Elsewhere	
24	Other diseases of nervous system and sense organs	M	6	.	1	2	3	.
		F	5	1	.	1	3	.
25	Chronic rheumatic heart disease	M	3	.	.	.	3	.
		F
26	Arteriosclerotic and degenerative heart disease	M	68	1	6	18	43	5
		F	58	.	5	13	40	1
27	Other diseases of the heart	M	17	1	.	5	11	3
		F	11	1	1	1	8	1
28	Hypertension with heart disease	M	5	.	.	3	2	.
		F	4	.	.	1	3	.
29	Hypertension without heart disease	M	3	.	.	1	2	.
		F	1	.	.	1	.	.
30	Other diseases of circulatory system	M	4	1	.	1	2	.
		F	5	1	.	1	3	.
31	Influenza	M
		F	1	.	.	.	1	.
32	Pneumonia	M	3	.	.	1	2	.
		F	2	.	.	.	2	.
33	Bronchitis	M	3	.	.	.	3	.
		F	2	.	.	.	2	.
34	Other diseases of respiratory system	M
		F	1	.	.	.	1	.
35	Ulcer of stomach and duodenum	M	4	2	.	2	.	.
		F	2	1	.	1	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M
		F
37	Nephritis and nephrosis	M	1	.	.	.	1	.
		F	2	.	.	1	1	.
38	Hyperplasia of prostate	M	3	.	.	1	2	.
39	Complications of pregnancy, childbirth and the puerperium	F	1	.	.	.	1	.
40	Congenital malformations	M	5	2	.	2	1	.
		F	4	1	.	2	1	.
41	Diseases of early infancy	M	12	2	.	4	6	2
		F	4	1	.	1	2	.
42	Senility	M	19	.	.	1	18	8
		F	22	.	.	.	22	10
43	Ill-defined causes	M	3	.	.	1	2	2
		F	4	1	1	.	2	1
44	Other defined diseases	M	13	3	.	1	9	.
		F	12	3	1	4	4	.
45	Accidents	M	7	1	.	1	5	.
		F	4	.	.	3	1	.
46	Suicide	M	1	.	.	.	1	.
		F
47	Other external causes	M	1	.	.	.	1	.
		F
	All causes	M	244	19	10	66	149	21
		F	199	19	8	46	126	13

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING
DUBLIN COUNTY BOROUGH

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	129	64	5	23	37	.
		F	65	38	5	1	21	.
2	Tuberculosis, other forms	M	13	11	.	2	.	.
		F	15	13	.	2	.	.
3	Diphtheria	M	1	1
		F	3	3
4	Whooping cough	M	2	2
		F
5	Meningococcal infections	M	4	3	.	.	1	.
		F	1	1
6	Acute poliomyelitis	M	1	.	.	1	.	.
		F
7	Measles	M	6	4	.	2	.	.
		F	6	4	.	1	1	.
8	Other infective and parasitic diseases	M	9	5	.	3	1	.
		F	4	2	.	1	1	.
9	Malignant neoplasms of stomach	M	64	24	.	18	22	.
		F	73	23	1	17	32	.
10	Malignant neoplasms of small and large intestine including duodenum	M	39	15	.	8	16	.
		F	55	24	1	10	20	.
11	Malignant neoplasms of rectum	M	30	11	.	9	10	.
		F	15	2	1	7	5	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	46	27	1	6	12	.
		F	45	20	2	4	19	.
13	Malignant neoplasms of trachea, bronchus and lung	M	128	58	.	39	31	.
		F	39	14	1	12	12	.
14	Other malignant neoplasms of respiratory system	M	15	9	.	2	4	.
		F	9	2	.	1	6	.
15	Malignant neoplasms of breast	M	2	.	.	2	.	.
		F	76	32	.	11	33	.
16	Malignant neoplasms of uterus	F	27	6	.	8	13	.
17	Other malignant neoplasms of genito-urinary system	M	49	10	1	18	20	.
		F	30	10	1	6	13	.
18	Other malignant neoplasms	M	49	23	.	14	12	.
		F	34	17	1	8	8	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	20	8	1	9	2	.
		F	14	6	.	2	6	.
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M	6	4	.	1	1	.
		F	4	3	.	.	1	.
21	Diabetes	M	6	3	1	1	1	.
		F	16	7	.	4	5	.
22	Cerebral haemorrhage	M	106	30	3	18	55	.
		F	161	37	3	35	86	.
23	Other vascular lesions affecting the central nervous system	M	166	61	3	60	42	1
		F	224	56	4	71	93	.

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

DUBLIN COUNTY BOROUGH (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	50	16	2	16	16	.
		F	49	11	1	16	21	.
25	Chronic rheumatic heart disease	M	24	3	1	7	13	.
		F	49	19	.	7	23	.
26	Arteriosclerotic and degenerative heart disease	M	643	112	51	55	425	14
		F	576	81	68	46	381	4
27	Other diseases of the heart	M	107	17	1	58	31	4
		F	116	23	2	47	44	2
28	Hypertension with heart disease	M	57	14	4	12	27	.
		F	72	11	1	10	50	.
29	Hypertension without heart disease	M	45	10	2	17	16	.
		F	68	13	2	24	29	.
30	Other diseases of circulatory system	M	53	20	.	16	17	1
		F	68	15	6	12	35	.
31	Influenza	M	2	1	.	.	1	.
		F	11	.	.	.	11	.
32	Pneumonia	M	99	29	3	44	23	.
		F	134	29	7	58	40	.
33	Bronchitis	M	148	34	3	35	76	.
		F	75	17	1	8	49	.
34	Other diseases of respiratory system	M	40	16	2	4	18	.
		F	29	6	.	6	17	.
35	Ulcer of stomach and duodenum	M	31	18	.	6	7	1
		F	10	5	1	1	3	.
36	Gastro-enteritis and diarrhoea under 2 years	M	17	14	.	2	1	.
		F	5	4	.	.	1	.
37	Nephritis and nephrosis	M	33	15	.	7	11	.
		F	40	13	.	7	20	.
38	Hyperplasia of prostate	M	20	7	1	9	3	.
39	Complications of pregnancy, childbirth and the puerperium	F	5	3	.	.	2	.
40	Congenital malformations	M	46	32	.	12	2	.
		F	43	28	.	9	6	.
41	Diseases of early infancy	M	137	128	.	3	6	.
		F	99	87	.	5	7	.
42	Senility	M	22	2	7	2	11	1
		F	34	1	4	7	22	1
43	Ill-defined causes	M	40	12	.	4	24	30
		F	43	12	.	4	27	23
44	Other defined diseases	M	142	67	7	30	38	2
		F	159	61	4	38	56	.
45	Accidents	M	98	62	.	5	31	.
		F	59	27	2	5	25	.
46	Suicide	M	5	1	.	.	4	.
		F	1	1
47	Other external causes	M	2	1	.	.	1	.
		F
	All causes	M	2,752	1,004	99	580	1,069	54
		F	2,661	787	119	511	1,244	30

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING
DUN LAOGHAIRE BOROUGH

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	8	3	.	.	5	.
		F	6	1	.	1	4	.
2	Tuberculosis, other forms	M	1	1
		F	1	1
3	Diphtheria	M	1	1
		F
4	Whooping cough	M
		F
5	Meningococcal infections	M
		F
6	Acute poliomyelitis	M
		F
7	Measles	M
		F
8	Other infective and parasitic diseases	M	3	2	.	.	1	.
		F
9	Malignant neoplasms of stomach	M	1	.	.	.	1	.
		F	7	2	.	.	5	.
10	Malignant neoplasms of small and large intestine including duodenum	M	3	.	.	1	2	.
		F	4	2	.	.	2	.
11	Malignant neoplasms of rectum	M	1	.	.	.	1	.
		F	3	2	.	.	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	4	3	.	.	1	.
		F	5	1	.	.	4	.
13	Malignant neoplasms of trachea, bronchus and lung	M	11	4	.	1	6	.
		F	4	1	.	.	3	.
14	Other malignant neoplasms of respiratory system	M
		F
15	Malignant neoplasms of breast	M
		F	9	5	.	.	4	.
16	Malignant neoplasms of uterus	F	1	1
17	Other malignant neoplasms of genito-urinary system	M	7	3	.	.	4	.
		F	10	4	.	.	6	.
18	Other malignant neoplasms	M	6	2	.	1	3	.
		F	8	3	.	2	3	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	1	1
		F	2	.	.	.	2	.
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M
		F	1	.	.	.	1	.
21	Diabetes	M	1	.	.	.	1	.
		F	5	2	.	2	1	.
22	Cerebral haemorrhage	M	10	2	.	2	6	.
		F	20	4	.	.	16	.
23	Other vascular lesions affecting the central nervous system	M	12	6	.	2	4	.
		F	25	8	2	4	11	.

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH
DUN LAOGHAIRE BOROUGH (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	6	4	1	.	1	.
		F	4	3	.	.	1	.
25	Chronic rheumatic heart disease	M	2	1	.	1	.	.
		F
26	Arteriosclerotic and degenerative heart disease	M	81	17	5	7	52	.
		F	75	9	2	13	51	.
27	Other diseases of the heart	M	9	6	.	.	3	.
		F	8	2	.	1	5	.
28	Hypertension with heart disease	M	7	.	.	5	2	.
		F	13	2	.	9	2	.
29	Hypertension without heart disease	M	8	5	.	1	2	.
		F	2	1	.	1	.	.
30	Other diseases of circulatory system	M	7	4	.	2	1	.
		F	12	6	.	1	5	.
31	Influenza	M
		F
32	Pneumonia	M	7	4	.	1	2	.
		F	10	2	3	1	4	.
33	Bronchitis	M	8	2	.	.	6	.
		F	2	1	.	.	1	.
34	Other diseases of respiratory system	M	9	4	.	2	3	.
		F	6	1	.	1	4	.
35	Ulcer of stomach and duodenum	M	4	2	.	2	.	.
		F
36	Gastro-enteritis and diarrhoea under 2 years	M
		F	1	1
37	Nephritis and nephrosis	M	5	2	.	.	3	.
		F	5	2	.	1	2	.
38	Hyperplasia of prostate	M	2	1	.	.	1	.
39	Complications of pregnancy, childbirth and the puerperium	F	2	1	.	1	.	.
40	Congenital malformations	M	2	1	.	1	.	.
		F	4	3	.	.	1	.
41	Diseases of early infancy	M	12	12
		F	5	4	.	1	.	.
42	Senility	M	1	.	.	.	1	.
		F	4	.	.	.	4	.
43	Ill-defined causes	M	2	.	.	.	2	.
		F
44	Other defined diseases	M	10	7	.	.	3	.
		F	21	7	2	1	11	.
45	Accidents	M	14	7	1	.	6	.
		F	4	.	1	.	3	.
46	Suicide	M
		F
47	Other external causes	M	1	.	.	.	1	.
		F
	All causes	M	267	107	7	29	124	.
		F	289	82	10	40	157	.

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING
COUNTY DUBLIN (excl. Dun Laoghaire)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmeries	Elsewhere	
1	Tuberculosis of respiratory system	M	18	8	.	4	6	.
		F	7	1	1	.	5	.
2	Tuberculosis, other forms	M	3	2	.	1	.	.
		F	4	1	.	1	2	.
3	Diphtheria	M
		F
4	Whooping cough	M
		F
5	Meningococcal infections	M	2	2
		F
6	Acute poliomyelitis	M
		F	1	1
7	Measles	M	1	.	.	1	.	.
		F	1	1
8	Other infective and parasitic diseases	M	1	1
		F	2	2
9	Malignant neoplasms of stomach	M	11	.	.	3	8	.
		F	17	3	.	4	10	.
10	Malignant neoplasms of small and large intestine including duodenum	M	6	5	.	.	1	.
		F	9	2	.	2	5	.
11	Malignant neoplasms of rectum	M	6	5	.	1	.	.
		F	1	.	.	.	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	8	4	.	1	3	.
		F	13	7	.	2	4	.
13	Malignant neoplasms of trachea, bronchus and lung	M	12	6	.	1	5	.
		F	4	2	.	.	2	.
14	Other malignant neoplasms of respiratory system	M	1	.	.	1	.	.
		F	1	.	.	.	1	.
15	Malignant neoplasms of breast	M
		F	7	.	.	2	5	.
16	Malignant neoplasms of uterus	F	3	.	.	2	1	.
17	Other malignant neoplasms of genito-urinary system	M	3	1	.	.	2	.
		F	3	2	.	.	1	.
18	Other malignant neoplasms	M	7	.	.	2	5	.
		F	6	1	.	2	3	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	4	1	.	2	1	.
		F	7	3	.	.	4	.
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M	1	.	.	.	1	.
		F	1	1
21	Diabetes	M	2	2
		F	4	1	.	1	2	.
22	Cerebral haemorrhage	M	26	4	.	2	20	.
		F	32	4	1	6	21	.
23	Other vascular lesions affecting the central nervous system	M	28	9	1	9	9	.
		F	33	7	2	5	19	.

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

COUNTY DUBLIN (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
24	Other diseases of nervous system and sense organs	M	12	1	.	2	9	.
		F	8	1	.	3	4	.
25	Chronic rheumatic heart disease	M	7	2	.	.	5	.
		F	9	4	.	.	5	.
26	Arteriosclerotic and degenerative heart disease	M	129	21	9	11	88	.
		F	84	7	6	9	62	.
27	Other diseases of the heart	M	26	5	.	11	10	.
		F	7	.	.	2	5	.
28	Hypertension with heart disease	M	11	1	.	3	7	.
		F	16	4	1	4	7	.
29	Hypertension without heart disease	M	10	2	.	1	7	.
		F	16	2	1	6	7	.
30	Other diseases of circulatory system	M	13	7	2	3	1	.
		F	14	1	.	2	11	.
31	Influenza	M	1	.	.	.	1	.
		F
32	Pneumonia	M	21	4	.	11	6	.
		F	12	1	.	5	6	.
33	Bronchitis	M	15	2	.	1	12	.
		F	12	1	.	1	10	.
34	Other diseases of respiratory system	M	5	.	.	3	2	.
		F	3	1	.	1	1	.
35	Ulcer of stomach and duodenum	M	7	6	.	1	.	.
		F	1	.	.	.	1	.
36	Gastro-enteritis and diarrhoea under 2 years	M
		F	3	2	.	.	1	.
37	Nephritis and nephrosis	M	2	.	.	.	2	.
		F	4	.	.	.	4	.
38	Hyperplasia of prostate	M	2	.	1	.	1	.
39	Complications of pregnancy, childbirth and the puerperium	F	2	1	.	.	1	.
40	Congenital malformations	M	12	8	.	2	2	.
		F	12	6	.	1	5	.
41	Diseases of early infancy	M	33	24	.	2	7	.
		F	19	17	.	.	2	.
42	Senility	M	12	.	3	1	8	.
		F	11	1	.	.	10	.
43	Ill-defined causes	M	4	1	.	.	3	2
		F
44	Other defined diseases	M	39	12	3	6	18	.
		F	32	8	1	7	16	.
45	Accidents	M	31	17	.	.	14	.
		F	12	5	.	1	6	.
46	Suicide	M	1	.	.	.	1	.
		F
47	Other external causes	M
		F
	All causes	M	533	163	19	86	265	2
		F	433	101	13	69	250	.

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING
COUNTY KILDARE

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	9	6	1	1	1	.
		F	8	3	.	1	4	.
2	Tuberculosis, other forms	M	5	1	.	3	1	.
		F	6	2	.	3	1	.
3	Diphtheria	M
		F
4	Whooping cough	M	1	.	.	.	1	.
		F
5	Meningococcal infections	M	1	1
		F
6	Acute poliomyelitis	M	1	1
		F
7	Measles	M
		F
8	Other infective and parasitic diseases	M	1	1
		F	2	.	.	.	2	.
9	Malignant neoplasms of stomach	M	15	2	.	7	6	.
		F	7	1	.	4	2	.
10	Malignant neoplasms of small and large intestine including duodenum	M	6	.	.	5	1	.
		F	5	1	.	2	2	.
11	Malignant neoplasms of rectum	M	1	1
		F	3	1	.	.	2	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	5	2	.	.	3	.
		F	2	.	.	1	1	.
13	Malignant neoplasms of trachea, bronchus and lung	M	7	1	.	2	4	.
		F	5	.	.	1	4	.
14	Other malignant neoplasms of respiratory system	M	2	1	.	1	.	.
		F
15	Malignant neoplasms of breast	M
		F	5	.	.	.	5	.
16	Malignant neoplasms of uterus	F	3	.	.	2	1	.
17	Other malignant neoplasms of genito-urinary system	M	5	.	.	1	4	.
		F
18	Other malignant neoplasms	M	14	4	.	7	3	.
		F	8	.	.	4	4	.
19	Hodgkin's disease and leukaemia and aleukaemia	M
		F	1	1
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M
		F
21	Diabetes	M	1	.	.	.	1	.
		F	3	1	.	.	2	.
22	Cerebral haemorrhage	M	10	3	.	.	7	.
		F	9	.	.	2	7	1
23	Other vascular lesions affecting the central nervous system	M	13	1	.	3	9	.
		F	11	1	.	2	8	.

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

COUNTY KILDARE (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hoapitals & Co. In-firmaries	Elsewhere	
24	Other diseases of nervous system and sense organs	M	10	2	2	1	5	.
		F	7	3	.	.	4	.
25	Chronic rheumatic heart disease	M	12	.	.	7	5	.
		F	10	1	.	5	4	.
26	Arteriosclerotic and degenerative heart disease	M	110	6	1	30	73	3
		F	57	1	.	10	46	2
27	Other diseases of the heart	M	17	1	1	5	10	3
		F	12	1	.	4	7	1
28	Hypertension with heart disease	M	1	.	.	.	1	.
		F	3	.	.	.	3	.
29	Hypertension without heart disease	M	2	.	.	.	2	.
		F	1	.	.	.	1	.
30	Other diseases of circulatory system	M	14	.	.	1	13	.
		F	8	.	.	1	7	.
31	Influenza	M	1	.	.	.	1	.
		F	2	.	.	.	2	.
32	Pneumonia	M	12	.	.	4	8	1
		F	14	1	.	3	10	.
33	Bronchitis	M	24	2	.	9	13	.
		F	13	.	.	5	8	.
34	Other diseases of respiratory system	M	1	1
		F	2	.	.	1	1	.
35	Ulcer of stomach and duodenum	M	2	.	.	1	1	.
		F	1	1
36	Gastro-enteritis and diarrhoea under 2 years	M	3	1	.	.	2	.
		F	1	1
37	Nephritis and nephrosis	M	13	.	.	9	4	.
		F	6	1	.	3	2	.
38	Hyperplasia of prostate	M	4	2	.	.	2	.
39	Complications of pregnancy, childbirth and the puerperium	F	2	.	.	1	1	.
40	Congenital malformations	M	8	4	.	4	.	.
		F	10	4	.	3	3	.
41	Diseases of early infancy	M	10	3	.	.	7	1
		F	10	4	.	1	5	1
42	Senility	M	12	.	.	.	12	1
		F	14	.	.	.	14	.
43	Ill-defined causes	M	4	.	.	1	3	.
		F	4	.	.	2	2	.
44	Other defined diseases	M	29	4	3	9	13	1
		F	30	4	.	8	18	1
45	Accidents	M	20	2	.	2	16	.
		F	12	1	.	4	7	.
46	Suicide	M	4	.	.	.	4	.
		F	1	.	.	.	1	.
47	Other external causes	M
		F
	All causes	M	410	53	8	113	236	10
		F	298	34	.	73	191	6

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING
COUNTY KILKENNY

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	9	5	.	1	3	.
		F	8	2	3	1	2	.
2	Tuberculosis, other forms	M	3	.	1	1	1	1
		F	2	.	1	1	.	.
3	Diphtheria	M
		F
4	Whooping cough	M
		F	1	.	.	.	1	.
5	Meningococcal infections	M
		F
6	Acute poliomyelitis	M
		F
7	Measles	M
		F
8	Other infective and parasitic diseases	M	2	.	.	2	.	.
		F
9	Malignant neoplasms of stomach	M	9	1	.	6	2	.
		F	17	1	1	4	11	.
10	Malignant neoplasms of small and large intestine including duodenum	M	3	.	1	1	1	.
		F	7	1	1	1	4	.
11	Malignant neoplasms of rectum	M	3	.	.	.	3	.
		F	2	.	.	2	.	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	6	.	.	2	4	.
		F	8	.	.	4	4	.
13	Malignant neoplasms of trachea, bronchus and lung	M	5	2	.	.	3	.
		F
14	Other malignant neoplasms of respiratory system	M	3	1	.	.	2	.
		F	1	.	.	1	.	.
15	Malignant neoplasms of breast	M
		F	9	1	1	2	5	.
16	Malignant neoplasms of uterus	F	3	.	1	1	1	.
17	Other malignant neoplasms of genito-urinary system	M	7	3	.	3	1	.
		F	2	.	.	2	.	.
18	Other malignant neoplasms	M	11	1	.	1	9	.
		F	4	1	.	2	1	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	5	1	.	3	1	.
		F
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M
		F
21	Diabetes	M	5	.	.	1	4	.
		F	1	.	.	.	1	.
22	Cerebral haemorrhage	M	12	.	2	4	6	.
		F	18	1	.	2	15	1
23	Other vascular lesions affecting the central nervous system	M	22	3	2	3	14	.
		F	25	2	5	5	13	1

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

COUNTY KILKENNY (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	11	1	2	5	3	.
		F	7	.	.	4	3	.
25	Chronic rheumatic heart disease	M	4	.	2	1	1	.
		F	1	.	.	.	1	.
26	Arteriosclerotic and degenerative heart disease	M	146	6	3	32	105	.
		F	86	1	.	20	65	2
27	Other diseases of the heart	M	17	1	3	4	9	3
		F	12	.	.	.	12	.
28	Hypertension with heart disease	M	8	1	.	.	7	.
		F	8	1	.	.	7	.
29	Hypertension without heart disease	M	10	.	2	1	7	.
		F	6	.	1	1	4	.
30	Other diseases of circulatory system	M	30	.	2	21	7	.
		F	18	1	.	7	10	1
31	Influenza	M
		F	3	.	1	.	2	.
32	Pneumonia	M	9	2	.	3	4	.
		F	6	.	.	2	4	.
33	Bronchitis	M	16	1	.	3	12	.
		F	5	1	.	.	4	.
34	Other diseases of respiratory system	M	3	1	.	.	2	.
		F	1	.	.	1	.	.
35	Ulcer of stomach and duodenum	M	3	.	1	1	1	.
		F	1	.	.	.	1	.
36	Gastro-enteritis and diarrhoea under 2 years	M
		F	2	.	.	1	1	.
37	Nephritis and nephrosis	M	3	.	.	1	2	1
		F	5	.	.	2	3	.
38	Hyperplasia of prostate	M	5	1	.	4	.	.
39	Complications of pregnancy, childbirth and the puerperium	F	2	.	.	1	1	.
40	Congenital malformations	M	6	1	.	2	3	.
		F	5	.	.	2	3	.
41	Diseases of early infancy	M	26	2	.	17	7	1
		F	9	1	.	5	3	1
42	Senility	M	35	.	1	16	18	3
		F	50	1	.	16	33	8
43	Ill-defined causes	M	9	.	.	1	8	5
		F	9	1	.	.	8	1
44	Other defined diseases	M	18	4	6	2	6	2
		F	29	.	7	7	15	2
45	Accidents	M	11	.	1	4	6	.
		F	4	.	.	1	3	.
46	Suicide	M	2	.	1	.	1	.
		F
47	Other external causes	M
		F
	All causes	M	477	38	30	146	263	16
		F	377	16	22	98	241	17

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING
COUNTY LAOIGHIS

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmeries	Elsewhere	
1	Tuberculosis of respiratory system	M	6	3	.	1	2	.
		F	5	2	1	.	2	.
2	Tuberculosis, other forms	M	1	1
		F	2	.	.	2	.	.
3	Diphtheria	M
		F
4	Whooping cough	M
		F
5	Meningococcal infections	M
		F
6	Acute poliomyelitis	M
		F	1	.	.	1	.	.
7	Measles	M
		F
8	Other infective and parasitic diseases	M	2	.	.	2	.	.
		F
9	Malignant neoplasms of stomach	M	15	2	.	6	7	.
		F	6	.	.	2	4	.
10	Malignant neoplasms of small and large intestine including duodenum	M	6	.	.	1	5	.
		F	6	.	.	1	5	.
11	Malignant neoplasms of rectum	M	1	.	.	.	1	.
		F	4	.	.	2	2	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	3	.	.	.	3	.
		F	6	.	.	3	3	.
13	Malignant neoplasms of trachea, bronchus and lung	M	1	.	.	.	1	.
		F
14	Other malignant neoplasms of respiratory system	M
		F
15	Malignant neoplasms of breast	M
		F	8	1	.	3	4	.
16	Malignant neoplasms of uterus	F	1	.	.	.	1	.
17	Other malignant neoplasms of genito-urinary system	M	6	.	.	3	3	.
		F
18	Other malignant neoplasms	M	5	1	.	2	2	.
		F	3	.	.	1	2	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	2	2
		F
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M
		F
21	Diabetes	M
		F	1	1
22	Cerebral haemorrhage	M	17	.	.	5	12	.
		F	22	.	.	4	18	1
23	Other vascular lesions affecting the central nervous system	M	18	1	1	7	9	.
		F	14	.	1	5	8	1

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

COUNTY LAOIGHIS (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	8	.	1	1	6	1
		F	1	.	.	.	1	.
25	Chronic rheumatic heart disease	M	3	.	.	1	2	.
		F	9	1	.	3	5	.
26	Arteriosclerotic and degenerative heart disease	M	87	2	4	21	60	11
		F	59	.	5	12	42	2
27	Other diseases of the heart	M	17	.	.	3	14	3
		F	15	.	.	4	11	1
28	Hypertension with heart disease	M	9	.	1	3	5	.
		F	10	2	.	2	6	.
29	Hypertension without heart disease	M	8	.	.	1	7	.
		F	5	.	.	1	4	.
30	Other diseases of circulatory system	M	7	1	.	3	3	1
		F	5	.	.	.	5	.
31	Influenza	M	5	.	.	1	4	.
		F	4	.	.	.	4	1
32	Pneumonia	M	4	1	.	.	3	.
		F	5	.	.	2	3	.
33	Bronchitis	M	10	.	2	1	7	.
		F	2	.	1	.	1	.
34	Other diseases of respiratory system	M	3	.	.	3	.	.
		F	3	.	.	.	3	.
35	Ulcer of stomach and duodenum	M	3	.	.	2	1	.
		F
36	Gastro-enteritis and diarrhoea under 2 years	M	1	.	.	.	1	.
		F
37	Nephritis and nephrosis	M	10	1	1	2	6	.
		F	6	.	.	4	2	.
38	Hyperplasia of prostate	M	8	.	.	5	3	.
39	Complications of pregnancy, childbirth and the puerperium	F	2	1	.	1	.	.
40	Congenital malformations	M	3	.	.	1	2	.
		F	5	.	.	4	1	.
41	Diseases of early infancy	M	18	1	.	10	7	.
		F	8	.	.	7	1	.
42	Senility	M	20	.	.	3	17	7
		F	27	.	.	1	26	11
43	Ill-defined causes	M	10	.	.	.	10	8
		F	11	.	.	.	11	8
44	Other defined diseases	M	12	2	.	6	4	1
		F	17	1	1	5	10	.
45	Accidents	M	12	.	.	5	7	.
		F	8	.	.	6	2	1
46	Suicide	M
		F	1	.	.	.	1	.
47	Other external causes	M
		F
	All causes	M	241	18	10	99	214	32
		F	282	9	9	76	188	26

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING
COUNTY LONGFORD

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	5	4	.	1	.	.
		F	1	.	1	.	.	.
2	Tuberculosis, other forms	M	1	.	.	1	.	.
		F	1	.	.	1	.	.
3	Diphtheria	M
		F
4	Whooping cough	M
		F
5	Meningococcal infections	M
		F
6	Acute poliomyelitis	M
		F
7	Measles	M
		F	1	.	.	.	1	.
8	Other infective and parasitic diseases	M	2	.	.	1	1	.
		F
9	Malignant neoplasms of stomach	M	14	1	1	9	3	.
		F	4	.	.	2	2	.
10	Malignant neoplasms of small and large intestine including duodenum	M	3	1	.	.	2	.
		F
11	Malignant neoplasms of rectum	M	3	.	.	1	2	.
		F
12	Other malignant neoplasms of digestive organs and peritoneum	M	6	1	.	2	3	.
		F	2	1	.	.	1	.
13	Malignant neoplasms of trachea, bronchus and lung	M	1	.	.	.	1	.
		F
14	Other malignant neoplasms of respiratory system	M	1	1
		F
15	Malignant neoplasms of breast	M
		F	7	.	.	4	3	1
16	Malignant neoplasms of uterus	F	2	1	.	.	1	.
17	Other malignant neoplasms of genito-urinary system	M	2	.	.	.	2	.
		F	2	1	.	1	.	.
18	Other malignant neoplasms	M	7	2	.	2	3	.
		F	2	.	.	.	2	1
19	Hodgkin's disease and leukaemia and aleukaemia	M
		F
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M	1	.	.	.	1	.
		F
21	Diabetes	M
		F
22	Cerebral haemorrhage	M	6	1	1	.	4	.
		F	3	.	.	1	2	.
23	Other vascular lesions affecting the central nervous system	M	15	.	1	3	11	2
		F	15	.	1	6	8	.

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

COUNTY LONGFORD (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	6	1	.	3	2	.
		F	8	1	.	1	6	1
25	Chronic rheumatic heart disease	M	2	.	.	1	1	.
		F
26	Arteriosclerotic and degenerative heart disease	M	91	1	6	36	48	5
		F	62	3	4	22	33	3
27	Other diseases of the heart	M	5	.	1	.	4	2
		F	4	1	.	.	3	.
28	Hypertension with heart disease	M	1	.	.	.	1	.
		F	3	1	.	.	2	.
29	Hypertension without heart disease	M	2	1	.	.	1	.
		F	1	.	.	.	1	.
30	Other diseases of circulatory system	M	6	.	.	5	1	.
		F	3	.	.	1	2	.
31	Influenza	M
		F
32	Pneumonia	M	8	.	1	5	2	.
		F	5	.	.	2	3	.
33	Bronchitis	M	2	.	.	.	2	.
		F	1	.	.	.	1	.
34	Other diseases of respiratory system	M	4	1	.	1	2	.
		F	1	.	.	.	1	.
35	Ulcer of stomach and duodenum	M	8	.	.	7	1	.
		F	2	.	.	1	1	.
36	Gastro-enteritis and diarrhoea under 2 years	M	1	1
		F
37	Nephritis and nephrosis	M	3	1	.	.	2	.
		F
38	Hyperplasia of prostate	M	4	.	.	.	4	.
39	Complications of pregnancy, childbirth and the puerperium	F
40	Congenital malformations	M	6	4	.	2	.	.
		F	3	1	.	1	1	.
41	Diseases of early infancy	M	5	2	.	2	1	.
		F	4	2	.	2	.	.
42	Senility	M	18	.	.	.	18	16
		F	29	.	.	.	29	25
43	Ill-defined causes	M	9	.	.	1	8	6
		F	4	.	.	.	4	3
44	Other defined diseases	M	16	6	.	6	4	1
		F	8	.	.	2	6	2
45	Accidents	M	3	.	.	1	2	.
		F	5	.	.	4	1	.
46	Suicide	M
		F
47	Other external causes	M
		F
	All causes	M	267	29	11	90	137	32
		F	183	12	6	51	114	36

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING
COUNTY LOUTH

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	14	4	1	6	3	.
		F	9	2	1	2	4	.
2	Tuberculosis, other forms	M	4	1	.	3	.	.
		F	3	2	.	1	.	.
3	Diphtheria	M
		F
4	Whooping cough	M
		F
5	Meningococcal infections	M
		F
6	Acute poliomyelitis	M
		F
7	Measles	M	1	.	.	.	1	.
		F
8	Other infective and parasitic diseases	M	1	.	.	1	.	.
		F	3	.	.	1	2	.
9	Malignant neoplasms of stomach	M	17	3	1	4	9	.
		F	12	1	.	5	6	.
10	Malignant neoplasms of small and large intestine including duodenum	M	1	.	.	1	.	.
		F	2	1	.	.	1	.
11	Malignant neoplasms of rectum	M	4	1	.	1	2	.
		F	3	.	.	2	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	5	1	.	3	1	.
		F	6	2	.	1	3	.
13	Malignant neoplasms of trachea, bronchus and lung	M	7	.	.	3	4	.
		F	1	1
14	Other malignant neoplasms of respiratory system	M	2	.	.	1	1	.
		F	1	.	.	.	1	.
15	Malignant neoplasms of breast	M
		F	10	.	1	4	5	.
16	Malignant neoplasms of uterus	F	3	1	.	.	2	.
17	Other malignant neoplasms of genito-urinary system	M	8	1	.	4	3	.
		F	1	.	.	1	.	.
18	Other malignant neoplasms	M	10	1	.	7	2	1
		F	9	1	.	3	5	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	3	1	.	1	1	.
		F
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M
		F
21	Diabetes	M	2	.	.	.	2	.
		F	4	.	.	2	2	.
22	Cerebral haemorrhage	M	23	1	.	8	14	.
		F	23	2	.	4	17	.
23	Other vascular lesions affecting the central nervous system	M	14	4	.	2	8	.
		F	15	.	.	6	9	.

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH
COUNTY LOUTH (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	4	1	.	.	3	.
		F	8	.	.	1	7	.
25	Chronic rheumatic heart disease	M	4	.	.	3	1	.
		F	1	.	.	1	.	.
26	Arteriosclerotic and degenerative heart disease	M	116	8	12	24	72	3
		F	76	5	8	9	54	1
27	Other diseases of the heart	M	15	1	.	3	11	1
		F	19	4	.	3	12	2
28	Hypertension with heart disease	M	3	.	.	1	2	.
		F	2	.	.	.	2	1
29	Hypertension without heart disease	M	10	2	.	.	8	.
		F	3	.	.	.	3	.
30	Other diseases of circulatory system	M	5	.	.	3	2	.
		F	6	1	2	.	3	.
31	Influenza	M
		F	2	.	.	.	2	.
32	Pneumonia	M	5	.	.	2	3	.
		F	9	.	.	2	7	.
33	Bronchitis	M	18	1	1	3	13	1
		F	11	2	2	.	7	.
34	Other diseases of respiratory system	M	6	.	.	1	5	.
		F	5	.	.	1	4	.
35	Ulcer of stomach and duodenum	M	2	.	.	1	1	.
		F	3	.	.	1	2	.
36	Gastro-enteritis and diarrhoea under 2 years	M	1	.	.	1	.	.
		F	1	.	.	1	.	.
37	Nephritis and nephrosis	M	4	.	.	1	3	.
		F	3	.	.	1	2	.
38	Hyperplasia of prostate	M	3	.	.	1	2	.
39	Complications of pregnancy, childbirth and the puerperium	F
40	Congenital malformations	M	7	3	.	2	2	.
		F	6	4	.	.	2	.
41	Diseases of early infancy	M	16	13	.	.	3	.
		F	15	8	.	3	4	.
42	Senility	M	54	1	1	30	22	6
		F	52	.	1	19	32	4
43	Ill-defined causes	M	5	1	.	1	3	.
		F	2	.	.	.	2	.
44	Other defined diseases	M	23	7	1	8	12	.
		F	20	3	.	4	13	.
45	Accidents	M	16	3	1	6	6	.
		F	8	.	.	3	5	.
46	Suicide	M
		F
47	Other external causes	M
		F
	All causes	M	433	59	18	131	225	12
		F	357	40	15	81	221	8

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING COUNTY MEATH

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	9	.	1	4	4	.
		F	3	.	.	.	3	.
2	Tuberculosis, other forms	M	1	1
		F	3	1	.	2	.	.
3	Diphtheria	M
		F
4	Whooping cough	M	1	.	.	1	.	.
		F
5	Meningococcal infections	M
		F
6	Acute poliomyelitis	M
		F
7	Measles	M
		F	1	.	.	.	1	.
8	Other infective and parasitic diseases	M
		F
9	Malignant neoplasms of stomach	M	13	2	.	5	6	.
		F	14	.	.	5	9	.
10	Malignant neoplasms of small and large intestine including duodenum	M	12	2	.	6	4	1
		F	6	1	.	2	3	.
11	Malignant neoplasms of rectum	M	8	1	.	2	5	.
		F	2	.	.	1	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	9	1	.	2	6	.
		F	2	2
13	Malignant neoplasms of trachea, bronchus and lung	M	8	1	.	3	4	.
		F	1	1
14	Other malignant neoplasms of respiratory system	M	4	2	.	.	2	.
		F	1	.	.	.	1	.
15	Malignant neoplasms of breast	M
		F	4	1	.	3	.	.
16	Malignant neoplasms of uterus	F	4	.	.	2	2	.
17	Other malignant neoplasms of genito-urinary system	M	4	.	.	1	3	.
		F	2	1	.	.	1	.
18	Other malignant neoplasms	M	10	1	.	2	7	.
		F	7	1	.	2	4	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	1	1
		F
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M
		F	1	.	.	.	1	.
21	Diabetes	M	1	.	.	1	.	.
		F	1	.	.	.	1	1
22	Cerebral haemorrhage	M	11	.	.	5	6	.
		F	25	2	.	13	10	1
23	Other vascular lesions affecting the central nervous system	M	33	3	.	13	17	1
		F	30	1	.	7	22	.

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH
COUNTY MEATH (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	10	2	.	4	4	.
		F	3	.	.	1	2	.
25	Chronic rheumatic heart disease	M	7	1	.	1	5	.
		F	2	.	.	2	.	.
26	Arteriosclerotic and degenerative heart disease	M	160	2	6	50	102	6
		F	94	3	3	24	64	.
27	Other diseases of the heart	M	11	.	.	4	7	.
		F	10	.	.	2	8	1
28	Hypertension with heart disease	M	7	.	.	.	7	1
		F	10	.	1	.	9	.
29	Hypertension without heart disease	M	6	1	.	1	4	.
		F	6	1	.	.	5	1
30	Other diseases of circulatory system	M	14	.	.	7	7	.
		F	10	1	1	.	8	2
31	Influenza	M	2	.	.	.	2	.
		F	4	.	.	.	4	.
32	Pneumonia	M	7	.	.	2	5	.
		F	6	1	.	4	1	.
33	Bronchitis	M	13	.	.	6	7	2
		F	10	.	.	3	7	.
34	Other diseases of respiratory system	M	7	.	.	5	2	.
		F	5	.	.	2	3	.
35	Ulcer of stomach and duodenum	M	4	1	.	.	3	.
		F	2	.	.	1	1	.
36	Gastro-enteritis and diarrhoea under 2 years	M	2	.	.	1	1	.
		F
37	Nephritis and nephrosis	M	6	.	.	.	6	.
		F	6	1	.	.	5	.
38	Hyperplasia of prostate	M	7	.	.	4	3	.
39	Complications of pregnancy, childbirth and the puerperium	F	1	1
40	Congenital malformations	M	1	1
		F	7	2	.	4	1	.
41	Diseases of early infancy	M	16	6	.	3	7	.
		F	6	3	.	3	.	.
42	Senility	M	18	.	.	1	17	7
		F	21	.	.	.	21	10
43	Ill-defined causes	M	12	1	.	3	8	2
		F	6	1	.	2	3	1
44	Other defined diseases	M	24	4	1	7	12	.
		F	21	7	.	4	10	.
45	Accidents	M	19	2	.	7	10	.
		F	5	.	.	3	2	.
46	Suicide	M
		F
47	Other external causes	M
		F
	All causes	M	478	36	8	151	283	20
		F	342	32	5	92	213	17

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING
COUNTY OFFALY

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
1	Tuberculosis of respiratory system	M	6	2	.	2	2	.
		F	8	1	2	2	3	1
2	Tuberculosis, other forms	M	1	.	.	1	.	.
		F	2	.	.	1	1	.
3	Diphtheria	M
		F
4	Whooping cough	M	1	.	.	.	1	.
		F
5	Meningococcal infections	M
		F
6	Acute poliomyelitis	M
		F
7	Measles	M
		F
8	Other infective and parasitic diseases	M	3	1	.	2	.	.
		F
9	Malignant neoplasms of stomach	M	14	.	.	7	7	.
		F	11	.	.	8	3	.
10	Malignant neoplasms of small and large intestine including duodenum	M	8	.	.	5	3	.
		F	3	1	.	.	2	.
11	Malignant neoplasms of rectum	M	6	1	.	1	4	.
		F
12	Other malignant neoplasms of digestive organs and peritoneum	M	2	2
		F	4	.	.	1	3	.
13	Malignant neoplasms of trachea, bronchus and lung	M	1	.	.	1	.	.
		F
14	Other malignant neoplasms of respiratory system	M	1	.	.	.	1	.
		F	1	.	.	.	1	.
15	Malignant neoplasms of breast	M
		F	1	.	.	.	1	.
16	Malignant neoplasms of uterus	F	2	.	.	1	1	.
17	Other malignant neoplasms of genito-urinary system	M	4	.	.	3	1	.
		F	3	.	.	2	1	.
18	Other malignant neoplasms	M	14	2	.	3	9	1
		F	7	1	.	2	4	1
19	Hodgkin's disease and leukaemia and aleukaemia	M	3	.	.	1	2	.
		F	1	1
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M	1	.	.	1	.	.
		F
21	Diabetes	M	1	.	.	1	.	.
		F
22	Cerebral haemorrhage	M	14	1	.	6	7	1
		F	20	.	.	10	10	.
23	Other vascular lesions affecting the central nervous system	M	6	.	2	1	3	.
		F	9	1	.	1	7	1

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH
COUNTY OFFALY (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	7	.	.	5	2	.
		F	5	.	.	4	1	.
25	Chronic rheumatic heart disease	M	6	.	.	1	5	.
		F	2	.	.	.	2	.
26	Arteriosclerotic and degenerative heart disease	M	99	1	4	26	68	14
		F	58	1	4	22	31	5
27	Other diseases of the heart	M	6	.	.	4	2	.
		F	6	.	.	.	6	.
28	Hypertension with heart disease	M	5	.	.	2	3	.
		F	3	.	.	1	2	.
29	Hypertension without heart disease	M	1	.	.	.	1	.
		F	3	.	.	2	1	.
30	Other diseases of circulatory system	M	2	.	.	.	2	.
		F	2	.	.	1	1	.
31	Influenza	M
		F
32	Pneumonia	M	5	.	.	1	4	1
		F	4	1	.	.	3	.
33	Bronchitis	M	9	.	.	4	5	.
		F	7	.	1	2	4	.
34	Other diseases of respiratory system	M	3	.	1	1	1	.
		F
35	Ulcer of stomach and duodenum	M	3	.	.	1	2	.
		F	1	.	.	.	1	.
36	Gastro-enteritis and diarrhoea under 2 years	M	1	.	.	.	1	.
		F	2	.	.	1	1	.
37	Nephritis and nephrosis	M	13	1	.	7	5	.
		F	2	.	.	.	2	.
38	Hyperplasia of prostate	M	5	1	.	3	1	.
39	Complications of pregnancy, childbirth and the puerperium	F	3	1	.	2	.	.
40	Congenital malformations	M	4	.	.	3	1	.
		F	5	1	1	2	1	1
41	Diseases of early infancy	M	22	4	.	16	2	.
		F	8	1	.	5	2	.
42	Senility	M	37	.	.	3	34	14
		F	45	.	.	8	37	17
43	Ill-defined causes	M	3	.	.	1	2	1
		F	5	.	.	2	3	3
44	Other defined diseases	M	22	3	2	7	10	2
		F	14	2	1	5	6	.
45	Accidents	M	7	.	.	3	4	.
		F	9	.	.	5	4	.
46	Suicide	M	1	.	.	.	1	.
		F
47	Other external causes	M	1	.	.	.	1	.
		F	1	.	.	.	1	.
	All causes	M	328	19	9	123	197	34
		F	257	12	9	90	146	29

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING
COUNTY WESTMEATH

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
1	Tuberculosis of respiratory system	M	8	1	1	1	5	.
		F	6	1	1	1	3	.
2	Tuberculosis, other forms	M	3	1	.	2	.	.
		F	2	.	.	2	.	.
3	Diphtheria	M
		F
4	Whooping cough	M	1	.	.	.	1	.
		F	1	.	.	.	1	.
5	Meningococcal infections	M
		F
6	Acute poliomyelitis	M
		F
7	Measles	M
		F	1	.	.	.	1	.
8	Other infective and parasitic diseases	M	3	.	.	2	1	.
		F	1	.	.	1	.	.
9	Malignant neoplasms of stomach	M	9	1	.	3	5	1
		F	5	.	.	1	4	.
10	Malignant neoplasms of small and large intestine including duodenum	M	4	.	.	3	1	.
		F	11	1	.	4	6	.
11	Malignant neoplasms of rectum	M	3	1	.	1	1	.
		F
12	Other malignant neoplasms of digestive organs and peritoneum	M	3	1	.	1	1	.
		F	1	1
13	Malignant neoplasms of trachea, bronchus and lung	M	4	.	.	2	2	.
		F	1	.	.	.	1	.
14	Other malignant neoplasms of respiratory system	M	1	.	.	1	.	.
		F	1	1
15	Malignant neoplasms of breast	M
		F	9	.	.	3	6	.
16	Malignant neoplasms of uterus	M
		F	2	.	.	2	.	.
17	Other malignant neoplasms of genito-urinary system	M	3	.	.	1	2	.
		F	1	.	.	.	1	.
18	Other malignant neoplasms	M	7	1	.	3	3	.
		F	5	1	.	2	2	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	2	.	.	1	1	.
		F
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M
		F
21	Diabetes	M	2	.	.	1	1	.
		F	4	.	.	3	1	.
22	Cerebral haemorrhage	M	19	.	1	6	12	.
		F	20	.	.	1	19	2
23	Other vascular lesions affecting the central nervous system	M	17	1	.	5	11	.
		F	15	.	.	4	11	1

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH
COUNTY WESTMEATH (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	8	1	1	5	1	.
		F	9	.	.	4	5	.
25	Chronic rheumatic heart disease	M	3	.	1	1	1	.
		F	5	.	.	1	4	.
26	Arteriosclerotic and degenerative heart disease	M	108	2	11	27	68	7
		F	75	.	13	22	40	4
27	Other diseases of the heart	M	12	.	.	3	9	5
		F	10	1	.	3	6	.
28	Hypertension with heart disease	M	1	1
		F	1	.	.	.	1	.
29	Hypertension without heart disease	M	7	.	.	3	4	.
		F	5	.	.	.	5	.
30	Other diseases of circulatory system	M	18	.	1	7	10	.
		F	10	.	1	3	6	.
31	Influenza	M	1	.	.	.	1	.
		F	4	.	.	.	4	.
32	Pneumonia	M	8	1	.	6	1	.
		F	11	1	.	5	5	.
33	Bronchitis	M	9	.	1	2	6	.
		F	1	.	1	.	.	.
34	Other diseases of respiratory system	M	2	1	.	.	1	.
		F
35	Ulcer of stomach and duodenum	M	8	1	.	6	1	.
		F
36	Gastro-enteritis and diarrhoea under 2 years	M	1	.	.	1	.	.
		F
37	Nephritis and nephrosis	M	7	1	.	5	1	.
		F	10	.	.	5	5	.
38	Hyperplasia of prostate	M	6	.	.	2	4	.
39	Complications of pregnancy, childbirth and the puerperium	F
40	Congenital malformations	M	7	4	.	2	1	.
		F	3	.	.	.	3	.
41	Diseases of early infancy	M	13	1	.	5	7	1
		F	7	3	.	1	3	.
42	Senility	M	14	.	.	2	12	5
		F	23	.	.	2	21	8
43	Ill-defined causes	M	14	1	.	1	12	3
		F	10	.	.	.	10	6
44	Other defined diseases	M	19	2	.	8	9	.
		F	19	3	1	7	8	.
45	Accidents	M	14	.	1	3	10	1
		F	4	.	.	4	.	.
46	Suicide	M
		F
47	Other external causes	M
		F
	All causes	M	369	23	18	122	206	23
		F	293	13	17	81	182	21

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING
COUNTY WEXFORD

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	20	4	2	3	11	.
		F	8	2	.	2	4	.
2	Tuberculosis, other forms	M	6	1	1	3	1	.
		F	4	2	.	2	.	.
3	Diphtheria	M
		F
4	Whooping cough	M
		F	2	.	.	.	2	.
5	Meningococcal infections	M
		F
6	Acute poliomyelitis	M
		F
7	Measles	M	1	.	.	.	1	.
		F
8	Other infective and parasitic diseases	M	1	.	.	1	.	.
		F	3	1	.	1	1	.
9	Malignant neoplasms of stomach	M	16	1	.	5	10	.
		F	12	1	1	5	5	.
10	Malignant neoplasms of small and large intestine including duodenum	M	17	1	1	5	10	.
		F	9	.	1	3	5	.
11	Malignant neoplasms of rectum	M	7	1	.	2	4	.
		F	1	.	.	.	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	8	1	1	2	4	.
		F	13	1	.	3	9	.
13	Malignant neoplasms of trachea, bronchus and lung	M	15	2	1	5	7	.
		F	1	.	.	1	.	.
14	Other malignant neoplasms of respiratory system	M	2	1	.	.	1	.
		F
15	Malignant neoplasms of breast	M	1	.	.	.	1	.
		F	8	1	.	1	6	.
16	Malignant neoplasms of uterus	F	5	.	.	3	2	.
17	Other malignant neoplasms of genito-urinary system	M	12	.	.	6	6	.
		F	7	1	.	3	3	.
18	Other malignant neoplasms	M	16	3	.	4	9	.
		F	7	.	.	5	2	.
19	Hodgkin's disease and leukaemia and aleukaemia	M
		F
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M
		F	1	1
21	Diabetes	M	4	.	.	1	3	.
		F	1	.	.	1	.	.
22	Cerebral haemorrhage	M	36	2	4	11	19	.
		F	43	3	2	7	31	.
23	Other vascular lesions affecting the central nervous system	M	25	1	.	12	12	.
		F	29	3	.	3	23	.

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH
COUNTY WEXFORD (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	8	.	1	.	7	.
		F	7	.	.	2	5	.
25	Chronic rheumatic heart disease	M	5	.	.	3	2	.
		F	11	1	.	3	7	1
26	Arteriosclerotic and degenerative heart disease	M	176	1	7	39	129	2
		F	127	4	12	26	85	2
27	Other diseases of the heart	M	31	.	.	14	17	.
		F	24	.	.	7	17	.
28	Hypertension with heart disease	M	6	1	.	1	4	.
		F	6	.	.	1	5	.
29	Hypertension without heart disease	M	9	.	.	2	7	.
		F	11	2	.	2	7	.
30	Other diseases of circulatory system	M	36	2	.	24	10	.
		F	30	3	.	20	7	.
31	Influenza	M	1	.	.	1	.	.
		F	3	.	.	1	2	.
32	Pneumonia	M	15	1	6	3	5	.
		F	11	.	.	.	11	.
33	Bronchitis	M	16	.	.	1	15	.
		F	13	.	.	1	12	.
34	Other diseases of respiratory system	M	4	.	.	1	3	.
		F	2	.	.	2	.	.
35	Ulcer of stomach and duodenum	M	2	.	.	1	1	.
		F	1	.	.	1	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	6	.	.	1	5	.
		F	4	.	.	1	3	.
37	Nephritis and nephrosis	M	6	2	.	2	2	.
		F	9	1	.	2	6	.
38	Hyperplasia of prostate	M	8	.	.	4	4	.
39	Complications of pregnancy, childbirth and the puerperium	F	2	.	.	1	1	.
40	Congenital malformations	M	12	3	.	4	5	.
		F	7	2	.	1	4	.
41	Diseases of early infancy	M	16	3	.	10	3	.
		F	9	3	.	4	2	.
42	Senility	M	26	.	.	2	24	13
		F	34	.	.	2	32	10
43	Ill-defined causes	M	5	.	.	1	4	2
		F	5	.	.	2	3	3
44	Other defined diseases	M	31	3	.	6	22	.
		F	24	4	1	10	9	.
45	Accidents	M	13	.	.	6	7	.
		F	11	1	.	4	6	.
46	Suicide	M
		F	2	.	.	.	2	.
47	Other external causes	M	1	.	.	.	1	.
		F
	All causes	M	620	34	24	186	376	17
		F	507	37	17	133	320	16

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING COUNTY WICKLOW

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
1	Tuberculosis of respiratory system	M	9	7	1	.	1	.
		F	4	2	1	.	1	.
2	Tuberculosis, other forms	M	4	2	.	.	2	.
		F	1	1
3	Diphtheria	M
		F
4	Whooping cough	M
		F
5	Meningococcal infections	M
		F
6	Acute poliomyelitis	M
		F
7	Measles	M
		F
8	Other infective and parasitic diseases	M	2	2
		F	1	.	.	1	.	.
9	Malignant neoplasms of stomach	M	7	1	.	2	4	.
		F	8	2	.	1	5	.
10	Malignant neoplasms of small and large intestine including duodenum	M	2	.	.	1	1	.
		F	3	.	.	.	3	.
11	Malignant neoplasms of rectum	M	2	1	.	.	1	.
		F	1	.	.	.	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	6	1	.	3	2	.
		F	8	1	.	1	6	.
13	Malignant neoplasms of trachea, bronchus and lung	M	8	3	.	1	4	.
		F	2	1	.	.	1	.
14	Other malignant neoplasms of respiratory system	M
		F
15	Malignant neoplasms of breast	M
		F	4	.	.	1	3	.
16	Malignant neoplasms of uterus	F	3	2	.	1	.	.
17	Other malignant neoplasms of genito-urinary system	M	5	.	1	2	2	.
		F
18	Other malignant neoplasms	M	7	1	.	3	3	.
		F	5	1	1	.	3	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	2	1	.	.	1	.
		F	2	.	.	1	1	.
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M
		F
21	Diabetes	M	1	.	.	1	.	.
		F	3	.	.	1	2	.
22	Cerebral haemorrhage	M	21	3	.	6	12	.
		F	29	1	.	7	21	1
23	Other vascular lesions affecting the central nervous system	M	32	5	.	14	13	.
		F	23	3	.	7	13	.

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH
COUNTY WICKLOW (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
24	Other diseases of nervous system and sense organs	M F	7 9	1 1	. 2	1 .	5 6	. .
25	Chronic rheumatic heart disease	M F	3 2	1 .	. .	2 1	. 1	. .
26	Arteriosclerotic and degenerative heart disease	M F	105 98	4 4	3 11	8 5	90 78	1 3
27	Other diseases of the heart	M F	12 11	1 2	. .	6 2	5 7	. .
28	Hypertension with heart disease	M F	9 7	1 .	. .	5 1	3 6	. .
29	Hypertension without heart disease	M F	5 7	. .	2 1	1 .	2 6	. .
30	Other diseases of circulatory system	M F	8 12	. 5	. .	3 2	5 5	. .
31	Influenza	M F	1	1 .	. .
32	Pneumonia	M F	16 21	2 2	. .	10 5	4 14	. 1
33	Bronchitis	M F	10 7	2 1	8 6	. .
34	Other diseases of respiratory system	M F	9 2	9 2	. .
35	Ulcer of stomach and duodenum	M F	4 1	1 1	. .	3
36	Gastro-enteritis and diarrhoea under 2 years	M F	5 1	4 .	. .	1 1
37	Nephritis and nephrosis	M F	6 5	2 2	. 1	2 1	2 1	. .
38	Hyperplasia of prostate	M	3	1 .	2 .	. .
39	Complications of pregnancy, childbirth and the puerperium	F	3	1	. .	1 .	1 .	. .
40	Congenital malformations	M F	8 6	3 3	. .	1 1	4 2	. .
41	Diseases of early infancy	M F	12 7	2 6	. .	6 1	4 .	. .
42	Senility	M F	8 16	8 16	1 2
43	Ill-defined causes	M F	8 11	1	7 11	3 2
44	Other defined diseases	M F	19 20	2 2	2 1	4 6	11 11	. .
45	Accidents	M F	15 1	2 .	. .	5 1	8 .	. .
46	Suicide	M F	1 1	1 1	. .
47	Other external causes	M F
	All causes	M F	382 345	54 43	9 18	94 50	225 234	5 9

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING COUNTY CLARE

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
1	Tuberculosis of respiratory system	M	11	5	2	1	3	.
		F	5	4	.	1	.	.
2	Tuberculosis, other forms	M	10	.	1	6	3	.
		F	7	.	.	5	2	.
3	Diphtheria	M
		F
4	Whooping cough	M
		F
5	Meningococcal infections	M
		F
6	Acute poliomyelitis	M
		F
7	Measles	M
		F
8	Other infective and parasitic diseases	M	1	.	.	1	.	.
		F	1	1
9	Malignant neoplasms of stomach	M	16	.	1	4	11	.
		F	7	.	1	1	5	.
10	Malignant neoplasms of small and large intestine including duodenum	M	10	.	.	5	5	.
		F	6	.	.	3	3	.
11	Malignant neoplasms of rectum	M	3	.	.	2	1	.
		F	2	.	.	.	2	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	11	2	.	4	5	.
		F	8	2	.	3	3	.
13	Malignant neoplasms of trachea, bronchus and lung	M	7	3	.	3	1	.
		F	2	.	.	.	2	.
14	Other malignant neoplasms of respiratory system	M
		F	2	.	.	2	.	.
15	Malignant neoplasms of breast	M	1	.	.	.	1	.
		F	3	.	1	1	1	.
16	Malignant neoplasms of uterus	F	7	3	.	4	.	.
17	Other malignant neoplasms of genito-urinary system	M	4	2	.	1	1	.
		F	6	1	.	3	2	.
18	Other malignant neoplasms	M	11	2	.	5	4	.
		F	9	.	.	3	6	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	8	.	.	4	4	.
		F	6	1	.	3	2	.
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M
		F
21	Diabetes	M	3	.	.	2	1	.
		F	2	.	.	.	2	1
22	Cerebral haemorrhage	M	23	1	.	4	18	1
		F	26	.	1	7	18	.
23	Other vascular lesions affecting the central nervous system	M	19	.	3	5	11	.
		F	13	2	2	1	8	.

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH
COUNTY CLARE (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmeries	Elsewhere	
24	Other diseases of nervous system and sense organs	M	15	.	3	3	9	1
		F	14	1	.	2	11	3
25	Chronic rheumatic heart disease	M	3	.	1	.	2	.
		F	4	.	.	1	3	.
26	Arteriosclerotic and degenerative heart disease	M	160	2	10	75	73	2
		F	119	3	12	53	51	3
27	Other diseases of the heart	M	21	.	.	4	17	2
		F	11	1	.	3	7	.
28	Hypertension with heart disease	M	1	.	.	.	1	.
		F	5	.	.	.	5	.
29	Hypertension without heart disease	M	6	1	.	1	4	1
		F	6	.	.	.	6	.
30	Other diseases of circulatory system	M	11	.	1	3	7	1
		F	6	.	2	1	3	.
31	Influenza	M	2	.	.	1	1	.
		F	7	.	.	.	7	1
32	Pneumonia	M	14	2	.	3	9	.
		F	28	1	1	2	24	.
33	Bronchitis	M	11	.	.	2	9	2
		F	11	.	.	2	9	1
34	Other diseases of respiratory system	M	9	1	1	2	5	.
		F	1	.	1	.	.	.
35	Ulcer of stomach and duodenum	M	3	1	.	.	2	.
		F	1	.	.	1	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	3	.	.	2	1	.
		F	2	2
37	Nephritis and nephrosis	M	14	.	.	3	11	.
		F	14	1	.	6	7	1
38	Hyperplasia of prostate	M	7	.	.	2	5	.
39	Complications of pregnancy, childbirth and the puerperium	F	1	.	.	.	1	.
40	Congenital malformations	M	6	.	.	3	3	1
		F	4	.	.	1	3	.
41	Diseases of early infancy	M	25	3	.	19	3	1
		F	7	.	.	4	3	1
42	Senility	M	85	.	.	1	84	70
		F	80	1	.	4	75	51
43	Ill-defined causes	M	10	.	1	1	8	3
		F	6	.	.	1	5	2
44	Other defined diseases	M	37	2	1	14	20	1
		F	35	7	1	13	14	2
45	Accidents	M	14	1	.	1	12	.
		F	4	.	.	1	3	.
46	Suicide	M	1	.	.	.	1	.
		F	1	.	.	.	1	.
47	Other external causes	M
		F
	All causes	M	596	28	25	187	356	86
		F	479	31	22	132	294	66

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING
CORK COUNTY BOROUGH

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmeries	Elsewhere	
1	Tuberculosis of respiratory system	M	19	11	1	3	4	.
		F	9	6	.	.	3	.
2	Tuberculosis, other forms	M	4	.	.	3	1	.
		F	2	.	.	2	.	.
3	Diphtheria	M
		F
4	Whooping cough	M
		F	1	1
5	Meningococcal infections	M
		F	1	.	.	1	.	.
6	Acute poliomyelitis	M
		F
7	Measles	M
		F
8	Other infective and parasitic diseases	M	2	1	.	1	.	.
		F	2	.	.	1	1	.
9	Malignant neoplasms of stomach	M	12	3	.	5	4	.
		F	7	2	.	2	3	.
10	Malignant neoplasms of small and large intestine including duodenum	M	7	4	.	1	2	.
		F	7	3	.	.	4	.
11	Malignant neoplasms of rectum	M	10	6	.	3	1	.
		F	4	.	.	1	3	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	8	2	.	3	3	.
		F	10	2	.	2	6	.
13	Malignant neoplasms of trachea, bronchus and lung	M	13	7	.	.	6	.
		F	3	1	.	.	2	.
14	Other malignant neoplasms of respiratory system	M
		F	2	2
15	Malignant neoplasms of breast	M
		F	18	7	.	5	6	.
16	Malignant neoplasms of uterus	F	4	2	.	.	2	.
17	Other malignant neoplasms of genito-urinary system	M	3	2	.	.	1	.
		F	7	3	.	2	2	.
18	Other malignant neoplasms	M	11	6	.	2	3	.
		F	7	4	.	2	1	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	1	.	.	1	.	.
		F	3	.	.	1	2	.
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M	2	1	.	1	.	.
		F
21	Diabetes	M	1	1
		F	3	1	.	.	2	.
22	Cerebral haemorrhage	M	12	3	.	3	6	.
		F	28	8	.	5	15	.
23	Other vascular lesions affecting the central nervous system	M	22	5	.	8	9	.
		F	20	6	1	2	11	.

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH
CORK COUNTY BOROUGH (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M F	2 7	1 1	. 1	1 2	. 3	. .
25	Chronic rheumatic heart disease	M F	10 8	4 1	. .	2 .	4 7	. .
26	Arteriosclerotic and degenerative heart disease	M F	123 129	29 20	5 5	15 29	74 75	. .
27	Other diseases of the heart	M F	14 20	4 5	. .	3 6	7 9	. .
28	Hypertension with heart disease	M F	3 10	1 4	. .	1 2	1 4	. .
29	Hypertension without heart disease	M F	2 3	1 1	1 2	. .
30	Other diseases of circulatory system	M F	24 20	6 9	. .	13 6	5 5	. .
31	Influenza	M F	4	4 .	. .
32	Pneumonia	M F	12 9	2 4	. .	6 5	4 .	. .
33	Bronchitis	M F	32 10	9 1	. .	10 2	13 7	. .
34	Other diseases of respiratory system	M F	5 6	2 1	3 5	. .
35	Ulcer of stomach and duodenum	M F	6 3	1 1	. .	2 2	3 .	. .
36	Gastro-enteritis and diarrhoea under 2 years	M F	1	1
37	Nephritis and nephrosis	M F	4 10	2 2	. .	. 4	2 4	. .
38	Hyperplasia of prostate	M	7	2	. .	4	1	. .
39	Complications of pregnancy, childbirth and the puerperium	F	3	2	. .	1
40	Congenital malformations	M F	3 6	. 4	. .	3 .	. 2	. .
41	Diseases of early infancy	M F	16 7	9 4	. .	5 3	2 .	. .
42	Senility	M F	9 9	2 2	. .	4 1	3 6	. .
43	Ill-defined causes	M F	6 4	3 .	. 1	2 .	1 3	. .
44	Other defined diseases	M F	29 32	12 10	. .	8 9	9 13	. .
45	Accidents	M F	11 11	5 8	. .	2 1	4 2	. .
46	Suicide	M F	1	1 .	. .
47	Other external causes	M F
	All causes	M F	451 445	145 127	6 8	118 100	182 210	. .

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING COUNTY CORK

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmeries	Elsewhere	
1	Tuberculosis of respiratory system	M	43	21	4	10	8	.
		F	30	15	4	4	7	1.
2	Tuberculosis, other forms	M	8	1	1	5	1	1
		F	7	3	.	3	1	.
3	Diphtheria	M
		F
4	Whooping cough	M	1	1
		F	3	2	.	.	1	.
5	Meningococcal infections	M	1	.	.	1	.	.
		F	1	1
6	Acute poliomyelitis	M
		F
7	Measles	M	1	1
		F	2	1	.	1	.	.
8	Other infective and parasitic diseases	M	7	1	.	1	5	.
		F	4	.	2	1	1	.
9	Malignant neoplasms of stomach	M	57	16	.	19	22	.
		F	49	8	2	12	27	.
10	Malignant neoplasms of small and large intestine including duodenum	M	29	4	.	15	10	.
		F	25	9	.	8	8	.
11	Malignant neoplasms of rectum	M	30	7	1	12	10	.
		F	9	2	.	3	4	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	32	7	.	12	13	.
		F	25	9	1	3	12	.
13	Malignant neoplasms of trachea, bronchus and lung	M	17	3	.	5	9	.
		F	10	4	.	3	3	.
14	Other malignant neoplasms of respiratory system	M	7	3	.	.	4	.
		F	2	.	.	.	2	.
15	Malignant neoplasms of breast	M	1	1
		F	45	7	1	9	28	.
16	Malignant neoplasms of uterus	F	11	2	.	4	5	.
17	Other malignant neoplasms of genito-urinary system	M	36	11	.	10	15	.
		F	9	6	.	2	1	.
18	Other malignant neoplasms	M	47	15	.	13	19	1
		F	28	8	.	9	11	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	14	4	.	5	5	.
		F	9	5	.	3	1	.
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M	1	1
		F	1	.	.	.	1	.
21	Diabetes	M	10	1	1	1	7	.
		F	13	.	.	6	7	1
22	Cerebral haemorrhage	M	74	7	.	18	49	2
		F	96	14	1	21	60	5
23	Other vascular lesions affecting the central nervous system	M	89	11	1	28	49	3
		F	97	15	3	17	62	1

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

COUNTY CORK (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	26	3	2	12	9	1
		F	34	6	1	7	20	1
25	Chronic rheumatic heart disease	M	20	4	.	3	13	.
		F	16	6	1	3	6	.
26	Arteriosclerotic and degenerative heart disease	M	514	33	28	110	343	18
		F	454	25	29	83	317	11
27	Other diseases of the heart	M	66	9	2	16	39	7
		F	50	5	2	4	39	9
28	Hypertension with heart disease	M	18	2	1	2	13	.
		F	31	5	.	3	23	.
29	Hypertension without heart disease	M	11	3	1	4	3	.
		F	29	5	.	6	18	.
30	Other diseases of circulatory system	M	36	2	.	19	15	1
		F	34	9	1	12	12	.
31	Influenza	M	6	.	.	.	6	.
		F	9	.	.	.	9	.
32	Pneumonia	M	51	4	.	16	31	.
		F	39	7	1	10	21	.
33	Bronchitis	M	47	6	.	15	26	3
		F	37	.	.	10	27	1
34	Other diseases of respiratory system	M	17	1	.	5	11	.
		F	15	.	.	5	10	.
35	Ulcer of stomach and duodenum	M	23	10	.	8	5	.
		F	4	.	.	1	3	.
36	Gastro-enteritis and diarrhoea under 2 years	M	10	2	.	3	5	1
		F	2	1	.	.	1	.
37	Nephritis and nephrosis	M	22	6	.	9	7	.
		F	26	6	.	10	10	.
38	Hyperplasia of prostate	M	25	8	.	5	12	.
39	Complications of pregnancy, childbirth and the puerperium	F	10	4	.	5	1	.
40	Congenital malformations	M	17	5	.	9	3	.
		F	15	3	.	8	4	.
41	Diseases of early infancy	M	61	18	.	29	14	.
		F	49	15	.	18	16	1
42	Senility	M	144	2	.	23	119	57
		F	162	2	1	11	148	73
43	Ill-defined causes	M	31	4	.	4	23	13
		F	17	4	.	2	11	7
44	Other defined diseases	M	128	31	2	40	55	.
		F	84	20	4	32	28	.
45	Accidents	M	70	11	.	19	40	.
		F	21	6	.	9	6	.
46	Suicide	M	8	.	.	1	7	.
		F
47	Other external causes	M	1	.	.	.	1	.
		F
	All causes	M	1,857	280	44	507	1,026	108
		F	1,614	240	54	348	972	111

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING COUNTY KERRY

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	23	10	4	5	4	.
		F	10	5	.	2	3	1
2	Tuberculosis, other forms	M	2	1	.	1	.	.
		F	1	1
3	Diphtheria	M
		F
4	Whooping cough	M	1	.	.	.	1	.
		F
5	Meningococcal infections	M	1	.	.	1	.	.
		F
6	Acute poliomyelitis	M	1	.	.	1	.	.
		F
7	Measles	M	2	.	.	1	1	.
		F
8	Other infective and parasitic diseases	M	5	.	.	5	.	.
		F	3	1	.	1	1	.
9	Malignant neoplasms of stomach	M	20	1	.	7	12	.
		F	15	2	.	6	7	.
10	Malignant neoplasms of small and large intestine including duodenum	M	16	1	.	4	11	.
		F	13	.	1	4	8	.
11	Malignant neoplasms of rectum	M	6	3	1	1	1	.
		F	4	1	.	.	3	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	11	.	.	6	5	.
		F	11	1	1	5	4	.
13	Malignant neoplasms of trachea, bronchus and lung	M	4	.	.	.	4	.
		F	3	.	.	1	2	.
14	Other malignant neoplasms of respiratory system	M	2	1	.	.	1	.
		F	1	1
15	Malignant neoplasms of breast	M
		F	13	.	.	6	7	.
16	Malignant neoplasms of uterus	F	7	3	.	.	4	.
17	Other malignant neoplasms of genito-urinary system	M	6	.	.	3	3	.
		F	7	.	.	.	7	.
18	Other malignant neoplasms	M	12	.	.	6	6	2
		F	4	.	.	2	2	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	2	1	.	1	.	.
		F	4	1	.	1	2	.
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M
		F	1	1
21	Diabetes	M	3	.	.	.	3	.
		F	4	.	.	2	2	.
22	Cerebral haemorrhage	M	19	.	1	11	7	.
		F	41	1	1	13	26	1
23	Other vascular lesions affecting the central nervous system	M	33	.	1	15	17	4
		F	37	3	.	9	25	4

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH
COUNTY KERRY (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	18	1	2	.	15	3
		F	13	.	4	3	6	.
25	Chronic rheumatic heart disease	M	7	1	.	.	6	.
		F	4	1	.	1	2	.
26	Arteriosclerotic and degenerative heart disease	M	183	3	7	48	125	13
		F	136	6	11	23	96	10
27	Other diseases of the heart	M	33	.	1	12	20	7
		F	25	1	.	6	18	6
28	Hypertension with heart disease	M	6	.	1	1	4	.
		F	14	.	1	3	10	1
29	Hypertension without heart disease	M	15	1	.	4	10	.
		F	18	.	.	6	12	.
30	Other diseases of circulatory system	M	34	1	.	25	8	1
		F	18	.	.	10	8	.
31	Influenza	M	3	.	.	.	3	1
		F	7	2	.	.	5	2
32	Pneumonia	M	23	1	.	11	11	.
		F	20	1	.	7	12	1
33	Bronchitis	M	22	1	1	6	14	1
		F	22	.	1	2	19	2
34	Other diseases of respiratory system	M	10	.	.	3	7	1
		F	12	.	.	6	6	.
35	Ulcer of stomach and duodenum	M	10	3	.	5	2	.
		F
36	Gastro-enteritis and diarrhoea under 2 years	M	5	2	.	2	1	.
		F	4	.	.	1	3	.
37	Nephritis and nephrosis	M	15	3	.	3	9	1
		F	12	2	.	1	9	1
38	Hyperplasia of prostate	M	13	3	1	7	2	.
39	Complications of pregnancy, childbirth and the puerperium	F	4	1	.	1	2	.
40	Congenital malformations	M	11	3	.	5	3	.
		F	8	1	1	5	1	.
41	Diseases of early infancy	M	24	5	.	11	8	3
		F	20	1	.	11	8	3
42	Senility	M	132	.	.	2	130	108
		F	134	.	1	2	131	110
43	Ill-defined causes	M	25	3	1	1	20	14
		F	14	2	.	1	11	9
44	Other defined diseases	M	55	8	11	15	21	1
		F	53	9	7	10	27	7
45	Accidents	M	17	.	1	6	10	.
		F	20	5	.	7	8	.
46	Suicide	M	1	.	.	.	1	.
		F
47	Other external causes	M
		F
	All causes	M	831	57	33	235	506	160
		F	737	53	29	158	497	158

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING COUNTY LIMERICK

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
1	Tuberculosis of respiratory system	M	7	1	1	4	1	.
		F	9	.	1	3	5	.
2	Tuberculosis, other forms	M	2	1	.	1	.	.
		F	3	1	.	2	.	.
3	Diphtheria	M
		F
4	Whooping cough	M	1	1
		F	1	.	.	.	1	.
5	Meningococcal infections	M
		F
6	Acute poliomyelitis	M
		F
7	Measles	M	1	.	.	.	1	.
		F
8	Other infective and parasitic diseases	M	4	.	.	3	1	.
		F	1	.	.	.	1	.
9	Malignant neoplasms of stomach	M	14	5	.	2	7	.
		F	13	2	.	2	9	.
10	Malignant neoplasms of small and large intestine including duodenum	M	10	4	.	1	5	.
		F	6	1	.	1	4	.
11	Malignant neoplasms of rectum	M	9	.	.	3	6	.
		F	2	2
12	Other malignant neoplasms of digestive organs and peritoneum	M	11	3	.	2	6	.
		F	9	3	1	1	4	.
13	Malignant neoplasms of trachea, bronchus and lung	M	2	.	.	2	.	.
		F	1	.	.	.	1	.
14	Other malignant neoplasms of respiratory system	M	5	.	.	2	3	.
		F	2	1	1	.	.	.
15	Malignant neoplasms of breast	M
		F	9	3	.	2	4	.
16	Malignant neoplasms of uterus	F	7	1	.	2	4	.
17	Other malignant neoplasms of genito-urinary system	M	6	3	1	1	1	.
		F	3	2	.	1	.	.
18	Other malignant neoplasms	M	7	1	.	1	5	.
		F	4	.	.	.	4	1
19	Hodgkin's disease and leukaemia and aleukaemia	M	3	3
		F
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M
		F
21	Diabetes	M	2	1	.	.	1	.
		F	2	.	.	.	2	.
22	Cerebral haemorrhage	M	20	1	1	7	11	.
		F	29	1	2	1	25	.
23	Other vascular lesions affecting the central nervous system	M	23	3	.	2	18	.
		F	27	4	.	3	20	1

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

COUNTY LIMERICK (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmeries	Elsewhere	
24	Other diseases of nervous system and sense organs	M F	22 17	2 2	2 1	10 9	8 5	. 1
25	Chronic rheumatic heart disease	M F	10 12	. 2	1 .	6 7	3 3	1 .
26	Arteriosclerotic and degenerative heart disease	M F	146 120	9 10	5 4	5 8	127 98	7 3
27	Other diseases of the heart	M F	28 18	3 2	. .	6 3	19 13	3 3
28	Hypertension with heart disease	M F	8 6	1 .	7 6	. .
29	Hypertension without heart disease	M F	8 11	2 2	. .	. 1	6 8	. 4
30	Other diseases of circulatory system	M F	5 5	2 1	. .	1 1	2 3	. .
31	Influenza	M F	8 3	1 .	7 3	. .
32	Pneumonia	M F	21 14	. 2	1 .	6 2	14 10	. 1
33	Bronchitis	M F	26 16	1 .	3 .	4 1	18 15	1 .
34	Other diseases of respiratory system	M F	5 4	. 1	. .	1 .	4 3	. .
35	Ulcer of stomach and duodenum	M F	5 1	3 1	2 .	. .
36	Gastro-enteritis and diarrhoea under 2 years	M F	6 1	2 1	4 .	. .
37	Nephritis and nephrosis	M F	11 9	1 1	3 .	2 4	5 4	. .
38	Hyperplasia of prostate	M	8	1	. .	3	4	. .
39	Complications of pregnancy, childbirth and the puerperium	F	.	2	. .	3	.	. .
40	Congenital malformations	M F	13 6	5 1	. .	6 .	2 5	. .
41	Diseases of early infancy	M F	29 17	5 5	. .	12 5	12 7	1 3
42	Senility	M F	60 70	. 2	4 6	2 3	54 59	25 25
43	Ill-defined causes	M F	14 7	1 1	. .	4 1	9 5	2 2
44	Other defined diseases	M F	41 38	8 5	1 .	16 12	16 21	. 1
45	Accidents	M F	15 9	2 1	1 .	3 2	9 6	. .
46	Suicide	M F	3	3 .	. .
47	Other external causes	M F	1 1	1 1	. .
	All causes	M F	620 518	72 61	24 16	122 82	402 359	40 45

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING
LIMERICK COUNTY BORO'

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
1	Tuberculosis of respiratory system	M	18	6	2	3	7	.
		F	16	7	.	3	6	1
2	Tuberculosis, other forms	M
		F	3	1	.	2	.	.
3	Diphtheria	M
		F
4	Whooping cough	M
		F
5	Meningococcal infections	M
		F
6	Acute poliomyelitis	M
		F
7	Measles	M
		F	1	.	.	1	.	.
8	Other infective and parasitic diseases	M	1	.	.	.	1	.
		F
9	Malignant neoplasms of stomach	M	12	9	.	.	3	.
		F	4	2	1	.	1	.
10	Malignant neoplasms of small and large intestine including duodenum	M	2	1	.	.	1	.
		F	6	2	.	2	2	.
11	Malignant neoplasms of rectum	M	3	3
		F	2	1	.	.	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	4	1	.	.	3	.
		F	1	.	.	1	.	.
13	Malignant neoplasms of trachea, bronchus and lung	M	5	3	.	.	2	.
		F	2	.	.	.	2	.
14	Other malignant neoplasms of respiratory system	M	3	2	.	.	1	.
		F	1	.	.	.	1	.
15	Malignant neoplasms of breast	M
		F	3	2	.	.	1	.
16	Malignant neoplasms of uterus	F	5	4	.	.	1	.
17	Other malignant neoplasms of genito-urinary system	M	4	2	.	.	2	.
		F	2	2
18	Other malignant neoplasms	M	5	3	1	1	.	.
		F	2	2
19	Hodgkin's disease and leukaemia and aleukaemia	M
		F	2	1	.	1	.	.
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M	1	.	.	.	1	.
		F
21	Diabetes	M	3	1	.	1	1	.
		F
22	Cerebral haemorrhage	M	7	.	1	3	3	.
		F	12	5	.	.	7	.
23	Other vascular lesions affecting the central nervous system	M	10	6	.	2	2	.
		F	15	4	.	.	11	.

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH
LIMERICK COUNTY BORO' (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	2	.	.	.	2	1
		F	6	2	.	2	2	1
25	Chronic rheumatic heart disease	M	2	1	.	.	1	.
		F	1	1
26	Arteriosclerotic and degenerative heart disease	M	66	28	.	12	26	.
		F	58	25	2	6	25	2
27	Other diseases of the heart	M	18	9	.	.	9	.
		F	34	18	.	3	13	3
28	Hypertension with heart disease	M
		F	1	.	.	.	1	.
29	Hypertension without heart disease	M	3	2	.	.	1	.
		F	1	.	.	.	1	.
30	Other diseases of circulatory system	M	2	1	1	.	.	.
		F	1	1
31	Influenza	M	1	.	.	.	1	.
		F	1	.	.	.	1	.
32	Pneumonia	M	17	12	.	3	2	.
		F	10	2	.	5	3	.
33	Bronchitis	M	20	6	2	1	11	1
		F	13	3	2	3	5	.
34	Other diseases of respiratory system	M	3	.	.	.	3	.
		F	6	.	.	.	6	.
35	Ulcer of stomach and duodenum	M	4	1	.	1	2	.
		F
36	Gastro-enteritis and diarrhoea under 2 years	M	14	11	.	.	3	.
		F	5	2	.	3	.	.
37	Nephritis and nephrosis	M	5	4	.	.	1	.
		F	3	1	.	.	2	.
38	Hyperplasia of prostate	M	3	2	.	.	1	.
39	Complications of pregnancy, childbirth and the puerperium	F
40	Congenital malformations	M	4	1	.	.	3	.
		F	5	4	.	.	1	.
41	Diseases of early infancy	M	13	7	1	3	2	.
		F	13	12	.	.	1	1
42	Senility	M	8	1	4	1	2	1
		F	16	1	2	.	13	4
43	Ill-defined causes	M	6	.	.	.	6	4
		F	9	3	.	.	6	4
44	Other defined diseases	M	14	9	1	.	4	1
		F	19	5	.	.	14	.
45	Accidents	M	3	.	.	.	3	.
		F	2	1	.	1	.	.
46	Suicide	M
		F
47	Other external causes	M	1	.	.	.	1	.
		F
	All causes	M	287	132	13	31	111	8
		F	281	114	7	33	127	16

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING
COUNTY TIPPERARY, N.R. (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	6	1	1	.	4	.
		F	5	.	2	.	3	.
2	Tuberculosis, other forms	M	1	.	.	1	.	.
		F	5	.	1	3	1	.
3	Diphtheria	M
		F
4	Whooping cough	M
		F	1	.	.	.	1	.
5	Meningococcal infections	M
		F
6	Acute poliomyelitis	M	2	1	.	1	.	.
		F
7	Measles	M
		F
8	Other infective and parasitic diseases	M	3	2	.	1	.	.
		F	2	.	.	.	2	.
9	Malignant neoplasms of stomach	M	17	2	.	7	8	.
		F	9	.	.	3	6	.
10	Malignant neoplasms of small and large intestine including duodenum	M	4	.	.	1	3	.
		F	3	.	1	1	1	.
11	Malignant neoplasms of rectum	M	1	.	.	.	1	.
		F	2	1	.	.	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	8	.	.	7	1	.
		F	3	1	.	1	1	.
13	Malignant neoplasms of trachea, bronchus and lung	M	9	1	.	4	4	.
		F	4	.	.	.	4	.
14	Other malignant neoplasms of respiratory system	M	1	.	.	.	1	.
		F
15	Malignant neoplasms of breast	M	.	.	.	4	.	.
		F	6	.	.	.	2	.
16	Malignant neoplasms of uterus	F	2	.	.	.	2	.
17	Other malignant neoplasms of genito-urinary system	M	4	.	.	3	1	.
		F	4	.	.	2	2	.
18	Other malignant neoplasms	M	14	.	.	9	5	.
		F	4	.	1	2	1	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	1	.	.	1	.	.
		F	2	.	.	.	2	.
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M
		F
21	Diabetes	M
		F	4	.	.	1	3	.
22	Cerebral haemorrhage	M	25	.	1	10	14	.
		F	20	1	.	10	9	1
23	Other vascular lesions affecting the central nervous system	M	12	.	.	4	8	.
		F	21	2	.	4	15	2

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH
COUNTY TIPPERARY, N.R. (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	6	.	.	1	5	1
		F	8	.	.	2	6	2
25	Chronic rheumatic heart disease	M	5	1	.	.	4	.
		F	2	..	.	1	1	.
26	Arteriosclerotic and degenerative heart disease	M	94	2	.	38	54	1
		F	64	3	.	31	30	1
27	Other diseases of the heart	M	29	.	.	6	23	.
		F	12	.	.	3	9	2
28	Hypertension with heart disease	M	6	.	.	2	4	.
		F	3	.	.	.	3	.
29	Hypertension without heart disease	M	4	.	.	.	4	.
		F	4	.	.	.	4	.
30	Other diseases of circulatory system	M	6	.	.	3	3	.
		F	2	.	.	.	2	.
31	Influenza	M	2	.	.	.	2	.
		F	4	.	.	.	4	1
32	Pneumonia	M	10	1	.	5	4	.
		F	6	.	.	1	5	.
33	Bronchitis	M	18	.	.	3	15	1
		F	10	1	.	.	9	1
34	Other diseases of respiratory system	M	3	.	.	1	2	.
		F
35	Ulcer of stomach and duodenum	M	5	.	.	3	2	1
		F	2	.	.	.	2	.
36	Gastro-enteritis and diarrhoea under 2 years	M	1	.	.	.	1	.
		F	2	.	.	1	1	.
37	Nephritis and nephrosis	M	6	1	.	1	4	.
		F	4	.	.	1	3	.
38	Hyperplasia of prostate	M	6	.	.	5	1	.
39	Complications of pregnancy, childbirth and the puerperium	F	1	.	.	1	.	.
40	Congenital malformations	M	2	.	.	2	.	.
		F	6	.	.	3	3	.
41	Diseases of early infancy	M	10	1	.	7	2	1
		F	7	.	.	6	1	.
42	Senility	M	58	.	5	13	40	21
		F	59	.	1	13	45	28
43	Ill-defined causes	M	13	.	.	2	11	9
		F	10	.	.	3	7	5
44	Other defined diseases	M	25	4	4	6	11	.
		F	25	3	2	10	10	.
45	Accidents	M	5	.	.	2	3	.
		F	10	.	.	6	4	.
46	Suicide	M	3	.	.	.	3	.
		F
47	Other external causes	M	1	.	.	.	1	.
		F
	All causes	M	426	17	11	149	249	35
		F	338	12	8	113	205	43

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING COUNTY TIPPERARY S.R.

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	10	7	2	1	.	.
		F	9	1	3	1	4	.
2	Tuberculosis, other forms	M	4	.	.	1	3	.
		F	2	1	.	1	.	.
3	Diphtheria	M
		F
4	Whooping cough	M	1	.	.	.	1	.
		F	1	.	.	.	1	.
5	Meningococcal infections	M	.	.	.	2	.	.
		F	2
6	Acute poliomyelitis	M	1	.	.	.	1	.
		F
7	Measles	M
		F	1	.	.	.	1	.
8	Other infective and parasitic diseases	M	2	.	.	1	1	.
		F
9	Malignant neoplasms of stomach	M	15	2	.	4	9	.
		F	14	1	.	4	9	.
10	Malignant neoplasms of small and large intestine including duodenum	M	9	1	.	2	6	.
		F	11	1	.	5	5	.
11	Malignant neoplasms of rectum	M	3	2	.	1	.	.
		F	1	.	.	.	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	14	.	.	6	8	.
		F	6	2	.	2	2	.
13	Malignant neoplasms of trachea, bronchus and lung	M	3	.	1	.	2	.
		F	3	.	.	1	2	.
14	Other malignant neoplasms of respiratory system	M	2	1	.	.	1	.
		F
15	Malignant neoplasms of breast	M
		F	10	1	.	2	7	.
16	Malignant neoplasms of uterus	F	4	.	.	1	3	.
	
17	Other malignant neoplasms of genito-urinary system	M	9	1	.	3	5	.
		F	9	3	.	4	2	.
18	Other malignant neoplasms	M	12	1	.	8	3	.
		F	7	.	.	3	4	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	2	.	.	1	1	.
		F	2	.	.	.	2	.
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M
		F	2	1	.	1	.	.
21	Diabetes	M	4	.	.	1	3	.
		F	1	.	.	.	1	.
22	Cerebral haemorrhage	M	25	1	.	14	10	1
		F	39	1	.	16	22	.
23	Other vascular lesions affecting the central nervous system	M	15	.	.	1	14	.
		F	16	1	2	2	11	.

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

COUNTY TIPPERARY S.R. (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Uncertified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	6	1	.	5	.	.
		F	4	.	.	1	3	.
25	Chronic rheumatic heart disease	M	3	.	.	1	2	.
		F	9	.	.	2	7	.
26	Arteriosclerotic and degenerative heart disease	M	157	8	1	44	104	9
		F	105	3	5	29	68	2
27	Other diseases of the heart	M	20	2	.	5	13	.
		F	25	1	1	5	18	.
28	Hypertension with heart disease	M	5	.	.	.	5	.
		F	10	.	.	4	6	.
29	Hypertension without heart disease	M	10	2	.	2	6	.
		F	5	1	.	2	2	.
30	Other diseases of circulatory system	M	11	1	.	5	5	.
		F	9	.	3	1	5	1
31	Influenza	M	1	1
		F
32	Pneumonia	M	14	1	2	6	5	.
		F	7	.	.	3	4	1
33	Bronchitis	M	14	.	.	4	10	.
		F	20	.	.	1	19	1
34	Other diseases of respiratory system	M	4	1	.	3	.	.
		F	2	.	.	1	1	.
35	Ulcer of stomach and duodenum	M	10	2	.	7	1	.
		F	3	.	.	3	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	3	.	.	1	2	.
		F	5	.	.	3	2	.
37	Nephritis and nephrosis	M	11	.	.	1	10	.
		F	7	1	.	2	4	.
38	Hyperplasia of prostate	M	6	1	.	4	1	.
39	Complications of pregnancy, childbirth and the puerperium	F	3	.	.	2	1	.
40	Congenital malformations	M	7	.	1	3	3	.
		F	7	.	.	4	3	1
41	Diseases of early infancy	M	27	2	.	22	3	1
		F	16	.	.	14	2	1
42	Senility	M	51	.	5	20	26	18
		F	54	.	4	16	34	16
43	Ill-defined causes	M	6	.	.	1	5	4
		F	7	1	.	1	5	3
44	Other defined diseases	M	27	2	1	14	10	.
		F	28	7	.	10	11	1
45	Accidents	M	13	.	.	3	10	.
		F	5	.	.	3	2	.
46	Suicide	M	3	.	.	.	3	.
		F
47	Other external causes	M
		F
	All causes	M	540	40	13	195	292	33
		F	471	27	18	152	274	27

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING
WATERFORD COUNTY BOROUGH

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
1	Tuberculosis of respiratory system	M	4	2	.	.	2	.
		F	2	2
2	Tuberculosis, other forms	M	2	.	.	2	.	.
		F
3	Diphtheria	M
		F
4	Whooping cough	M
		F
5	Meningococcal infections	M
		F
6	Acute poliomyelitis	M
		F
7	Measles	M
		F
8	Other infective and parasitic diseases	M
		F
9	Malignant neoplasms of stomach	M	2	.	.	1	1	.
		F	4	.	.	3	1	.
10	Malignant neoplasms of small and large intestine including duodenum	M	1	.	.	.	1	.
		F	4	.	.	.	4	.
11	Malignant neoplasms of rectum	M	2	1	.	1	.	.
		F	2	.	.	2	.	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	5	1	.	2	2	.
		F	2	.	1	.	1	.
13	Malignant neoplasms of trachea, bronchus and lung	M	5	.	.	.	5	.
		F	1	.	.	.	1	.
14	Other malignant neoplasms of respiratory system	M
		F	1	.	.	.	1	.
15	Malignant neoplasms of breast	M	1	.	.	.	1	.
		F	3	.	1	2	.	.
16	Malignant neoplasms of uterus	F	2	.	.	1	1	.
17	Other malignant neoplasms of genito-urinary system	M
		F	4	.	.	2	2	.
18	Other malignant neoplasms	M	4	.	.	3	1	.
		F	3	.	.	3	.	.
19	Hodgkin's disease and leukaemia and aleukaemia	M
		F	1	.	.	.	1	.
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M
		F
21	Diabetes	M	1	1
		F
22	Cerebral haemorrhage	M	4	.	.	2	2	.
		F	8	.	.	3	5	.
23	Other vascular lesions affecting the central nervous system	M
		F	6	.	.	1	5	.

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

WATERFORD COUNTY BOROUGH (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	3	.	1	1	1	.
		F	4	1	1	1	1	.
25	Chronic rheumatic heart disease	M	2	.	.	1	1	.
		F	3	.	.	1	2	.
26	Arteriosclerotic and degenerative heart disease	M	41	2	3	12	24	.
		F	62	.	4	13	45	.
27	Other diseases of the heart	M	3	.	1	.	2	.
		F	7	1	.	2	4	.
28	Hypertension with heart disease	M
		F
29	Hypertension without heart disease	M	1	1
		F
30	Other diseases of circulatory system	M	5	1	1	.	3	.
		F	1	.	.	.	1	.
31	Influenza	M	1	.	.	1	.	.
		F
32	Pneumonia	M	4	.	2	1	1	.
		F	4	1	.	1	2	.
33	Bronchitis	M	10	.	.	2	8	.
		F	2	.	.	.	2	.
34	Other diseases of respiratory system	M	3	.	.	2	1	.
		F
35	Ulcer of stomach and duodenum	M	2	.	.	1	1	.
		F
36	Gastro-enteritis and diarrhoea under 2 years	M	4	.	.	.	4	.
		F
37	Nephritis and nephrosis	M	8	.	.	5	3	.
		F	6	.	.	3	3	.
38	Hyperplasia of prostate	M	1	.	.	1	.	.
39	Complications of pregnancy, childbirth and the puerperium	F	1	.	.	1	.	.
40	Congenital malformations	M	1	1
		F	2	1	.	1	.	.
41	Diseases of early infancy	M	10	2	.	5	3	.
		F	4	1	.	3	.	.
42	Senility	M	4	.	.	2	2	.
		F	6	.	.	1	5	.
43	Ill-defined causes	M	6	.	.	6	.	.
		F
44	Other defined diseases	M	9	.	1	4	4	.
		F	15	.	5	3	7	.
45	Accidents	M	8	1	.	4	3	.
		F	1	.	.	1	.	.
46	Suicide	M
		F
47	Other external causes	M
		F
	All causes	M	157	13	9	59	76	.
		F	161	7	12	48	94	.

TABLE 21 (contd.) DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING
COUNTY WATERFORD

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	7	3	.	1	3	.
		F	3	1	.	.	2	.
2	Tuberculosis, other forms	M	2	1	.	1	.	.
		F	2	.	.	2	.	.
3	Diphtheria	M
		F
4	Whooping cough	M
		F	1	.	.	.	1	.
5	Meningococcal infections	M
		F	2	1	.	1	.	.
6	Acute poliomyelitis	M
		F
7	Measles	M	1	.	.	.	1	.
		F	1	.	.	.	1	.
8	Other infective and parasitic diseases	M	3	.	1	.	2	.
		F	1	.	1	.	.	.
9	Malignant neoplasms of stomach	M	12	.	1	5	6	.
		F	8	1	.	2	5	1
10	Malignant neoplasms of small and large intestine including duodenum	M	5	.	.	1	4	.
		F	6	1	.	3	2	.
11	Malignant neoplasms of rectum	M	4	.	.	3	1	.
		F	3	1	.	1	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	4	1	.	2	1	.
		F	3	.	.	.	3	.
13	Malignant neoplasms of trachea, bronchus and lung	M	1	.	.	.	1	.
		F	2	.	.	.	2	.
14	Other malignant neoplasms of respiratory system	M	2	1	.	1	.	.
		F
15	Malignant neoplasms of breast	M
		F	4	.	.	2	2	.
16	Malignant neoplasms of uterus	F	2	1	.	1	.	.
17	Other malignant neoplasms of genito-urinary system	M	11	3	1	2	5	.
		F	2	.	.	1	1	.
18	Other malignant neoplasms	M	8	.	.	5	3	.
		F	4	1	.	1	2	.
19	Hodgkin's disease and leukaemia and aleukaemia	M
		F
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M
		F
21	Diabetes	M	2	.	.	1	1	.
		F
22	Cerebral haemorrhage	M	8	.	1	4	3	.
		F	14	1	.	1	12	.
23	Other vascular lesions affecting the central nervous system	M	7	.	.	4	3	.
		F	17	.	.	3	14	.

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH
COUNTY WATERFORD (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	13	.	1	4	8	.
		F	3	.	.	.	3	.
25	Chronic rheumatic heart disease	M	1	.	.	.	1	.
		F	4	.	2	2	.	.
26	Arteriosclerotic and degenerative heart disease	M	103	5	7	23	68	1
		F	65	2	2	12	49	4
27	Other diseases of the heart	M	18	1	.	4	13	3
		F	19	1	.	2	16	3
28	Hypertension with heart disease	M	3	.	.	1	2	.
		F	6	.	.	1	5	.
29	Hypertension without heart disease	M
		F	6	.	.	1	5	.
30	Other diseases of circulatory system	M	8	.	.	3	5	.
		F	9	.	1	2	6	.
31	Influenza	M
		F
32	Pneumonia	M	10	1	.	5	4	1
		F	4	.	.	1	3	.
33	Bronchitis	M	12	.	.	8	4	.
		F	9	.	.	4	5	.
34	Other diseases of respiratory system	M	.	.	.	1	2	.
		F	3
35	Ulcer of stomach and duodenum	M	6	1	.	5	.	.
		F
36	Gastro-enteritis and diarrhoea under 2 years	M	2	.	.	2	.	.
		F	3	.	.	.	3	.
37	Nephritis and nephrosis	M	4	.	.	1	3	.
		F	6	.	.	1	5	.
38	Hyperplasia of prostate	M	7	1	.	3	3	.
39	Complications of pregnancy, childbirth and the puerperium	F
40	Congenital malformations	M	7	.	.	4	3	.
		F	4	1	.	.	3	.
41	Diseases of early infancy	M	11	1	.	8	2	.
		F	7	.	.	7	.	.
42	Senility	M	33	.	1	11	21	7
		F	24	.	2	2	20	5
43	Ill-defined causes	M	3	.	.	2	1	.
		F	10	.	1	2	7	2
44	Other defined diseases	M	22	3	2	10	7	.
		F	12	.	3	5	4	.
45	Accidents	M	7	.	.	4	3	.
		F	5	.	1	2	2	.
46	Suicide	M	2	.	.	.	2	.
		F
47	Other external causes	M
		F
	All causes	M	349	22	15	128	184	12
		F	274	12	13	63	186	15

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING
COUNTY GALWAY

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
1	Tuberculosis of respiratory system	M	19	3	1	10	5	1
		F	17	7	1	5	4	.
2	Tuberculosis, other forms	M	4	.	.	4	.	.
		F	4	.	.	4	.	.
3	Diphtheria	M
		F
4	Whooping cough	M	1	.	.	.	1	.
		F	1	.	.	.	1	1
5	Meningococcal infections	M	1	1
		F
6	Acute poliomyelitis	M
		F
7	Measles	M
		F
8	Other infective and parasitic diseases	M	3	.	.	2	1	.
		F	1	.	.	1	.	.
9	Malignant neoplasms of stomach	M	24	2	.	10	12	1
		F	14	1	.	6	7	.
10	Malignant neoplasms of small and large intestine including duodenum	M	18	3	.	8	7	.
		F	12	.	.	5	7	.
11	Malignant neoplasms of rectum	M	9	1	1	3	4	1
		F	1	.	.	.	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	16	4	1	6	5	.
		F	11	2	.	4	5	.
13	Malignant neoplasms of trachea, bronchus and lung	M	8	2	.	4	2	.
		F	4	.	1	1	2	.
14	Other malignant neoplasms of respiratory system	M	4	1	.	1	2	.
		F	2	.	.	1	1	.
15	Malignant neoplasms of breast	M
		F	17	3	.	8	6	.
16	Malignant neoplasms of uterus	F	6	.	.	3	3	.
17	Other malignant neoplasms of genito-urinary system	M	20	1	.	11	8	.
		F	6	2	.	.	4	.
18	Other malignant neoplasms	M	26	3	.	11	12	.
		F	11	4	.	4	3	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	5	.	.	4	1	.
		F	7	.	.	7	.	.
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M	2	.	.	2	.	.
		F	3	2	.	.	1	.
21	Diabetes	M	7	.	.	1	6	.
		F	3	.	.	.	3	1
22	Cerebral haemorrhage	M	28	4	1	8	15	.
		F	37	2	1	3	31	4
23	Other vascular lesions affecting the central nervous system	M	49	3	2	16	28	6
		F	49	3	2	13	31	3

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH
COUNTY GALWAY (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	23	2	1	10	10	.
		F	15	3	1	6	5	1
25	Chronic rheumatic heart disease	M	13	1	.	6	6	.
		F	6	2	.	.	4	.
26	Arteriosclerotic and degenerative heart disease	M	228	11	13	57	147	12
		F	190	10	18	37	125	9
27	Other diseases of the heart	M	30	.	.	12	18	3
		F	35	.	1	12	22	9
28	Hypertension with heart disease	M	22	.	2	10	10	.
		F	8	.	1	2	5	.
29	Hypertension without heart disease	M	18	.	1	7	10	1
		F	13	2	1	4	6	1
30	Other diseases of circulatory system	M	31	3	1	11	16	3
		F	11	3	.	4	4	.
31	Influenza	M	4	.	.	2	2	1
		F	6	.	.	1	5	.
32	Pneumonia	M	30	1	1	8	20	4
		F	20	1	1	6	12	3
33	Bronchitis	M	28	1	2	6	19	1
		F	19	.	.	4	15	.
34	Other diseases of respiratory system	M	5	.	.	2	3	.
		F	5	.	.	2	3	.
35	Ulcer of stomach and duodenum	M	4	2	.	2	.	.
		F	2	.	.	1	1	.
36	Gastro-enteritis and diarrhoea under 2 years	M	9	1	.	6	2	.
		F	8	1	.	3	4	1
37	Nephritis and nephrosis	M	11	.	.	2	9	.
		F	9	.	1	4	4	.
38	Hyperplasia of prostate	M	17	.	.	10	7	1
39	Complications of pregnancy, childbirth and the puerperium	F	2	.	.	1	1	.
40	Congenital malformations	M	17	3	.	10	4	.
		F	6	.	.	3	3	.
41	Diseases of early infancy	M	41	8	.	27	6	2
		F	29	9	.	16	4	2
42	Senility	M	132	.	2	2	128	113
		F	133	.	4	.	129	110
43	Ill-defined causes	M	21	1	.	2	18	7
		F	13	.	.	4	9	5
44	Other defined diseases	M	55	9	3	18	25	3
		F	48	9	3	19	17	1
45	Accidents	M	39	2	.	10	27	.
		F	13	1	.	3	9	.
46	Suicide	M
		F	1	.	.	.	1	.
47	Other external causes	M
		F
	All causes	M	1,022	73	32	321	596	160
		F	798	67	36	197	498	151

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING COUNTY LEITRIM

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
1	Tuberculosis of respiratory system	M	6	2		1	3	.
		F	2		1	1		.
2	Tuberculosis, other forms	M	1			1	.	.
		F	1			1	.	.
3	Diphtheria	M
		F
4	Whooping cough	M	1			1	.	.
		F	1			.	1	1
5	Meningococcal infections	M
		F
6	Acute poliomyelitis	M
		F
7	Measles	M
		F
8	Other infective and parasitic diseases	M	1	.	.	.	1	.
		F
9	Malignant neoplasms of stomach	M	11	3	.	3	5	.
		F	4	1	.	1	2	.
10	Malignant neoplasms of small and large intestine including duodenum	M	3	1	.	2	.	.
		F	3	.	.	.	3	.
11	Malignant neoplasms of rectum	M	3	2	.	1	.	.
		F	1	.	.	1	.	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	5	1	.	.	4	.
		F	4	.	.	.	4	.
13	Malignant neoplasms of trachea, bronchus and lung	M	2	1	.	.	1	.
		F	1	.	.	1	.	.
14	Other malignant neoplasms of respiratory system	M
		F
15	Malignant neoplasms of breast	M
		F
16	Malignant neoplasms of uterus	F
			3	1	.	.	2	.
17	Other malignant neoplasms of genito-urinary system	M	1	.	.	.	1	.
		F	1	.	.	1	.	.
18	Other malignant neoplasms	M	7	.	.	4	3	.
		F	2	.	.	.	2	.
19	Hodgkin's disease and leukaemia and aleukaemia	M
		F	2	.	.	.	2	.
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M
		F
21	Diabetes	M
		F	4	1	.	.	3	.
22	Cerebral haemorrhage	M	15	.	1	5	9	2
		F	13	.	1	2	10	2
23	Other vascular lesions affecting the central nervous system	M	9	.	.	2	7	.
		F	9	.	.	2	7	.

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH
COUNTY LEITRIM (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un- certified
				General and Special Hospitals	Mental Hospitals	Co. Homea & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	5	.	.	.	5	2
		F	5	.	1	1	3	2
25	Chronic rheumatic heart disease	M	4	.	.	2	2	.
		F	6	1	.	4	1	.
26	Arteriosclerotic and degenerative heart disease	M	99	3	1	15	80	10
		F	59	1	4	10	44	4
27	Other diseases of the heart	M	10	.	.	2	8	3
		F	4	.	.	.	4	1
28	Hypertension with heart disease	M	4	.	.	1	3	.
		F	3	.	2	.	1	.
29	Hypertension without heart disease	M	1	.	.	1	.	.
		F	2	.	.	.	2	.
30	Other diseases of circulatory system	M	4	.	2	1	1	.
		F	3	1	.	1	1	.
31	Influenza	M	4	.	1	1	2	1
		F	3	.	.	.	3	2
32	Pneumonia	M	15	.	1	6	8	.
		F	3	.	1	.	2	.
33	Bronchitis	M	8	.	.	1	7	2
		F	3	.	.	1	2	.
34	Other diseases of respiratory system	M	3	.	.	3	.	.
		F	1	.	.	.	1	.
35	Ulcer of stomach and duodenum	M	4	.	.	2	2	.
		F	1	.	.	.	1	.
36	Gastro-enteritis and diarrhoea under 2 years	M
		F	2	.	.	.	2	.
37	Nephritis and nephrosis	M	8	.	1	.	7	1
		F	1	.	.	.	1	.
38	Hyperplasia of prostate	M	4	1	.	2	1	.
39	Complications of pregnancy, childbirth and the puerperium	F
40	Congenital malformations	M	5	1	.	1	3	1
		F
41	Diseases of early infancy	M	6	.	.	5	1	1
		F	4	.	.	4	.	.
42	Senility	M	54	.	.	5	49	44
		F	46	.	.	3	43	36
43	Ill-defined causes	M	17	.	.	1	16	15
		F	17	.	.	.	17	17
44	Other defined diseases	M	16	1	.	5	10	2
		F	15	1	1	3	10	5
45	Accidents	M	6	.	.	2	4	.
		F	11	1	.	8	2	.
46	Suicide	M	2	.	.	.	2	.
		F
47	Other external causes	M
		F
	All causes	M	344	16	7	76	245	84
		F	240	8	11	45	176	70

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING
COUNTY MAYO

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	17	1	3	.	13	1
		F	8	1	5	1	1	.
2	Tuberculosis, other forms	M	3	.	1	2	.	.
		F	3	.	.	2	1	.
3	Diphtheria	M
		F
4	Whooping cough	M
		F
5	Meningococcal infections	M	3	.	.	2	1	.
		F
6	Acute poliomyelitis	M	1	.	.	1	.	.
		F
7	Measles	M
		F
8	Other infective and parasitic diseases	M	2	.	.	.	2	.
		F	2	.	.	.	2	.
9	Malignant neoplasms of stomach	M	34	1	2	7	24	5
		F	12	.	1	7	4	.
10	Malignant neoplasms of small and large intestine including duodenum	M	11	.	.	2	9	.
		F	14	1	.	6	7	.
11	Malignant neoplasms of rectum	M	3	.	.	2	1	.
		F	3	.	.	.	3	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	10	2	.	3	5	.
		F	14	1	.	4	9	1
13	Malignant neoplasms of trachea, bronchus and lung	M	2	1	.	1	.	.
		F	1	1
14	Other malignant neoplasms of respiratory system	M	2	.	.	.	2	.
		F	1	.	.	.	1	.
15	Malignant neoplasms of breast	M
		F	11	2	.	1	8	.
16	Malignant neoplasms of uterus	F	6	2	.	2	2	.
17	Other malignant neoplasms of genito-urinary system	M	16	.	.	6	10	1
		F	5	1	.	2	2	.
18	Other malignant neoplasms	M	19	1	.	8	10	.
		F	15	1	.	10	4	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	7	1	.	4	2	.
		F	2	1	.	.	1	.
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M
		F	2	.	.	2	.	.
21	Diabetes	M	5	.	.	2	3	1
		F	7	.	.	4	3	.
22	Cerebral haemorrhage	M	26	1	1	10	14	5
		F	32	.	.	3	29	2
23	Other vascular lesions affecting the central nervous system	M	34	.	.	6	28	5
		F	45	1	2	6	36	9

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH
COUNTY MAYO (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	27	2	1	11	13	4
		F	24	2	1	8	13	4
25	Chronic rheumatic heart disease	M	10	.	.	3	7	.
		F	9	.	.	1	8	.
26	Arteriosclerotic and degenerative heart disease	M	241	.	12	42	187	18
		F	133	.	9	22	102	7
27	Other diseases of the heart	M	33	.	1	3	29	9
		F	35	.	1	8	26	9
28	Hypertension with heart disease	M	9	.	.	3	6	.
		F	12	.	1	1	10	.
29	Hypertension without heart disease	M	14	1	.	3	10	1
		F	9	.	.	3	6	2
30	Other diseases of circulatory system	M	16	2	1	7	6	.
		F	24	2	.	1	21	.
31	Influenza	M	7	.	.	.	7	1
		F	12	.	.	.	12	2
32	Pneumonia	M	35	.	.	9	26	6
		F	27	.	1	6	20	6
33	Bronchitis	M	13	.	.	2	11	2
		F	15	.	.	3	12	4
34	Other diseases of respiratory system	M	5	.	.	2	3	.
		F	6	.	.	1	5	.
35	Ulcer of stomach and duodenum	M	8	.	.	4	4	.
		F	1	.	.	1	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	2	.	.	.	2	1
		F	2	.	.	1	1	1
37	Nephritis and nephrosis	M	22	1	1	6	14	3
		F	13	1	.	6	6	.
38	Hyperplasia of prostate	M	13	.	.	6	7	.
39	Complications of pregnancy, childbirth and the puerperium	F	2	.	.	1	1	.
40	Congenital malformations	M	8	1	.	4	3	.
		F	8	1	.	2	5	.
41	Diseases of early infancy	M	19	.	.	15	4	2
		F	21	1	.	19	1	.
42	Senility	M	186	.	19	11	156	145
		F	184	1	10	10	163	144
43	Ill-defined causes	M	21	.	.	8	13	8
		F	17	.	.	1	16	9
44	Other defined diseases	M	49	2	4	20	23	3
		F	48	3	2	12	31	6
45	Accidents	M	20	.	.	9	11	.
		F	20	.	.	13	7	.
46	Suicide	M	2	.	.	1	1	.
		F	1	.	.	.	1	.
47	Other external causes	M
		F
	All causes	M	955	17	46	225	667	221
		F	896	23	33	170	580	206

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING COUNTY ROSCOMMON

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
1	Tuberculosis of respiratory system	M	9	1	1	6	1	.
		F	8	2	3	1	2	.
2	Tuberculosis, other forms	M	1	.	.	1	.	.
		F	3	1	.	1	1	.
3	Diphtheria	M
		F
4	Whooping cough	M
		F
5	Meningococcal infections	M
		F
6	Acute poliomyelitis	M
		F
7	Measles	M
		F
8	Other infective and parasitic diseases	M	2	2
		F	1	.	.	.	1	.
9	Malignant neoplasms of stomach	M	10	2	.	4	4	.
		F	9	.	1	3	5	.
10	Malignant neoplasms of small and large intestine including duodenum	M	7	.	.	3	4	.
		F	4	.	.	2	2	.
11	Malignant neoplasms of rectum	M	6	1	.	3	2	.
		F
12	Other malignant neoplasms of digestive organs and peritoneum	M	10	.	.	4	6	.
		F	2	2
13	Malignant neoplasms of trachea, bronchus and lung	M	2	1	.	.	1	.
		F
14	Other malignant neoplasms of respiratory system	M	3	.	.	3	.	.
		F
15	Malignant neoplasms of breast	M
		F	13	1	1	8	3	.
16	Malignant neoplasms of uterus	F	2	.	1	.	1	.
		F	2
17	Other malignant neoplasms of genito-urinary system	M	8	2	.	3	3	.
		F	4	.	.	3	1	.
18	Other malignant neoplasms	M	14	1	.	5	8	1
		F	8	2	.	1	5	1
19	Hodgkin's disease and leukaemia and aleukaemia	M	2	.	.	.	2	.
		F	3	1	.	1	1	.
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M
		F
21	Diabetes	M	4	.	.	3	1	.
		F	6	.	.	1	5	1
22	Cerebral haemorrhage	M	10	.	.	2	8	2
		F	12	.	.	3	9	1
23	Other vascular lesions affecting the central nervous system	M	18	.	.	4	14	.
		F	18	.	1	9	8	2

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH
COUNTY ROSCOMMON (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	9	.	.	5	4	.
		F	11	.	.	5	6	.
25	Chronic rheumatic heart disease	M	3	.	.	.	3	.
		F	3	.	.	1	2	.
26	Arteriosclerotic and degenerative heart disease	M	181	3	16	52	110	6
		F	116	3	11	36	66	2
27	Other diseases of the heart	M	8	.	.	2	6	2
		F	10	.	.	1	9	3
28	Hypertension with heart disease	M	11	1	.	5	5	.
		F	4	.	.	.	4	.
29	Hypertension without heart disease	M	6	.	.	.	6	2
		F	12	.	.	2	10	1
30	Other diseases of circulatory system	M	6	.	.	6	.	.
		F	9	.	.	4	5	.
31	Influenza.	M
		F	2	.	.	.	2	.
32	Pneumonia	M	4	.	1	1	2	.
		F	9	.	.	3	6	1
33	Bronchitis	M	2	.	.	2	.	.
		F	3	.	.	1	2	.
34	Other diseases of respiratory system	M	1	.	.	.	1	.
		F	6	.	.	1	5	1
35	Ulcer of stomach and duodenum	M	5	.	.	2	3	.
		F	1	.	.	1	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	1	.	.	.	1	.
		F	1	.	.	.	1	.
37	Nephritis and nephrosis	M	3	.	.	1	2	.
		F	8	.	.	3	5	1
38	Hyperplasia of prostate	M	6	.	.	4	2	.
39	Complications of pregnancy, childbirth and the puerperium	F	2	.	.	1	1	.
40	Congenital malformations	M	6	.	.	3	3	.
		F	3	.	.	3	.	.
41	Diseases of early infancy	M	13	.	.	9	4	1
		F	8	.	.	7	1	.
42	Senility	M	96	.	1	.	95	93
		F	93	.	.	1	92	82
43	Ill-defined causes	M	23	.	.	1	22	19
		F	12	.	.	1	11	9
44	Other defined diseases	M	28	.	1	10	17	2
		F	24	.	3	11	10	1
45	Accidents	M	12	.	.	6	6	.
		F	9	.	.	6	3	.
46	Suicide	M	1	.	.	.	1	.
		F
47	Other external causes	M
		F
	All causes	M	531	14	20	150	347	128
		F	439	12	21	121	285	106

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING COUNTY SLIGO

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
1	Tuberculosis of respiratory system	M	7	3	.	1	3	.
		F	7	4	.	.	3	.
2	Tuberculosis, other forms	M	2	1	.	1	.	.
		F	4	.	.	3	1	.
3	Diphtheria	M
		F
4	Whooping cough	M
		F	1	.	.	.	1	.
5	Meningococcal infections	M
		F
6	Acute poliomyelitis	M	2	.	.	2	.	.
		F
7	Measles	M	2	.	.	2	.	.
		F
8	Other infective and parasitic diseases	M	2	.	.	1	1	.
		F
9	Malignant neoplasms of stomach	M	14	.	.	7	7	.
		F	8	.	.	5	3	.
10	Malignant neoplasms of small and large intestine including duodenum	M	2	.	.	.	2	.
		F	7	.	1	3	3	.
11	Malignant neoplasms of rectum	M	2	1	.	.	1	.
		F	2	.	.	.	2	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	4	.	.	1	3	.
		F	5	.	.	3	2	.
13	Malignant neoplasms of trachea, bronchus and lung	M	5	.	.	3	2	.
		F	5	.	.	.	5	.
14	Other malignant neoplasms of respiratory system	M	4	.	.	1	3	.
		F
15	Malignant neoplasms of breast	M
		F	9	.	.	5	4	.
16	Malignant neoplasms of uterus	F	1	1
17	Other malignant neoplasms of genito-urinary system	M	6	.	1	1	4	.
		F	2	.	.	1	1	.
18	Other malignant neoplasms	M	9	.	.	2	7	.
		F	5	.	.	3	2	1
19	Hodgkin's disease and leukaemia and aleukaemia	M	1	.	.	1	.	.
		F
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M	1	.	.	.	1	.
		F	1	.	.	1	.	.
21	Diabetes	M	5	.	.	2	3	.
		F	3	.	.	.	3	.
22	Cerebral haemorrhage	M	25	.	1	7	17	.
		F	20	.	.	8	12	.
23	Other vascular lesions affecting the central nervous system	M	15	1	.	3	11	2
		F	11	.	.	6	5	.

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH
COUNTY SLIGO (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	12	.	1	6	5	1
		F	5	.	1	.	4	1
25	Chronic rheumatic heart disease	M	2	.	1	.	1	.
		F	4	1	.	3	.	.
26	Arteriosclerotic and degenerative heart disease	M	120	.	7	29	84	4
		F	80	2	6	18	54	.
27	Other diseases of the heart	M	6	.	.	4	2	1
		F	10	1	1	3	5	2
28	Hypertension with heart disease	M	8	.	1	1	6	.
		F	6	.	1	1	4	.
29	Hypertension without heart disease	M	4	.	.	1	3	1
		F	7	1	.	.	6	1
30	Other diseases of circulatory system	M	14	.	1	3	10	.
		F	9	.	.	3	6	.
31	Influenza	M	3	.	.	.	3	2
		F	2	.	.	.	2	.
32	Pneumonia	M	12	.	.	3	9	.
		F	14	.	1	2	11	.
33	Bronchitis	M	12	.	1	1	10	.
		F	3	.	.	.	3	.
34	Other diseases of respiratory system	M	5	1	1	1	2	.
		F	3	.	.	1	2	.
35	Ulcer of stomach and duodenum	M	3	.	1	.	2	.
		F
36	Gastro-enteritis and diarrhoea under 2 years	M	1	.	.	.	1	.
		F
37	Nephritis and nephrosis	M	5	.	.	.	5	.
		F	9	.	.	2	7	1
38	Hyperplasia of prostate	M	5	.	.	3	2	.
39	Complications of pregnancy, childbirth and the puerperium	F	1	.	.	1	.	.
40	Congenital malformations	M	5	.	.	.	5	.
		F	4	.	.	2	2	.
41	Diseases of early infancy	M	12	3	.	6	3	.
		F	6	.	.	5	1	.
42	Senility	M	84	.	.	14	70	62
		F	77	.	.	7	70	48
43	Ill-defined causes	M	8	.	.	2	6	5
		F	9	.	.	1	8	4
44	Other defined diseases	M	23	1	1	10	11	3
		F	38	2	.	13	23	1
45	Accidents	M	12	.	.	5	7	.
		F	11	.	.	7	4	.
46	Suicide	M	1	.	.	.	1	.
		F	1	.	.	.	1	.
47	Other external causes	M
		F
	All causes	M	465	11	17	124	313	81
		F	390	12	11	107	260	59

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING COUNTY CAVAN

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	9	4	2	2	1	.
		F	3	.	1	1	1	.
2	Tuberculosis, other forms	M	3	1	.	1	1	.
		F	4	2	.	1	1	.
3	Diphtheria	M
		F
4	Whooping cough	M	1	.	.	.	1	1
		F	2	.	.	.	2	1
5	Meningococcal infections	M
		F
6	Acute poliomyelitis	M
		F
7	Measles	M	1	.	.	.	1	1
		F	1	.	.	.	1	.
8	Other infective and parasitic diseases	M	4	1	1	1	1	.
		F	5	.	.	4	1	.
9	Malignant neoplasms of stomach	M	22	.	1	10	11	1
		F	11	.	.	6	5	1
10	Malignant neoplasms of small and large intestine including duodenum	M	9	1	.	2	6	.
		F	8	.	.	3	5	.
11	Malignant neoplasms of rectum	M	5	.	.	4	1	.
		F	1	.	.	.	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	10	1	1	.	8	.
		F	4	.	.	1	3	.
13	Malignant neoplasms of trachea, bronchus and lung	M	8	1	.	2	5	.
		F	1	1
14	Other malignant neoplasms of respiratory system	M
		F
15	Malignant neoplasms of breast	M	1	.	.	.	1	.
		F	4	.	.	1	3	.
16	Malignant neoplasms of uterus	F	7	1	2	2	2	.
17	Other malignant neoplasms of genito-urinary system	M	7	1	.	3	3	.
		F	4	.	.	2	2	.
18	Other malignant neoplasms	M	9	1	.	4	4	.
		F	9	.	1	5	3	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	2	.	.	2	.	.
		F
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M	1	.	.	.	1	.
		F
21	Diabetes	M	1	.	.	.	1	.
		F	4	.	.	1	3	.
22	Cerebral haemorrhage	M	18	.	3	.	15	1
		F	24	1	1	.	22	.
23	Other vascular lesions affecting the central nervous system	M	23	1	1	3	18	1
		F	20	.	.	2	18	2

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH
COUNTY CAVAN (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	12	.	.	8	4	.
		F	12	.	.	4	8	5
25	Chronic rheumatic heart disease	M	5	.	.	2	3	1
		F	7	.	.	4	3	.
26	Arteriosclerotic and degenerative heart disease	M	156	3	11	31	111	5
		F	102	.	7	23	72	3
27	Other diseases of the heart	M	17	1	.	3	13	7
		F	12	.	.	2	10	4
28	Hypertension with heart disease	M	11	1	1	.	9	1
		F	11	.	.	1	10	1
29	Hypertension without heart disease	M	10	.	.	3	7	1
		F	7	.	.	4	3	.
30	Other diseases of circulatory system	M	12	1	.	3	8	1
		F	10	.	.	4	6	.
31	Influenza	M	1	.	.	.	1	.
		F	8	1	.	1	6	.
32	Pneumonia	M	10	1	.	4	5	.
		F	10	.	.	5	5	.
33	Bronchitis	M	11	.	.	.	11	1
		F	7	.	1	.	6	.
34	Other diseases of respiratory system	M	2	1	.	.	1	.
		F	1	.	.	1	.	.
35	Ulcer of stomach and duodenum	M	6	.	.	2	4	.
		F
36	Gastro-enteritis and diarrhoea under 2 years	M
		F	2	.	.	.	2	1
37	Nephritis and nephrosis	M	7	.	.	.	7	.
		F	5	.	.	.	5	.
38	Hyperplasia of prostate	M	9	.	.	5	4	.
39	Complications of pregnancy, childbirth and the puerperium	F	3	1	.	2	.	.
40	Congenital malformations	M	4	1	.	2	1	.
		F	4	2	.	2	.	.
41	Diseases of early infancy	M	10	.	.	8	2	.
		F	8	.	.	6	2	1
42	Senility	M	82	.	.	22	60	36
		F	60	.	.	18	42	27
43	Ill-defined causes	M	5	.	.	1	4	3
		F	3	.	.	.	3	2
44	Other defined diseases	M	28	1	1	13	13	2
		F	19	1	.	4	14	1
45	Accidents	M	14	4	.	2	8	.
		F	5	.	.	4	1	.
46	Suicide	M
		F	1	.	.	.	1	.
47	Other external causes	M	1	.	.	.	1	.
		F
	All causes	M	547	26	22	143	356	63
		F	409	10	13	114	272	49

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING
COUNTY DONEGAL

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	24	3	3	7	11	.
		F	13	3	3	5	2	.
2	Tuberculosis, other forms	M	4	1	1	1	1	.
		F	2	.	.	2	.	.
3	Diphtheria	M
		F
4	Whooping cough	M	1	.	.	.	1	1
		F	2	.	.	.	2	.
5	Meningococcal infections	M
		F
6	Acute poliomyelitis	M	2	.	.	1	1	.
		F
7	Measles	M
		F
8	Other infective and parasitic diseases	M	3	.	.	2	1	.
		F	1	.	.	1	.	.
9	Malignant neoplasms of stomach	M	17	1	1	6	9	.
		F	22	3	1	2	16	2
10	Malignant neoplasms of small and large intestine including duodenum	M	7	.	.	1	6	.
		F	14	1	1	3	9	.
11	Malignant neoplasms of rectum	M	8	1	.	1	6	1
		F	2	.	.	1	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	6	.	.	3	3	.
		F	8	1	.	.	7	.
13	Malignant neoplasms of trachea, bronchus and lung	M	4	1	.	.	3	1
		F	2	.	.	.	2	.
14	Other malignant neoplasms of respiratory system	M
		F	2	.	.	.	2	.
15	Malignant neoplasms of breast	M
		F	19	.	.	1	18	.
16	Malignant neoplasms of uterus	F	4	.	.	1	3	1
	
17	Other malignant neoplasms of genito-urinary system	M	17	2	.	6	9	.
		F	6	.	.	.	6	.
18	Other malignant neoplasms	M	19	2	.	6	11	.
		F	10	1	.	2	7	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	1	.	.	.	1	.
		F	3	1	.	.	2	.
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M	1	.	.	.	1	.
		F
21	Diabetes	M	6	.	.	1	5	1
		F	7	.	.	3	4	1
22	Cerebral haemorrhage	M	42	.	2	5	35	4
		F	37	.	1	4	32	4
23	Other vascular lesions affecting the central nervous system	M	55	.	.	14	41	13
		F	50	.	.	7	43	15

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

COUNTY DONEGAL (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	19	1	.	4	14	1
		F	14	.	.	2	12	1
25	Chronic rheumatic heart disease	M	11	1	.	2	8	.
		F	5	.	.	.	5	.
26	Arteriosclerotic and degenerative heart disease	M	221	1	11	19	190	22
		F	169	3	6	18	142	23
27	Other diseases of the heart	M	53	.	.	11	42	15
		F	41	.	.	6	35	15
28	Hypertension with heart disease	M	14	.	1	1	12	.
		F	8	.	.	2	6	.
29	Hypertension without heart disease	M	11	.	.	.	11	.
		F	11	.	1	.	10	1
30	Other diseases of circulatory system	M	14	.	.	1	13	.
		F	22	.	.	4	18	1
31	Influenza	M	7	.	.	.	7	3
		F	6	.	.	.	6	3
32	Pneumonia	M	25	1	.	4	20	2
		F	32	.	2	4	26	1
33	Bronchitis	M	20	.	.	1	19	1
		F	13	.	.	.	13	2
34	Other diseases of respiratory system	M	5	.	.	.	5	.
		F	7	.	.	2	5	.
35	Ulcer of stomach and duodenum	M	25	2	.	10	13	.
		F	1	.	.	.	1	.
36	Gastro-enteritis and diarrhoea under 2 years	M	5	.	.	.	5	.
		F
37	Nephritis and nephrosis	M	13	2	1	3	7	.
		F	17	.	.	1	16	2
38	Hyperplasia of prostate	M	12	1	.	7	4	1
39	Complications of pregnancy, childbirth and the puerperium	F	3	.	.	2	1	.
40	Congenital malformations	M	12	2	.	2	8	1
		F	9	.	.	2	7	1
41	Diseases of early infancy	M	21	.	.	10	11	1
		F	20	.	.	10	10	3
42	Senility	M	132	.	.	7	125	95
		F	143	.	.	4	139	100
43	Ill-defined causes	M	21	.	.	2	19	11
		F	17	.	.	.	17	13
44	Other defined diseases	M	60	4	1	15	40	7
		F	42	5	.	10	27	5
45	Accidents	M	27	1	.	8	18	.
		F	13	.	.	2	11	.
46	Suicide	M	4	1	.	1	2	.
		F
47	Other external causes	M
		F
	All causes	M	949	28	21	162	738	181
		F	797	18	15	101	663	194

TABLE 21 (contd.) - DEATHS IN 1954 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING
COUNTY MONAGHAN

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	3	3
		F	3	.	.	1	2	.
2	Tuberculosis, other forms	M
		F	4	2	.	2	.	.
3	Diphtheria	M
		F
4	Whooping cough	M
		F
5	Meningococcal infections	M
		F	1	1
6	Acute poliomyelitis	M
		F
7	Measles	M
		F
8	Other infective and parasitic diseases	M	3	.	.	3	.	.
		F
9	Malignant neoplasms of stomach	M	9	.	.	5	4	.
		F	2	.	.	1	1	.
10	Malignant neoplasms of small and large intestine including duodenum	M	6	.	.	2	4	1
		F	6	1	.	3	2	.
11	Malignant neoplasms of rectum	M	3	1	.	.	2	.
		F	1	.	.	.	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	2	.	.	1	1	.
		F	3	2	.	.	1	.
13	Malignant neoplasms of trachea, bronchus and lung	M	3	.	.	1	2	.
		F	2	.	.	.	2	.
14	Other malignant neoplasms of respiratory system	M	2	.	.	.	2	.
		F	1	.	.	.	1	.
15	Malignant neoplasms of breast	M
		F	8	2	.	2	4	.
16	Malignant neoplasms of uterus	F	5	.	.	1	4	.
17	Other malignant neoplasms of genito-urinary system	M	3	1	.	1	1	.
		F	2	.	1	1	.	.
18	Other malignant neoplasms	M	4	1	.	1	2	.
		F	1	.	.	1	.	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	3	.	.	2	1	.
		F	1	.	.	.	1	.
20	Other malignant neoplasms of lymphatic and haematopoietic tissues	M
		F
21	Diabetes	M	6	.	.	2	4	.
		F	4	.	.	1	3	.
22	Cerebral haemorrhage	M	16	.	.	2	14	2
		F	18	.	1	2	15	1
23	Other vascular lesions affecting the central nervous system	M	13	1	3	2	7	.
		F	18	2	2	6	8	2

THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

COUNTY MONAGHAN (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	10	1	.	5	4	.
		F	12	1	1	5	5	.
25	Chronic rheumatic heart disease	M	4	.	.	2	2	.
		F
26	Arteriosclerotic and degenerative heart disease	M	90	1	2	22	65	.
		F	65	.	6	7	52	5
27	Other diseases of the heart	M	16	.	.	2	14	2
		F	15	1	1	1	12	1
28	Hypertension with heart disease	M	3	.	.	.	3	.
		F	7	.	.	3	4	.
29	Hypertension without heart disease	M	5	.	.	4	1	.
		F	15	.	.	3	12	.
30	Other diseases of circulatory system	M	9	.	.	4	5	1
		F	2	.	.	1	1	.
31	Influenza	M	2	.	.	.	2	.
		F
32	Pneumonia	M	7	.	.	4	3	.
		F	6	.	.	1	5	.
33	Bronchitis	M	13	.	.	2	11	2
		F	8	.	.	1	7	1
34	Other diseases of respiratory system	M	1	.	.	.	1	.
		F	1	.	.	1	.	.
35	Ulcer of stomach and duodenum	M	2	.	.	2	.	.
		F	2	.	.	2	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	1	.	.	.	1	.
		F
37	Nephritis and nephrosis	M	13	.	.	7	6	1
		F	5	.	.	1	4	.
38	Hyperplasia of prostate	M	5	1	.	1	3	.
39	Complications of pregnancy, childbirth and the puerperium	F	3	.	.	2	1	.
40	Congenital malformations	M	8	2	.	4	2	.
		F	4	.	.	2	2	.
41	Diseases of early infancy	M	16	2	.	12	2	.
		F	14	1	.	9	4	2
42	Senility	M	31	.	.	9	22	12
		F	42	.	.	14	28	12
43	Ill-defined causes	M	14	.	.	1	13	3
		F	7	1	.	.	6	3
44	Other defined diseases	M	18	1	.	7	10	.
		F	25	3	1	8	13	.
45	Accidents	M	6	1	1	4	.	.
		F	3	1	.	2	.	.
46	Suicide	M	1	.	.	.	1	.
		F
47	Other external causes	M
		F
	All causes	M	351	16	6	114	215	24
		F	316	18	13	84	201	27

TABLE 22 - DEATHS IN 1954 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH.

The groups of causes used in this table and their relationship to the detailed International Classification are as follows:-

Causes of death	Numbers in Detailed International Classification
Tuberculosis of respiratory system	001-008
Tuberculosis, other forms	010-019
Other infective and parasitic diseases	020-139
Malignant neoplasms	140-205
Vascular lesions affecting central nervous system	330-334
Diseases of the heart	410-434
Other diseases of the circulatory system	400-402, 440-468
Diseases of the respiratory system	470-527
Senility	794
Other diseases	210-326, 340-398 530-792, 795
Accidents and other external causes	E800-E999

TABLE 22 - DEATHS IN 1954 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
		TOTAL										
Tuberculosis of respiratory system	M	496	.	2	4	27	63	83	115	108	80	14
	F	301	1	5	6	21	61	57	51	47	44	8
Tuberculosis, other forms	M	102	8	20	9	12	14	14	11	9	4	1
	F	106	11	22	20	14	9	14	5	7	1	3
Other infective and parasitic diseases	M	136	33	18	14	8	8	15	14	11	11	4
	F	88	15	27	8	3	2	4	5	6	10	8
Malignant neoplasms	M	2,458	1	14	13	24	38	93	277	528	854	616
	F	2,136	2	8	10	16	35	112	312	482	647	512
Vascular lesions affecting central nervous system	M	1,582	3	1	2	4	17	43	88	223	531	670
	F	1,906	2	1	6	5	12	36	131	284	588	841
Diseases of the heart	M	5,967	4	1	6	21	34	124	396	874	1,852	2,655
	F	4,663	2	2	3	15	40	82	191	522	1,359	2,447
Other diseases of the circulatory system	M	982	.	.	5	9	13	25	47	142	270	471
	F	995	.	1	7	7	12	26	46	124	319	453
Diseases of the respiratory system	M	1,405	186	38	10	8	6	27	85	169	355	521
	F	1,137	156	47	9	7	10	21	44	98	245	500
Idiocy	M	1,677	3	128	1,546
	F	1,774	3	130	1,641
Other diseases	M	3,756	1,129	99	54	47	79	137	256	392	714	849
	F	2,898	758	75	44	61	97	154	187	314	576	632
Accidents and other external causes	M	638	30	42	35	49	66	75	82	93	86	80
	F	332	23	19	22	11	14	9	13	21	55	145
All causes	M	19,199	1,394	235	152	209	338	636	1,371	2,552	4,885	7,427
	F	16,336	970	207	135	160	292	515	985	1,908	3,974	7,190
POPULATION	M	1,506,597	32,630	127,601	276,216	231,122	196,036	196,284	165,296	126,374	103,266	51,772
	F	1,453,996	30,927	121,674	265,762	212,232	193,951	184,958	158,605	124,534	104,398	56,955
		LEINSTER										
Tuberculosis of respiratory system	M	254	.	1	3	11	37	38	62	52	43	7
	F	142	.	3	.	9	39	31	22	21	13	4
Tuberculosis, other forms	M	49	5	12	2	5	6	7	3	5	3	1
	F	49	7	11	9	8	2	7	.	2	1	2
Other infective and parasitic diseases	M	57	19	13	3	3	2	3	6	4	4	.
	F	36	3	17	5	1	2	3	.	2	3	.
Malignant neoplasms	M	1,102	1	4	5	11	21	46	157	252	360	245
	F	981	.	2	4	10	11	58	151	223	280	242
Vascular lesions affecting central nervous system	M	739	1	1	1	2	14	27	44	112	233	304
	F	911	1	.	5	2	6	21	70	141	268	397
Diseases of the heart	M	2,506	1	.	1	8	18	57	191	435	781	1,014
	F	1,951	2	1	3	6	14	36	86	249	589	965
Other diseases of the circulatory system	M	473	.	.	5	3	9	10	30	71	133	212
	F	496	.	.	5	3	10	13	23	67	139	236
Diseases of the respiratory system	M	630	87	12	3	1	2	14	40	82	163	226
	F	505	72	23	4	4	6	9	17	36	112	222
Idiocy	M	296	1	25	270
	F	382	2	25	355
Other diseases	M	1,514	547	38	22	20	38	49	108	154	259	279
	F	1,217	352	33	12	28	37	53	78	131	239	254
Accidents and other external causes	M	301	20	25	18	31	34	36	30	37	40	30
	F	153	14	8	12	5	11	5	5	11	27	55
All causes	M	7,921	681	106	63	95	181	287	671	1,205	2,044	2,588
	F	6,823	451	98	59	76	138	236	452	885	1,696	2,732
POPULATION	M	664,008	15,409	59,299	125,842	108,896	91,903	84,045	71,161	51,673	38,803	16,977
	F	672,568	14,476	56,771	121,265	106,796	96,449	85,713	72,209	54,979	42,397	21,513

TABLE 22 (contd.) - DEATHS IN 1954 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
MUNSTER												
Tuberculosis of respiratory system	M	148	.	1	.	6	17	29	34	37	21	3
	F	98	.	1	5	10	11	17	18	13	20	3
Tuberculosis, other forms	M	35	2	6	6	4	6	3	5	2	1	.
	F	32	2	10	6	1	3	4	3	2	.	1
Other infective and parasitic diseases	M	43	6	2	6	2	1	6	4	6	7	3
	F	33	8	5	3	2	.	1	4	2	3	5
Malignant neoplasms	M	789	.	7	6	5	10	29	75	159	288	210
	F	691	2	4	3	2	12	29	96	160	221	162
Vascular lesions affecting central nervous system	M	447	1	.	1	2	2	7	26	62	170	176
	F	582	1	1	1	1	5	8	39	81	187	258
Diseases of the heart	M	1,900	1	1	1	10	10	45	128	257	599	848
	F	1,596	.	.	.	6	14	25	65	177	481	828
Other diseases of the circulatory system	M	252	.	.	.	3	1	7	8	37	65	131
	F	274	.	.	.	3	1	8	11	37	94	120
Diseases of the respiratory system	M	475	56	15	5	5	2	9	27	65	119	172
	F	371	43	14	.	1	3	8	12	43	73	174
Senility	M	584	1	43	540
	F	614	1	42	571
Other diseases	M	1,252	358	25	18	16	16	45	99	136	248	291
	F	937	242	27	18	20	31	60	64	108	190	177
Accidents and other external causes	M	189	8	12	15	9	27	21	22	23	24	28
	F	90	4	8	5	3	2	3	5	4	12	44
All causes	M	6,114	432	69	58	62	92	201	428	785	1,585	2,402
	F	5,318	302	70	41	49	82	163	317	628	1,323	2,343
POPULATION	M	460,365	9,481	37,978	82,301	67,405	58,418	61,165	52,165	40,660	33,739	17,053
	F	438,505	9,244	36,282	79,137	59,706	56,354	57,111	49,362	39,300	33,707	18,302
CONNACHT												
Tuberculosis of respiratory system	M	58	.	.	1	6	6	6	14	14	11	.
	F	42	1	1	.	2	10	6	8	6	8	.
Tuberculosis, other forms	M	11	.	1	1	1	2	3	1	2	.	.
	F	15	1	1	3	2	2	2	2	2	.	.
Other infective and parasitic diseases	M	21	4	3	3	2	3	3	2	.	.	1
	F	7	1	2	1	1	2
Malignant neoplasms	M	378	.	3	1	4	3	12	27	72	138	118
	F	291	.	1	1	2	8	17	44	72	88	58
Vascular lesions affecting central nervous system	M	229	1	.	.	.	1	4	10	27	64	122
	F	246	.	.	.	1	.	5	11	34	84	111
Diseases of the heart	M	988	.	.	2	3	2	11	45	105	280	540
	F	700	.	1	.	3	5	13	25	61	181	411
Other diseases of the circulatory system	M	168	.	.	.	3	2	7	5	21	47	83
	F	132	.	1	2	.	1	4	4	12	51	57
Diseases of the respiratory system	M	196	31	6	1	1	2	3	12	13	40	87
	F	162	23	5	3	1	1	4	10	11	35	69
Senility	M	552	1	43	508
	F	533	43	490
Other diseases	M	621	147	19	5	9	16	25	35	59	126	180
	F	478	99	10	7	9	18	28	31	48	100	128
Accidents and other external causes	M	95	1	3	2	7	3	12	20	22	13	12
	F	67	5	3	3	2	1	1	2	5	8	37
All causes	M	3,317	184	35	16	36	40	86	171	336	762	1,651
	F	2,673	130	25	19	22	46	80	137	252	599	1,363
POPULATION	M	248,955	5,048	19,632	44,316	35,899	28,955	33,332	27,320	22,381	20,106	11,966
	F	222,940	4,706	18,479	42,699	29,797	26,395	27,208	24,037	19,576	18,484	11,559

TABLE 22 (contd.) - DEATHS IN 1954 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
ULSTER												
Tuberculosis of respiratory system	M	36	.	.	.	4	3	10	5	5	5	4
	F	19	.	.	1	.	1	3	3	7	3	1
Tuberculosis, other forms	M	7	1	1	.	2	.	1	2	.	.	.
	F	10	1	.	2	3	2	1	.	1	.	.
Other infective and parasitic diseases	M	15	4	.	2	1	2	3	2	1	.	.
	F	12	3	3	1	1	3	1
Malignant neoplasms	M	189	.	.	1	4	4	6	18	45	68	43
	F	173	.	1	2	2	4	8	21	27	58	50
Vascular lesions affecting central nervous system	M	167	5	8	22	64	68
	F	167	.	.	.	1	1	2	11	28	49	75
Diseases of the heart	M	573	2	.	2	.	4	11	32	77	192	253
	F	416	7	8	15	35	108	243
Other diseases of the circulatory system	M	89	1	1	4	13	25	45
	F	93	.	.	.	1	.	1	8	8	35	40
Diseases of the respiratory system	M	104	12	5	1	1	.	1	6	9	33	36
	F	99	18	5	2	1	.	.	5	8	25	35
Senility	M	245	17	228
	F	245	20	225
Other diseases	M	369	77	17	9	2	9	18	14	43	81	99
	F	266	65	5	7	4	11	13	14	27	47	73
Accidents and other external causes	M	53	1	2	.	2	2	6	10	11	9	10
	F	22	.	.	2	1	.	.	1	1	8	9
All causes	M	1,847	97	25	15	16	25	62	101	226	494	786
	F	1,522	87	14	10	13	26	36	79	143	356	752
POPULATION	M	133,269	2,692	10,692	23,757	18,922	16,760	17,742	14,650	11,660	10,618	5,776
	F	119,983	2,501	10,142	22,661	15,933	14,753	14,926	12,997	10,679	9,810	5,581
COUNTY CARLOW												
Tuberculosis of respiratory system	M	4	.	.	1	1	.	.	1	.	.	1
	F	4	1	1	2	.	.	.
Tuberculosis, other forms	M	3	1	1	1	.	.
	F	3	.	1	1	.	1
Other infective and parasitic diseases	M	1	1	.	.	.
	F
Malignant neoplasms	M	28	.	.	1	1	.	.	4	6	12	4
	F	28	.	.	.	2	.	.	4	7	6	9
Vascular lesions affecting central nervous system	M	27	3	.	1	5	5	13
	F	18	2	3	4	3	6
Diseases of the heart	M	88	4	8	32	44
	F	69	.	.	1	.	.	1	2	10	23	32
Other diseases of the circulatory system	M	12	1	.	.	4	3	4
	F	10	1	2	2	3	2
Diseases of the respiratory system	M	6	1	1	4	.
	F	6	2	2	.	.	.	1	.	.	1	.
Senility	M	19	19
	F	22	22
Other diseases	M	47	17	1	.	1	.	.	3	6	13	6
	F	35	8	2	2	.	1	1	5	4	8	4
Accidents and other external causes	M	9	.	1	2	.	2	2	.	.	1	1
	F	4	3	1
All causes	M	244	19	3	4	3	6	2	14	31	70	92
	F	199	10	5	4	2	3	7	18	27	47	76
POPULATION	M	17,848	397	1,610	3,335	2,739	2,279	2,155	1,965	1,603	1,200	565
	F	16,314	360	1,496	3,296	2,210	2,015	2,002	1,778	1,441	1,105	611

TABLE 22 (contd.) - DEATHS IN 1954 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
DUBLIN COUNTY BOROUGH												
Tuberculosis of respiratory system	M	129	.	1	1	5	14	20	30	29	26	3
	F	65	.	.	.	5	21	13	10	6	7	3
Tuberculosis, other forms	M	13	1	3	2	1	3	.	1	.	2	.
	F	15	3	6	3	2	1
Other infective and parasitic diseases	M	23	9	7	.	2	.	1	1	2	1	.
	F	14	2	7	2	.	.	1	.	2	.	.
Malignant neoplasms	M	448	.	2	3	5	8	22	71	121	133	83
	F	421	.	1	1	3	3	26	75	102	112	98
Vascular lesions affecting central nervous system	M	272	1	.	.	1	3	12	19	49	76	111
	F	385	1	.	.	.	3	5	29	75	98	174
Diseases of the heart	M	774	.	.	1	4	5	27	83	179	232	243
	F	741	1	1	1	2	6	17	34	113	216	350
Other diseases of the circulatory system	M	155	.	.	2	1	3	5	15	31	39	59
	F	208	.	.	4	2	3	5	9	32	67	86
Diseases of the respiratory system	M	289	34	2	.	1	1	10	21	52	74	94
	F	249	29	7	2	2	4	3	10	21	57	114
Senility	M	22	1	3	18
	F	34	4	30
Other diseases	M	522	207	10	6	3	12	10	46	73	86	69
	F	469	145	11	3	9	12	15	36	57	96	85
Accidents and other external causes	M	105	9	5	5	15	10	13	14	14	13	7
	F	60	3	3	7	2	4	3	2	7	10	19
All causes	M	2,752	261	30	20	38	59	120	301	551	685	687
	F	2,661	184	36	23	27	56	88	205	415	667	960
POPULATION	M	244,006	5,694	21,090	46,826	45,079	35,199	30,727	26,110	17,810	11,106	4,365
	F	278,171	5,394	20,138	46,573	51,211	41,785	36,452	30,540	22,499	15,920	7,665
DUN LAOGHAIRE BOROUGH												
Tuberculosis of respiratory system	M	8	3	2	1	1	1	.
	F	6	1	2	.	1	2	.
Tuberculosis, other forms	M	1	.	.	.	1	.	.	.	1	.	.
	F	1
Other infective and parasitic diseases	M	4	.	2	1	.	.	.	1	.	.	.
	F
Malignant neoplasms	M	34	.	.	.	1	.	9	10	9	9	5
	F	54	.	.	.	1	.	3	9	9	19	13
Vascular lesions affecting central nervous system	M	22	1	6	3	12
	F	45	1	.	3	3	17	21
Diseases of the heart	M	92	2	2	9	15	25	39
	F	83	15	19	49
Other diseases of the circulatory system	M	22	1	.	6	6	6	9
	F	27	1	.	2	1	7	16
Diseases of the respiratory system	M	24	5	.	1	.	.	1	1	4	4	8
	F	18	4	.	.	.	2	.	.	1	3	8
Senility	M	1	1
	F	4	4
Other diseases	M	44	15	.	1	1	2	3	2	7	6	7
	F	47	8	2	.	3	2	6	1	5	6	14
Accidents and other external causes	M	15	1	1	.	.	4	.	4	2	3	.
	F	4	2	2
All causes	M	267	21	3	3	1	12	9	28	52	57	81
	F	289	12	2	.	5	7	11	15	35	75	127
POPULATION	M	20,843	500	1,857	3,916	3,335	2,780	2,809	2,303	1,695	1,142	506
	F	27,077	502	1,792	4,050	4,671	3,874	3,562	3,135	2,535	1,901	1,055

TABLE 22 (contd.) - DEATHS IN 1954 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
DUBLIN COUNTY (REMAINDER)												
Tuberculosis of respiratory system	M	18	1	3	7	1	4	2
	F	7	.	.	.	1	2	1	1	.	1	1
Tuberculosis, other forms	M	3	.	2	.	.	.	1	.	.	.	1
	F	4	.	.	.	2	.	1
Other infective and parasitic diseases	M	4	2	1	1	.	.
	F	4	.	2	1	1
Malignant neoplasms	M	59	.	.	1	.	3	2	10	14	20	10
	F	72	.	.	1	.	.	5	13	20	22	11
Vascular lesions affecting central nervous system	M	54	.	.	1	1	2	4	3	3	18	24
	F	65	.	.	1	1	.	1	10	7	17	28
Diseases of the heart	M	162	2	2	18	34	48	58
	F	100	.	.	.	2	1	1	3	12	28	53
Other diseases of the circulatory system	M	34	.	.	1	.	1	.	3	5	8	16
	F	46	2	3	5	14	22
Diseases of the respiratory system	M	42	9	3	2	5	10	13
	F	27	3	3	.	2	5	14
Senility	M	12	2	10
	F	11	1	10
Other diseases	M	113	47	5	2	3	1	5	11	5	16	18
	F	85	32	2	3	4	3	3	4	4	12	18
Accidents and other external causes	M	32	3	5	2	1	3	3	5	3	4	3
	F	12	3	1	1	1	2	.	.	.	1	3
All causes	M	533	61	16	5	4	13	20	59	71	130	154
	F	433	38	5	7	12	8	17	34	50	101	161
POPULATION	M	61,277	1,878	6,954	12,639	9,283	9,330	8,287	5,718	3,585	2,561	1,042
	F	61,642	1,669	6,655	11,595	9,439	10,547	8,024	5,604	3,815	2,902	1,392
COUNTY KILDARE												
Tuberculosis of respiratory system	M	9	.	.	.	1	3	2	.	2	1	.
	F	8	.	1	.	.	1	1	2	3	.	.
Tuberculosis, other forms	M	5	.	.	.	1	.	3	.	.	.	1
	F	6	.	1	.	1	1	2	.	1	.	.
Other infective and parasitic diseases	M	4	1	.	1	1	1	.	.	.	1	.
	F	2	.	.	1
Malignant neoplasms	M	55	.	.	.	1	1	2	7	14	15	17
	F	39	.	.	.	1	1	1	8	9	8	11
Vascular lesions affecting central nervous system	M	23	1	1	2	3	9	7
	F	20	1	1	3	7	8
Diseases of the heart	M	139	2	1	10	32	41	53
	F	79	1	2	4	8	25	39
Other diseases of the circulatory system	M	17	.	.	1	1	6	9
	F	12	1	4	7
Diseases of the respiratory system	M	38	7	2	2	2	13	12
	F	31	4	3	.	.	.	1	2	3	4	14
Senility	M	12	2	10
	F	14	1	13
Other diseases	M	84	23	4	1	2	3	2	5	11	17	16
	F	74	21	4	2	4	3	2	3	11	11	13
Accidents and other external causes	M	24	1	1	1	2	4	4	2	2	5	2
	F	13	3	1	1	.	2	.	.	.	1	5
All causes	M	410	32	7	4	7	14	15	28	67	109	127
	F	298	28	10	4	6	9	10	20	39	62	110
POPULATION	M	36,364	824	3,429	6,927	6,548	5,145	4,479	3,695	2,474	1,943	900
	F	30,073	815	3,253	6,292	4,103	4,198	3,759	2,983	2,061	1,737	872

TABLE 22 (contd.) - DEATHS IN 1954 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
COUNTY KILKENNY												
Tuberculosis of respiratory system	M	9	2	5	2	.
	F	8	.	.	.	1	2	4	.	1	.	.
Tuberculosis, other forms	M	3	.	1	2	.	.	.
	F	2	.	.	1	.	.	1
Other infective and parasitic diseases	M	2	1	1	.	.
	F	1	.	1
Malignant neoplasms	M	52	.	.	.	1	2	1	10	10	12	16
	F	53	.	.	1	1	1	2	7	12	15	14
Vascular lesions affecting central nervous system	M	34	1	.	3	15	15
	F	43	5	3	9	10	16
Diseases of the heart	M	167	2	1	6	27	57	74
	F	99	1	7	10	36	45
Other diseases of the circulatory system	M	48	1	.	2	3	17	25
	F	32	.	.	1	.	.	2	1	2	5	21
Diseases of the respiratory system	M	28	4	1	2	2	9	10
	F	15	2	2	1	1	4	5
Senility	M	35	2	33
	F	50	50
Other diseases	M	86	34	2	.	.	4	2	7	4	17	16
	F	70	16	2	.	1	1	5	3	6	17	19
Accidents and other external causes	M	13	1	2	1	.	1	1	1	4	2	.
	F	4	1	.	.	.	1	.	.	1	.	1
All causes	M	477	40	6	1	1	10	6	32	59	133	189
	F	377	20	5	3	3	5	19	22	42	87	171
POPULATION	M	34,687	684	2,959	6,359	4,944	4,466	4,356	3,919	3,053	2,735	1,212
	F	30,548	664	2,737	5,824	3,905	3,890	3,776	3,456	2,763	2,346	1,187
COUNTY LAOIGHIS												
Tuberculosis of respiratory system	M	6	2	2	1	1	.
	F	5	.	.	.	1	1	.	1	2	.	.
Tuberculosis, other forms	M	1	.	.	.	1
	F	2	2
Other infective and parasitic diseases	M	2	1	.	1
	F	1	1
Malignant neoplasms	M	39	1	.	1	.	.	.	4	3	15	15
	F	34	.	1	.	1	1	.	4	7	9	11
Vascular lesions affecting central nervous system	M	35	.	1	.	.	1	1	2	5	13	12
	F	36	.	.	.	1	.	1	2	5	10	17
Diseases of the heart	M	107	3	2	15	38	49
	F	83	2	1	3	10	26	41
Other diseases of the circulatory system	M	24	1	.	3	8	12
	F	20	5	4	11
Diseases of the respiratory system	M	22	3	1	2	8	8
	F	14	4	1	1	1	3	4
Senility	M	20	1	19
	F	27	3	24
Other diseases	M	73	22	2	.	2	1	2	3	4	12	25
	F	51	14	1	1	1	.	1	3	7	11	12
Accidents and other external causes	M	12	.	2	1	3	.	1	.	.	3	2
	F	9	1	.	1	1	1	5
All causes	M	341	27	5	3	6	2	10	14	33	99	142
	F	282	18	3	2	5	6	5	14	37	67	125
POPULATION	M	26,154	504	2,061	4,457	3,954	3,578	3,300	2,875	2,351	2,042	1,032
	F	22,276	466	1,958	4,227	2,954	2,829	2,723	2,484	1,953	1,724	958

TABLE 22 (contd.) - DEATHS IN 1954 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
COUNTY LONGFORD												
Tuberculosis of respiratory system	M	5	1	1	1	2	.	.
	F	1	1
Tuberculosis, other forms	M	1	.	1
	F	1	1
Other infective and parasitic diseases	M	2	2	.
	F	1	.	1
Malignant neoplasms	M	38	.	.	.	2	1	1	4	8	12	10
	F	19	1	1	3	9	5
Vascular lesions affecting central nervous system	M	21	1	.	2	.	8	10
	F	18	2	3	4	9
Diseases of the heart	M	98	.	.	.	1	.	1	6	8	29	53
	F	66	3	11	19	33
Other diseases of the circulatory system	M	9	1	.	1	2	1	4
	F	7	2	1	4
Diseases of the respiratory system	M	14	3	1	.	.	.	1	1	1	1	6
	F	7	3	1	3
Senility	M	18	1	17
	F	29	1	28
Other diseases	M	58	12	1	2	2	2	4	4	6	12	13
	F	29	10	1	.	2	1	1	1	3	4	6
Accidents and other external causes	M	3	.	1	.	1	1
	F	5	.	1	1	3
All causes	M	267	15	4	2	6	6	8	19	27	66	114
	F	183	13	3	.	2	1	4	7	22	40	91
POPULATION	M	18,388	352	1,530	3,151	2,544	2,387	2,418	2,043	1,672	1,464	827
	F	16,165	349	1,436	3,133	2,117	1,974	2,004	1,668	1,456	1,256	772
COUNTY LOUTH												
Tuberculosis of respiratory system	M	14	.	.	.	1	1	.	7	3	2	.
	F	9	.	1	.	.	2	1	2	2	1	.
Tuberculosis, other forms	M	4	1	1	.	.	1	.	.	1	.	.
	F	3	.	.	1	1	1	.
Other infective and parasitic diseases	M	2	1	1	.
	F	3	2	.	.	1	.
Malignant neoplasms	M	57	.	.	.	1	1	1	7	11	23	13
	F	48	4	3	4	12	16	9
Vascular lesions affecting central nervous system	M	37	1	3	8	12	13
	F	38	.	.	2	.	.	3	2	5	13	13
Diseases of the heart	M	135	1	4	7	21	43	59
	F	96	3	8	6	37	42
Other diseases of the circulatory system	M	18	2	3	1	1	9	2
	F	11	2	.	.	2	2	5
Diseases of the respiratory system	M	29	.	.	1	.	.	1	5	1	8	13
	F	27	4	.	.	1	.	1	2	3	6	10
Senility	M	54	11	43
	F	52	5	47
Other diseases	M	67	27	1	1	1	3	2	3	10	11	8
	F	62	22	1	.	.	1	3	3	4	16	12
Accidents and other external causes	M	16	.	.	2	3	3	1	.	2	2	3
	F	8	.	.	1	.	.	2	.	.	3	2
All causes	M	433	29	2	4	6	12	13	33	58	122	154
	F	357	26	2	4	2	9	18	21	34	101	140
POPULATION	M	34,886	793	3,168	6,876	5,339	4,970	4,279	3,494	2,703	2,259	1,005
	F	33,885	726	3,020	6,094	5,081	5,017	4,239	3,492	2,825	2,266	1,125

TABLE 22 (contd.) - DEATHS IN 1954 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
COUNTY MEATH												
Tuberculosis of respiratory system	M	9	2	2	2	3	.	.
	F	3	1	2
Tuberculosis, other forms	M	1	1
	F	3	1	1	1
Other infective and parasitic diseases	M	1	.	1
	F	1	.	1
Malignant neoplasms	M	69	7	3	15	28	16
	F	44	1	4	2	9	16	12
Vascular lesions affecting central nervous system	M	44	.	.	.	1	.	2	1	2	22	16
	F	55	1	.	3	7	18	26
Diseases of the heart	M	178	.	.	.	1	1	5	9	22	58	82
	F	106	2	6	5	27	66
Other diseases of the circulatory system	M	27	.	.	1	.	.	.	2	4	10	10
	F	26	1	.	1	6	11	7
Diseases of the respiratory system	M	29	6	1	1	8	13
	F	25	4	3	1	6	11
Senility	M	18	1	17
	F	21	2	1	18
Other diseases	M	83	21	4	2	.	3	4	1	10	15	23
	F	53	16	.	.	.	2	2	2	7	14	10
Accidents and other external causes	M	19	1	.	1	2	5	1	2	2	3	2
	F	5	1	1	3
All causes	M	478	28	5	4	4	12	21	21	59	145	179
	F	342	22	6	1	.	6	10	14	37	93	153
POPULATION	M	34,980	806	3,032	6,440	5,071	4,552	4,539	3,833	3,070	2,550	1,087
	F	31,357	729	2,928	6,249	4,241	4,098	3,854	3,308	2,683	2,200	1,067
COUNTY OFFALY												
Tuberculosis of respiratory system	M	6	3	.	1	.	2	.
	F	8	.	1	.	.	3	1	1	2	.	.
Tuberculosis, other forms	M	1	1
	F	2	1	.	.	1
Other infective and parasitic diseases	M	4	1	2	1	.	.	.
	F
Malignant neoplasms	M	54	.	1	.	1	1	1	6	6	18	20
	F	33	.	.	.	1	.	2	3	7	7	13
Vascular lesions affecting central nervous system	M	20	2	.	1	5	4	8
	F	29	1	2	4	10	12
Diseases of the heart	M	111	.	.	.	1	.	1	7	15	37	50
	F	66	.	.	.	1	.	.	3	10	22	30
Other diseases of the circulatory system	M	8	1	.	2	5
	F	8	2	2	4
Diseases of the respiratory system	M	17	4	.	.	.	1	1	.	.	3	8
	F	11	1	1	2	7
Senility	M	37	2	35
	F	45	2	43
Other diseases	M	81	32	2	.	.	1	5	8	5	16	12
	F	45	16	2	.	.	1	5	4	3	7	7
Accidents and other external causes	M	9	1	.	1	.	1	.	.	2	1	3
	F	10	1	1	1	.	1	.	.	1	1	4
All causes	M	348	38	3	1	2	9	11	25	33	85	141
	F	257	19	5	1	3	5	9	13	29	53	120
POPULATION	M	28,306	598	2,324	4,937	4,445	4,041	3,483	3,109	2,471	1,983	915
	F	24,238	559	2,354	4,701	3,272	3,260	2,813	2,569	2,087	1,713	910

TABLE 22 (contd.) - DEATHS IN 1954 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
COUNTY WESTMEATH												
Tuberculosis of respiratory system	M	8	.	.	.	1	3	.	1	1	2	.
	F	6	3	.	1	1	1	.
Tuberculosis, other forms	M	3	2	1
	F	2	.	1	1
Other infective and parasitic diseases	M	4	2	2	.	.	.
	F	3	.	2	1
Malignant neoplasms	M	36	2	2	2	7	16	7
	F	36	.	.	1	.	.	2	6	4	8	15
Vascular lesions affecting central nervous system	M	36	1	2	2	5	13	13
	F	35	3	4	11	17
Diseases of the heart	M	123	1	1	8	11	47	55
	F	90	2	2	3	12	21	50
Other diseases of the circulatory system	M	26	.	.	.	1	.	.	2	3	3	17
	F	16	1	.	.	1	3	11
Diseases of the respiratory system	M	20	4	1	2	3	3	7
	F	16	5	2	1	1	7
Senility	M	14	14
	F	23	3	20
Other diseases	M	85	24	2	2	1	.	1	8	5	12	30
	F	62	9	2	1	2	2	2	3	8	15	18
Accidents and other external causes	M	14	2	4	1	.	.	1	.	2	1	3
	F	14	.	.	1	3
All causes	M	369	34	7	3	3	7	8	27	37	97	146
	F	293	14	7	5	2	8	6	16	31	63	141
POPULATION	M	28,737	640	2,420	4,960	4,304	3,773	3,509	3,309	2,650	2,178	994
	F	25,726	641	2,331	4,800	3,578	3,374	2,952	2,821	2,361	1,929	939
COUNTY WEXFORD												
Tuberculosis of respiratory system	M	20	.	.	1	1	5	5	4	3	1	.
	F	8	.	.	.	1	1	3	1	2	.	.
Tuberculosis, other forms	M	6	.	2	.	1	.	1	.	1	1	.
	F	4	2	.	1	1	.	.
Other infective and parasitic diseases	M	2	.	2
	F	5	1	3	1	.
Malignant neoplasms	M	94	.	1	.	.	1	4	13	20	38	17
	F	64	6	9	15	21	13
Vascular lesions affecting central nervous system	M	61	1	3	13	19	25
	F	72	.	.	2	.	.	2	6	6	33	23
Diseases of the heart	M	212	1	.	.	.	2	3	17	23	60	106
	F	162	.	.	1	1	.	5	7	17	49	82
Other diseases of the circulatory system	M	51	2	4	12	33
	F	47	3	3	3	8	30
Diseases of the respiratory system	M	36	5	2	1	.	.	.	1	2	9	16
	F	29	2	2	1	2	9	13
Senility	M	26	26
	F	34	3	31
Other diseases	M	98	36	3	4	4	5	4	2	5	14	21
	F	69	22	2	.	1	5	3	5	4	9	18
Accidents and other external causes	M	14	1	2	1	2	1	4	1	1	.	1
	F	13	2	.	.	2	.	.	2	.	3	4
All causes	M	620	43	12	7	8	14	22	43	72	154	245
	F	507	29	7	5	5	6	22	33	50	136	214
POPULATION	M	45,945	1,011	3,988	8,973	6,448	5,379	5,770	5,225	3,984	3,556	1,611
	F	44,087	958	3,956	8,635	5,546	5,387	5,631	4,949	3,862	3,360	1,803

TABLE 22 (contd.) - DEATHS IN 1954 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
COUNTY WICKLOW												
Tuberculosis of respiratory system	M	9	.	.	.	1	1	1	3	1	1	1
	F	4	1	1	1	1	.
Tuberculosis, other forms	M	4	.	1	.	1	1	.	.	1	.	.
	F	1	.	1
Other infective and parasitic diseases	M	2	1	.	.	.	1
	F	1	1
Malignant neoplasms	M	39	1	3	7	7	9	12
	F	36	3	6	7	12	8
Vascular lesions affecting central nervous system	M	53	.	.	1	.	.	2	4	5	16	25
	F	52	1	.	1	6	17	27
Diseases of the heart	M	120	.	.	.	1	.	6	5	25	34	49
	F	111	2	2	3	10	41	53
Other diseases of the circulatory system	M	22	.	.	.	1	.	.	1	4	9	7
	F	26	.	.	.	1	2	.	2	3	8	10
Diseases of the respiratory system	M	36	2	1	6	9	18
	F	30	5	2	1	10	12
Senility	M	8	8
	F	16	1	15
Other diseases	M	73	30	1	1	.	1	5	5	3	12	15
	F	66	13	1	.	1	3	4	5	8	13	18
Accidents and other external causes	M	16	.	1	.	2	.	5	1	3	2	2
	F	2	1	1	.
All causes	M	382	33	3	2	6	5	22	27	55	92	137
	F	345	18	2	.	2	9	10	20	37	104	143
POPULATION	M	31,587	728	2,877	6,046	4,863	4,024	3,934	3,563	2,552	2,084	916
	F	31,003	644	2,717	5,796	4,468	4,201	3,922	3,422	2,638	2,038	1,157
COUNTY CLARE												
Tuberculosis of respiratory system	M	11	.	.	.	2	3	3	2	1	.	.
	F	5	1	2	1	.	1
Tuberculosis, other forms	M	10	.	2	2	3	1	1	.	.	1	.
	F	7	.	2	2	1	1	1
Other infective and parasitic diseases	M	1	.	.	1
	F	1	1
Malignant neoplasms	M	71	.	1	1	2	1	3	9	9	33	12
	F	58	1	.	.	.	2	3	8	12	23	9
Vascular lesions affecting central nervous system	M	42	.	.	.	1	.	.	2	4	21	14
	F	39	1	1	3	4	17	13
Diseases of the heart	M	184	.	.	.	1	.	2	10	16	62	93
	F	134	.	.	.	1	.	1	3	12	30	87
Other diseases of the circulatory system	M	18	1	.	1	6	10
	F	17	3	6	8
Diseases of the respiratory system	M	36	3	.	.	1	.	1	2	7	9	13
	F	47	4	1	.	.	.	1	4	7	4	26
Senility	M	85	6	79
	F	80	7	73
Other diseases	M	123	40	4	1	3	4	4	12	10	17	28
	F	86	14	5	1	2	4	7	5	13	21	14
Accidents and other external causes	M	15	1	1	2	.	5	1	1	2	2	.
	F	5	1	1	1	.	1	1
All causes	M	596	44	8	7	13	14	16	38	50	157	249
	F	479	20	8	3	4	8	16	26	52	109	233
POPULATION	M	43,473	850	3,384	7,236	5,992	5,328	5,827	5,141	4,129	3,600	1,986
	F	37,856	803	3,208	6,990	4,592	4,523	4,738	4,303	3,561	3,214	1,924

TABLE 22 (contd.) - DEATHS IN 1954 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
CORK COUNTY BOROUGH												
Tuberculosis of respiratory system	M	19	.	.	.	2	1	2	5	6	3	.
	F	9	.	.	1	.	.	1	2	1	4	.
Tuberculosis, other forms	M	4	.	1	.	.	1	.	1	1	.	.
	F	2	.	.	1	.	.	.	1	.	.	.
Other infective and parasitic diseases	M	2	.	.	.	1	1	1
	F	4	.	2	1	.	.	1
Malignant neoplasms	M	67	.	1	1	.	.	1	10	18	23	13
	F	72	.	.	1	.	.	3	9	22	22	15
Vascular lesions affecting central nervous system	M	34	1	2	4	9	13	5
	F	48	.	.	1	1	.	2	4	7	17	16
Diseases of the heart	M	147	1	5	14	28	54	45
	F	157	.	.	.	1	2	2	7	14	44	87
Other diseases of the circulatory system	M	29	1	4	9	15
	F	33	2	2	6	12	11
Diseases of the respiratory system	M	53	1	3	.	1	.	1	5	14	15	13
	F	25	.	2	.	1	.	2	1	7	7	5
Senility	M	9	4	5
	F	9	9
Other diseases	M	75	20	1	7	12	19	16
	F	75	13	.	1	4	2	5	8	17	15	10
Accidents and other external causes	M	12	.	.	1	1	1	1	1	3	1	3
	F	11	.	1	1	1	.	.	1	1	2	4
All causes	M	451	22	6	2	5	5	12	48	95	141	115
	F	445	13	5	6	8	4	17	36	75	123	158
POPULATION	M	34,715	817	3,021	6,700	5,929	4,796	4,263	3,737	2,599	2,008	845
	F	39,852	792	2,970	6,473	6,514	5,759	5,269	4,448	3,539	2,787	1,301
COUNTY CORK												
Tuberculosis of respiratory system	M	43	.	.	.	1	6	12	8	9	6	1
	F	30	.	.	.	1	5	8	4	8	4	.
Tuberculosis, other forms	M	8	2	1	1	.	3	.	1	.	.	.
	F	7	.	2	1	.	.	2	1	1	.	.
Other infective and parasitic diseases	M	10	1	.	2	1	.	1	.	.	4	1
	F	10	3	1	.	1	.	1	.	1	.	3
Malignant neoplasms	M	271	.	4	2	2	3	9	25	52	91	83
	F	223	.	1	.	1	6	7	34	48	68	58
Vascular lesions affecting central nervous system	M	163	.	.	.	1	.	2	6	25	62	67
	F	193	3	7	27	66	90
Diseases of the heart	M	600	.	.	.	2	3	14	49	69	175	288
	F	520	9	25	55	139	292
Other diseases of the circulatory system	M	65	.	.	.	1	.	1	2	9	13	39
	F	94	3	2	14	29	46
Diseases of the respiratory system	M	121	17	2	2	2	2	2	6	11	33	44
	F	100	7	6	.	.	1	2	3	15	25	41
Senility	M	144	10	134
	F	162	10	152
Other diseases	M	353	91	7	2	1	4	21	33	29	78	87
	F	254	65	5	3	4	9	18	18	30	57	45
Accidents and other external causes	M	79	5	4	6	1	13	10	9	9	11	11
	F	21	.	3	1	.	.	1	2	1	2	11
All causes	M	1,857	116	18	15	12	34	72	139	213	483	755
	F	1,614	75	18	5	7	21	54	96	200	400	738
POPULATION	M	136,150	2,705	10,795	22,842	19,488	17,550	18,640	15,910	12,567	10,301	5,352
	F	130,567	2,622	10,157	22,077	17,374	17,073	17,570	15,242	12,144	10,572	5,736

TABLE 22 (contd.) - DEATHS IN 1954 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
COUNTY KERRY												
Tuberculosis of respiratory system	M	23	.	.	.	1	1	2	6	7	5	1
	F	10	.	.	1	.	.	3	3	.	3	.
Tuberculosis, other forms	M	2	.	1	1
	F	1	.	1
Other infective and parasitic diseases	M	10	3	1	.	.	.	2	1	2	1	.
	F	3	.	.	1	.	.	.	1	.	1	.
Malignant neoplasms	M	79	.	1	1	.	.	3	3	17	35	19
	F	83	1	3	.	.	1	7	11	20	24	16
Vascular lesions affecting central nervous system	M	52	1	.	1	7	20	23
	F	78	1	1	8	10	19	39
Diseases of the heart	M	223	.	.	.	1	.	6	7	32	74	103
	F	165	.	.	.	1	2	5	4	16	55	82
Other diseases of the circulatory system	M	55	1	1	6	14	33
	F	50	.	.	.	1	.	.	2	5	19	23
Diseases of the respiratory system	M	58	10	1	1	.	.	1	2	3	14	26
	F	61	7	.	.	.	1	.	.	.	12	41
Senility	M	132	7	125
	F	134	10	124
Other diseases	M	179	40	2	2	2	.	8	13	30	31	51
	F	132	32	5	3	2	2	9	11	13	28	27
Accidents and other external causes	M	18	.	1	.	2	1	2	4	1	2	5
	F	20	1	1	3	1	1	.	1	.	1	11
All causes	M	831	59	7	5	6	3	25	38	105	203	386
	F	737	41	10	8	5	8	25	41	64	172	363
POPULATION	M	66,507	1,249	5,196	11,906	9,162	8,102	9,618	7,278	6,039	5,148	2,809
	F	60,137	1,247	4,943	11,175	7,643	7,069	8,020	6,709	5,462	4,959	2,910
LIMERICK COUNTY BOROUGH												
Tuberculosis of respiratory system	M	18	.	1	.	.	1	2	3	8	3	.
	F	16	.	1	1	4	2	1	1	.	5	1
Tuberculosis, other forms	M
	F	3	.	2	1	.	.
Other infective and parasitic diseases	M	1	1	.	.
	F	1	1
Malignant neoplasms	M	39	1	1	5	11	15	6
	F	30	1	2	4	11	7	5
Vascular lesions affecting central nervous system	M	17	4	2	5	6
	F	27	1	.	2	1	11	12
Diseases of the heart	M	86	3	2	3	13	26	39
	F	93	.	.	.	1	1	1	5	15	33	37
Other diseases of the circulatory system	M	5	1	3	1
	F	3	1	2	.
Diseases of the respiratory system	M	41	7	5	1	.	.	1	3	10	5	9
	F	30	7	2	.	.	.	1	1	5	2	12
Senility	M	8	1	7
	F	16	1	15
Other diseases	M	68	31	2	2	2	2	.	5	6	12	6
	F	60	25	1	2	2	1	3	4	6	8	8
Accidents and other external causes	M	4	.	1	.	1	2
	F	2	.	2
All causes	M	287	38	9	3	3	9	6	23	52	70	74
	F	281	33	8	3	7	6	8	17	40	69	90
POPULATION	M	24,103	677	2,340	5,009	3,891	3,216	3,021	2,651	1,694	1,148	456
	F	26,717	615	2,292	5,144	4,545	3,833	3,447	2,784	1,885	1,490	682

TABLE 22 (contd.) - DEATHS IN 1954 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
COUNTY LIMERICK												
Tuberculosis of respiratory system	M	7	2	.	2	2	1	.
	F	9	.	.	1	2	2	.	2	1	1	.
Tuberculosis, other forms	M	2	.	.	.	1	1
	F	3	1	1	1
Other infective and parasitic diseases	M	6	.	.	2	.	.	.	1	2	.	1
	F	2	.	1	1	.
Malignant neoplasms	M	67	.	.	1	1	2	2	3	13	19	26
	F	56	.	.	.	1	1	1	8	13	18	14
Vascular lesions affecting central nervous system	M	43	.	.	1	.	1	3	4	3	15	16
	F	56	1	.	5	7	17	26
Diseases of the heart	M	184	1	.	.	1	1	3	13	28	55	82
	F	150	.	.	.	1	4	.	9	11	56	69
Other diseases of the circulatory system	M	21	.	.	.	1	1	2	.	4	7	6
	F	22	.	.	.	1	1	2	1	2	8	7
Diseases of the respiratory system	M	60	9	2	8	14	27
	F	37	8	1	1	2	8	17
Senility	M	60	7	53
	F	70	4	66
Other diseases	M	151	49	.	5	3	1	4	8	14	26	41
	F	103	22	1	4	.	8	6	4	11	27	20
Accidents and other external causes	M	19	1	1	2	2	1	3	2	2	2	3
	F	10	2	.	.	1	1	.	.	1	.	5
All causes	M	620	60	1	11	9	10	17	35	76	146	255
	F	518	33	4	6	6	18	9	30	48	140	224
POPULATION	M	47,588	948	4,137	8,979	6,804	5,836	6,259	5,090	4,177	3,532	1,826
	F	42,831	953	3,962	8,541	5,273	5,287	5,523	4,564	3,721	3,208	1,799
COUNTY TIPPERARY, N.R.												
Tuberculosis of respiratory system	M	6	1	3	1	.	1	.
	F	5	1	.	2	1	.	1
Tuberculosis, other forms	M	1	.	.	1	.	.	.	1	.	.	1
	F	5	.	1	.	.	2	.	1	.	.	1
Other infective and parasitic diseases	M	5	1	2	1	.	1	.
	F	3	.	.	1	1	1	.
Malignant neoplasms	M	59	1	4	6	11	23	14
	F	39	.	.	1	.	.	1	6	10	11	10
Vascular lesions affecting central nervous system	M	37	1	1	1	12	23
	F	41	1	3	9	11	17
Diseases of the heart	M	128	.	.	1	2	1	4	9	15	51	45
	F	78	2	1	1	19	30	25
Other diseases of the circulatory system	M	16	3	4	2	7
	F	9	2	5	2
Diseases of the respiratory system	M	33	4	1	1	.	.	1	2	4	8	12
	F	20	3	2	1	2	3	9
Senility	M	58	1	5	52
	F	59	1	5	53
Other diseases	M	74	15	4	2	1	4	2	5	6	16	19
	F	69	16	5	1	2	2	.	5	7	17	14
Accidents and other external causes	M	9	.	2	1	.	3	.	.	2	1	.
	F	10	.	1	1	3	5
All causes	M	426	20	7	6	3	10	16	28	44	120	172
	F	338	19	9	3	2	7	3	19	53	86	137
POPULATION	M	29,989	618	2,548	5,036	4,292	3,932	3,793	3,605	2,799	2,320	1,046
	F	27,020	604	2,287	4,947	3,761	3,496	3,424	2,958	2,431	2,041	1,071

TABLE 22 (contd.) - DEATHS IN 1954 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
COUNTY TIPPERARY, S.R.												
Tuberculosis of respiratory system	M	10	1	2	4	2	1	.
	F	9	.	.	.	1	1	2	2	1	2	.
Tuberculosis, other forms	M	4	.	.	1	.	.	1	2	.	.	.
	F	2	.	1	.	.	.	1
Other infective and parasitic diseases	M	4	1	.	1	.	.	1	.	.	1	.
	F	4	2	.	1	1
Malignant neoplasms	M	69	2	3	5	18	21	20
	F	69	.	.	1	.	.	1	10	15	27	15
Vascular lesions affecting central nervous system	M	40	4	8	13	15
	F	55	1	1	.	.	1	.	3	13	16	20
Diseases of the heart	M	180	.	.	.	2	.	4	11	31	55	77
	F	139	.	.	.	1	2	3	5	15	49	64
Other diseases of the circulatory system	M	26	1	1	7	9	8
	F	24	.	.	.	1	.	1	2	2	7	11
Diseases of the respiratory system	M	33	3	1	.	.	.	2	2	3	10	12
	F	29	3	.	.	.	1	.	1	3	6	15
Senility	M	51	1	50
	F	54	2	52
Other diseases	M	107	36	3	3	1	1	5	6	13	20	19
	F	81	32	3	2	3	1	7	5	4	6	18
Accidents and other external causes	M	16	.	2	2	1	1	1	2	.	4	3
	F	5	1	.	.	1	3
All causes	M	540	40	6	7	4	5	20	37	82	135	204
	F	471	38	5	4	7	6	16	28	53	116	198
POPULATION	M	39,877	848	3,391	7,531	5,981	4,969	4,965	4,450	3,391	2,953	1,398
	F	36,427	883	3,433	6,944	4,692	4,577	4,469	4,078	3,202	2,721	1,428
WATERFORD COUNTY BOROUGH												
Tuberculosis of respiratory system	M	4	2	.	1	1	.
	F	2	.	.	.	1	.	1
Tuberculosis, other forms	M	2	.	1	.	.	.	1
	F
Other infective and parasitic diseases	M
	F
Malignant neoplasms	M	20	1	6	4	7	2
	F	27	1	2	2	4	10	8
Vascular lesions affecting central nervous system	M	4	1	1	2
	F	14	4	.	3	7
Diseases of the heart	M	46	.	1	.	1	1	2	5	6	16	14
	F	72	1	2	1	6	23	39
Other diseases of the circulatory system	M	6	.	.	.	1	.	1	.	1	1	2
	F	1	1
Diseases of the respiratory system	M	18	.	1	.	1	.	.	2	3	7	4
	F	6	2	1	.	2	1	.
Senility	M	4	4
	F	6	6
Other diseases	M	45	15	2	.	1	.	1	3	7	7	9
	F	32	7	1	1	1	2	5	2	2	3	8
Accidents and other external causes	M	8	.	.	1	.	.	2	1	2	.	2
	F	1	1
All causes	M	157	15	5	1	4	1	10	17	25	40	39
	F	161	9	1	1	2	4	11	9	14	40	70
POPULATION	M	13,485	286	1,221	2,810	2,351	1,638	1,588	1,428	1,016	788	359
	F	15,206	298	1,230	2,941	2,622	1,942	1,816	1,636	1,254	977	490

TABLE 22 (contd.) - DEATHS IN 1954 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
COUNTY WATERFORD												
Tuberculosis of respiratory system	M	7	1	1	3	1	.	1
	F	3	.	.	1	1	1	.
Tuberculosis, other forms	M	2	1	1	.	.
	F	2	1	.	1
Other infective and parasitic diseases	M	4	.	1	1	1	.	1
	F	5	2	1	2	.	.	.
Malignant neoplasms	M	47	2	3	6	21	15
	F	34	2	4	5	11	12
Vascular lesions affecting central nervous system	M	15	2	8	5
	F	31	3	10	18
Diseases of the heart	M	122	3	7	19	31	62
	F	88	5	5	14	22	46
Other diseases of the circulatory system	M	11	1	10
	F	21	2	2	6	11
Diseases of the respiratory system	M	22	2	1	1	2	4	12
	F	16	2	1	.	.	5	8
Senility	M	33	2	31
	F	24	3	21
Other diseases	M	77	21	.	1	2	.	.	7	9	22	15
	F	45	16	1	2	5	8	13
Accidents and other external causes	M	9	1	.	.	1	.	1	2	2	1	1
	F	5	2	3
All causes	M	349	24	2	1	3	1	7	25	43	90	153
	F	274	21	2	2	1	.	4	15	29	68	132
POPULATION	M	24,478	483	1,945	4,252	3,515	3,051	3,191	2,875	2,249	1,941	976
	F	21,892	427	1,800	3,905	2,690	2,795	2,835	2,640	2,101	1,738	961
COUNTY GALWAY												
Tuberculosis of respiratory system	M	19	.	.	.	3	1	3	3	8	1	.
	F	17	.	1	.	2	3	2	4	4	1	.
Tuberculosis, other forms	M	4	.	1	.	.	2	.	.	1	.	.
	F	4	.	1	.	.	2	1
Other infective and parasitic diseases	M	5	.	2	.	.	.	2	.	.	.	1
	F	2	.	1	1	.	.
Malignant neoplasms	M	132	.	1	.	2	2	6	12	23	46	40
	F	94	.	.	1	.	5	5	10	22	38	13
Vascular lesions affecting central nervous system	M	77	1	1	9	23	43
	F	86	1	3	12	26	44
Diseases of the heart	M	271	.	.	1	1	.	5	10	30	80	144
	F	231	.	1	.	2	1	5	10	18	57	137
Other diseases of the circulatory system	M	71	.	.	.	1	1	4	3	7	24	31
	F	32	.	.	1	.	1	2	1	4	9	14
Diseases of the respiratory system	M	67	13	2	1	.	.	.	4	5	9	33
	F	50	10	2	.	.	.	1	2	3	7	25
Senility	M	132	1	14	117
	F	133	10	123
Other diseases	M	205	66	6	1	3	2	7	8	20	38	54
	F	135	40	3	1	3	5	13	13	9	17	31
Accidents and other external causes	M	39	1	1	2	1	2	7	5	9	9	2
	F	14	3	.	1	.	.	1	.	2	1	6
All causes	M	1,022	80	13	5	11	10	35	46	113	244	465
	F	798	53	9	4	7	17	31	43	75	166	393
POPULATION	M	85,141	1,824	7,093	16,206	12,872	10,077	10,950	9,163	7,198	6,246	3,512
	F	75,063	1,678	6,560	15,238	10,602	9,121	9,191	7,952	5,997	5,434	3,290

TABLE 22 (contd.) - DEATHS IN 1954 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
COUNTY LEITRIM												
Tuberculosis of respiratory system	M	6	1	2	2	1	.	.
	F	2	1	.	1	.	.	.
Tuberculosis, other forms	M	1	.	.	.	1
	F	1	.	.	.	1
Other infective and parasitic diseases	M	2	.	1	.	.	1
	F	1	1
Malignant neoplasms	M	32	.	.	.	1	.	1	1	8	14	7
	F	21	1	2	4	2	8	4
Vascular lesions affecting central nervous system	M	24	3	2	7	12
	F	22	1	4	9	8
Diseases of the heart	M	113	8	12	33	60
	F	69	2	2	6	13	46
Other diseases of the circulatory system	M	9	1	2	6
	F	8	1	5	2
Diseases of the respiratory system	M	30	5	.	.	1	.	2	1	2	8	11
	F	10	1	.	1	.	.	.	2	1	2	3
Senility	M	54	5	49
	F	46	3	43
Other diseases	M	65	10	2	.	2	3	3	4	4	17	20
	F	49	6	.	.	1	2	1	2	7	13	17
Accidents and other external causes	M	8	1	4	1	1	1
	F	11	.	1	1	2	7
All causes	M	344	15	3	.	5	5	9	23	31	87	166
	F	240	8	1	2	2	4	5	12	21	55	130
POPULATION	M	22,374	377	1,471	3,659	3,018	2,704	3,115	2,672	2,260	1,926	1,172
	F	18,835	347	1,486	3,442	2,289	2,115	2,325	2,221	1,898	1,686	1,026
COUNTY MAYO												
Tuberculosis of respiratory system	M	17	.	.	1	1	1	1	4	1	8	.
	F	8	2	2	1	.	3	.
Tuberculosis, other forms	M	3	2	1	.	.	.
	F	3	.	.	2	1	.	.
Other infective and parasitic diseases	M	6	3	.	.	2	1
	F	2	2
Malignant neoplasms	M	104	.	.	1	.	1	2	8	16	32	44
	F	86	.	.	.	1	.	6	13	25	19	22
Vascular lesions affecting central nervous system	M	60	1	.	.	.	1	3	3	8	16	28
	F	77	.	.	.	1	.	3	4	6	26	37
Diseases of the heart	M	284	.	.	1	1	1	2	15	35	73	156
	F	177	.	.	.	1	3	3	5	24	49	92
Other diseases of the circulatory system	M	39	3	.	6	11	19
	F	45	.	1	1	.	.	1	1	2	16	23
Diseases of the respiratory system	M	60	6	3	.	.	1	.	4	5	13	28
	F	60	5	2	1	1	.	2	3	4	14	28
Senility	M	186	13	173
	F	184	15	169
Other diseases	M	174	35	5	.	3	7	8	10	18	30	58
	F	143	32	2	6	4	6	8	8	12	28	37
Accidents and other external causes	M	22	.	1	.	1	1	2	4	5	2	6
	F	21	.	1	1	.	.	.	2	.	3	14
All causes	M	955	45	9	3	8	14	23	49	94	198	512
	F	806	37	6	11	8	11	25	37	74	173	424
POPULATION	M	73,345	1,562	6,073	13,405	10,413	7,995	9,859	7,613	6,487	6,050	3,888
	F	68,522	1,465	5,703	13,163	9,076	7,814	8,168	7,092	6,066	6,013	3,962

TABLE 22 (contd.) - DEATHS IN 1954 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
COUNTY ROSCOMMON												
Tuberculosis of respiratory system	M	9	.	.	.	1	1	.	4	2	1	.
	F	8	1	.	.	.	2	1	2	1	1	.
Tuberculosis, other forms	M	1	1
	F	3	1	1	1	.	.	.
Other infective and parasitic diseases	M	2	.	.	1	.	.	1
	F	1	1	.
Malignant neoplasms	M	62	.	1	.	1	.	2	2	16	24	16
	F	45	.	1	.	1	2	3	8	8	10	12
Vascular lesions affecting central nervous system	M	28	1	4	9	14
	F	30	1	2	4	13	10
Diseases of the heart	M	192	.	.	.	1	1	3	4	16	61	106
	F	129	1	2	2	9	35	80
Other diseases of the circulatory system	M	23	.	.	.	1	.	.	1	4	6	11
	F	25	1	2	12	10
Diseases of the respiratory system	M	7	2	3	2
	F	20	3	.	.	.	1	.	2	2	8	4
Senility	M	96	7	89
	F	93	8	85
Other diseases	M	98	18	3	3	.	1	4	8	9	19	33
	F	76	11	2	.	1	3	4	4	11	16	24
Accidents and other external causes	M	13	.	1	.	2	.	1	3	4	.	2
	F	9	.	.	.	2	1	.	.	2	1	3
All causes	M	531	20	5	4	5	3	12	23	55	130	273
	F	439	16	3	.	4	10	12	22	39	105	228
POPULATION	M	36,626	665	2,544	5,813	5,275	4,414	4,985	4,172	3,578	3,308	1,872
	F	31,476	585	2,429	5,676	4,115	3,733	3,798	3,544	3,005	2,771	1,820
COUNTY SLIGO												
Tuberculosis of respiratory system	M	7	.	.	.	1	2	.	1	2	1	.
	F	7	2	1	.	1	3	.
Tuberculosis, other forms	M	2	.	.	1	1	.	.
	F	4	.	.	1	1	.	.	1	1	.	.
Other infective and parasitic diseases	M	6	1	.	2	.	1	.	2	.	.	.
	F	1	.	1
Malignant neoplasms	M	48	.	1	.	.	.	1	4	9	22	11
	F	45	1	9	15	13	7
Vascular lesions affecting central nervous system	M	40	2	4	9	25
	F	31	1	8	10	12
Diseases of the heart	M	128	1	8	12	33	74
	F	94	1	6	4	27	56
Other diseases of the circulatory system	M	26	.	.	.	1	1	.	1	3	4	16
	F	22	1	1	3	9	8
Diseases of the respiratory system	M	32	5	1	.	.	1	1	3	1	7	13
	F	22	4	1	1	.	.	1	1	1	4	9
Senility	M	84	4	80
	F	77	7	70
Other diseases	M	79	18	3	1	1	3	3	5	8	22	15
	F	75	10	3	.	.	2	2	4	9	26	19
Accidents and other external causes	M	13	.	.	.	3	.	1	4	3	1	1
	F	12	2	1	1	1	7
All causes	M	465	24	5	4	6	8	7	30	43	103	235
	F	390	16	6	2	1	4	7	23	43	100	188
POPULATION	M	31,469	620	2,451	5,233	4,321	3,765	4,423	3,700	2,858	2,576	1,522
	F	29,044	631	2,301	5,180	3,715	3,612	3,726	3,228	2,610	2,580	1,461

TABLE 22 (contd.) - DEATHS IN 1954 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
COUNTY CAVAN												
Tuberculosis of respiratory system	M	9	1	2	2	2	1	1
	F	3	1	2	.
Tuberculosis, other forms	M	3	.	1	.	1	.	.	1	.	.	.
	F	4	1	.	2	.	.	1
Other infective and parasitic diseases	M	6	3	1	1	1	.	.
	F	8	2	1	1	.	3	1
Malignant neoplasms	M	74	.	.	.	2	1	3	7	20	27	14
	F	49	1	2	10	10	10	16
Vascular lesions affecting central nervous system	M	41	3	9	17	12
	F	44	.	.	.	1	.	1	3	9	12	18
Diseases of the heart	M	178	2	1	13	26	66	70
	F	121	6	3	3	15	30	64
Other diseases of the circulatory system	M	33	1	2	4	10	16
	F	28	1	4	3	10	10
Diseases of the respiratory system	M	24	4	2	1	2	6	9
	F	26	4	2	1	1	.	.	.	3	6	9
Senility	M	82	5	77
	F	60	3	57
Other diseases	M	82	14	2	3	.	2	7	3	12	23	16
	F	60	14	2	2	1	4	2	1	10	11	13
Accidents and other external causes	M	15	1	2	3	1	3	5
	F	6	.	.	.	1	.	.	1	1	2	1
All causes	M	547	24	5	3	3	4	17	36	77	158	220
	F	409	21	5	5	4	11	10	23	52	89	189
COUNTY DONEGAL												
Tuberculosis of respiratory system	M	24	.	.	.	4	2	7	2	3	4	2
	F	13	.	.	1	.	1	2	3	4	1	1
Tuberculosis, other forms	M	4	1	.	.	1	.	1	1	.	.	.
	F	2	.	.	.	1	1
Other infective and parasitic diseases	M	6	1	.	2	1	.	1	1	.	.	.
	F	3	1	1	1	.	.
Malignant neoplasms	M	80	.	.	1	.	2	2	5	16	31	23
	F	92	.	1	1	2	1	3	7	13	39	25
Vascular lesions affecting central nervous system	M	97	4	5	11	32	45
	F	87	1	.	5	13	25	43
Diseases of the heart	M	285	.	.	2	.	2	8	16	37	88	132
	F	215	1	5	8	16	49	136
Other diseases of the circulatory system	M	39	1	.	.	4	11	23
	F	41	.	.	.	1	.	.	1	2	14	23
Diseases of the respiratory system	M	57	6	1	1	1	.	1	2	6	18	21
	F	58	13	2	1	.	.	.	5	5	15	17
Senility	M	132	11	121
	F	143	15	128
Other diseases	M	194	38	10	6	1	4	8	6	23	41	57
	F	130	30	.	5	3	6	7	8	13	21	37
Accidents and other external causes	M	31	.	2	.	1	1	4	6	7	6	4
	F	13	.	.	2	5	6
All causes	M	949	46	13	12	9	12	36	44	107	242	428
	F	797	44	4	10	7	11	17	37	67	184	416
COUNTY DONEGAL												
POPULATION	M	67,964	1,463	5,776	12,727	9,266	8,073	9,086	7,262	5,827	5,394	3,090
	F	63,566	1,369	5,475	12,169	8,396	7,645	7,962	6,669	5,498	5,210	3,173

TABLE 22 (contd.) - DEATHS IN 1954 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
COUNTY MONAGHAN												
Tuberculosis of respiratory system	M	3	1	1	.	.	1
	F	3	1	.	2	.	.
Tuberculosis, other forms	M	2	1	.	.	1	.	.
	F	4	1	.	.
Other infective and parasitic diseases	M	3	.	1	.	.	2	1
	F	1
Malignant neoplasms	M	35	.	.	.	2	1	1	6	9	10	6
	F	32	.	.	1	.	2	3	4	4	9	9
Vascular lesions affecting central nervous system	M	29	1	.	2	15	11
	F	36	1	3	6	12	14
Diseases of the heart	M	110	2	2	3	14	38	51
	F	80	4	4	29	43
Other diseases of the circulatory system	M	17	2	5	4	6
	F	24	3	3	11	7
Diseases of the respiratory system	M	23	2	2	3	1	9	6
	F	15	1	1	4	9
Senility	M	31	1	30
	F	42	2	40
Other diseases	M	93	25	5	.	1	3	3	5	8	17	26
	F	76	21	3	.	.	1	4	5	4	15	23
Accidents and other external causes	M	7	.	.	.	1	1	.	1	3	.	1
	F	3	1	2
All causes	M	351	27	7	.	4	9	9	21	42	94	138
	F	316	22	5	1	2	4	9	19	24	83	147
POPULATION	M	29,118	550	2,197	4,934	4,411	4,046	3,879	3,314	2,456	2,242	1,089
	F	26,227	534	2,128	4,852	3,794	3,281	3,285	2,999	2,300	2,010	1,044

TABLE 23 - DEATHS IN 1954, CLASSIFIED BY CAUSE AND BY SEX FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE AND SHOWING THE NUMBER OF DEATHS AT AGES UNDER 1 YEAR, 1-64 YEARS, 65 YEARS AND OVER AND THE NUMBER OF BIRTHS AND THE POPULATION

Note - For detailed International List Numbers of causes in each code number see page 66.

Code Number	Causes of Death		Total Aggregate U.D's	Total Aggregate R.D's	Aggregate U.D's Leinster	Aggregate R.D's Leinster	Aggregate U.D's Munster	Aggregate R.D's Munster	Aggregate U.D's Connacht	Aggregate R.D's Connacht	Aggregate U.D's Ulster (part of)	Aggregate R.D's Ulster (part of)
1	Tuberculosis of respiratory system	M	238	258	168	86	58	90	8	50	4	32
		F	120	181	78	64	35	63	5	37	2	17
2	Tuberculosis, other forms	M	34	68	20	29	13	22		11	1	6
		F	35	71	22	27	11	21	1	14	1	9
3	Diphtheria	M	2	.	2							
		F	3	.	3							
4	Whooping cough	M	5	9	2	4	2	2	1	1		2
		F	4	15		4	2	6		3	2	2
5	Meningococcal infections	M	6	7	4	3	1	1	1	3		
		F	2	6	1		1	5				1
6	Acute poliomyelitis	M	1	11	1	2		4		3		2
		F	.	2		2						
7	Measles	M	9	8	7	2		5	2			1
		F	8	8	6	4	2	3				1
8	Other infective and parasitic diseases	M	21	57	16	14	4	24		10	1	9
		F	9	31	7	9	2	12		4		6
9	Malignant neoplasm of stomach	M	138	387	84	123	42	135	7	86	5	43
		F	137	273	93	105	29	101	10	37	5	30
10	Malignant neoplasm of small and large intestine including duodenum	M	78	192	53	61	22	71	1	40	2	20
		F	99	179	67	56	24	63	6	34	2	26
11	Malignant neoplasm of rectum	M	65	122	39	38	25	46		23	1	15
		F	31	48	19	18	10	21	1	6	1	3
12	Other malignant neoplasms of digestive organs and peritoneum	M	107	177	64	49	36	72	3	42	4	14
		F	97	151	66	53	23	55	7	29	1	14
13	Malignant neoplasm of trachea, bronchus and lung	M	208	108	166	50	34	32	4	15	4	11
		F	55	51	44	15	11	20		11		5
14	Other malignant neoplasms of respiratory system	M	27	42	18	14	7	15	2	11		2
		F	13	19	9	6	4	7		3		3
15	Malignant neoplasm of breast	M	5	2	3		2	1				1
		F	147	208	98	62	38	76	7	43	4	27
16	Malignant neoplasm of uterus	F	50	94	32	27	16	35	1	17	1	15
17	Other malignant neoplasms of genito-urinary system	M	88	192	65	54	18	65	5	46		27
		F	69	76	43	19	23	30	3	15		12
18	Other malignant neoplasms	M	108	298	71	97	30	101	4	71	3	29
		F	84	162	58	55	22	50	2	39	2	18
19	Hodgkin's disease and leukaemia and aleukaemia	M	29	67	24	20	3	28	2	13		6
		F	29	46	17	11	8	21	3	11	1	3
20	Other neoplasms of lymphatic and haematopoietic tissues	M	11	7	6	3	3	1	1	2	1	1
		F	7	11	6	2		4	1	5		
21	Diabetes	M	18	71	11	15	6	23		21	1	12
		F	36	75	25	19	6	23	3	20	2	13
22	Cerebral haemorrhage	M	211	509	142	181	56	161	6	98	7	69
		F	321	618	218	215	88	225	10	104	5	74
23	Other vascular lesions affecting the central nervous system	M	297	565	214	202	63	167	9	116	11	80
		F	367	600	279	199	70	199	11	121	7	81
24	Other diseases of nervous system and sense organs	M	98	285	68	85	16	97	7	69	7	34
		F	102	236	68	62	28	82	4	56	2	36
25	Chronic rheumatic heart disease	M	53	147	36	49	15	48		32	2	18
		F	87	117	60	41	23	40	3	25	1	11
26	Arteriosclerotic and degenerative heart disease	M	1,435	3,607	943	1,176	395	1,192	67	802	30	437
		F	1,305	2,506	824	761	399	913	54	524	28	308
27	Other diseases of the heart	M	220	505	147	155	62	188	6	81	5	81
		F	259	389	160	105	83	138	10	84	6	62

TABLE 23 (contd.) - DEATHS IN 1954, CLASSIFIED BY CAUSE AND BY SEX FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE AND SHOWING THE NUMBER OF DEATHS AT AGES UNDER 1 YEAR, 1-64 YEARS, 65 YEARS AND OVER AND THE NUMBER OF BIRTHS AND THE POPULATION

Code Number	Causes of Death		Total Aggregate U.D.'s	Total Aggregate R.D.'s	Aggregate U.D.'s Leinster	Aggregate R.D.'s Leinster	Aggregate U.D.'s Munster	Aggregate R.D.'s Munster	Aggregate U.D.'s Connacht	Aggregate R.D.'s Connacht	Aggregate U.D.'s Ulster (part of)	Aggregate R.D.'s Ulster (part of)
28	Hypertension with heart disease	M	91	171	77	53	5	45	9	45		28
		F	112	191	91	67	16	70	3	30	2	24
29	Hypertension without heart disease	M	83	172	65	61	11	49	3	40	4	22
		F	111	183	88	47	14	69	5	38	4	29
30	Other diseases of circulatory system	M	136	329	79	138	40	102	13	58	4	31
		F	134	264	96	107	29	76	6	50	3	31
31	Influenza	M	14	56	3	11	9	19	2	16	.	10
		F	22	82	17	17	2	29	3	22	.	14
32	Pneumonia	M	184	349	124	95	49	127	11	85	.	42
		F	208	304	160	90	35	106	8	65	5	43
33	Bronchitis	M	275	345	185	116	80	132	7	56	3	41
		F	143	239	92	69	47	103	2	41	2	26
34	Other diseases of respiratory system	M	81	101	64	32	16	43	1	18	.	8
		F	67	72	42	18	21	28	4	17	.	9
35	Ulcer of stomach and duodenum	M	71	145	44	41	20	54	2	22	5	28
		F	19	28	13	12	5	9	.	5	1	2
36	Gastro-enteritis and diarrhoea under 2 years	M	48	58	22	16	22	27	4	9	.	6
		F	21	38	8	12	11	13	2	11	.	2
37	Nephritis and nephrosis	M	88	206	52	60	31	69	3	46	2	31
		F	80	187	55	48	23	74	2	38	.	27
38	Hyperplasia of prostate	M	47	187	25	55	19	64	3	42	.	26
39	Complications of pregnancy, childbirth, and the puerperium	F	18	51	9	16	8	20		7	1	8
40	Congenital malformations	M	88	175	66	61	14	57	5	36	3	21
		F	95	126	63	57	25	38	4	17	3	14
41	Diseases of early infancy	M	266	446	182	166	68	158	9	82	7	40
		F	187	280	128	82	45	102	10	58	4	38
42	Senility	M	130	1,547	57	239	48	536	14	538	11	234
		F	215	1,559	85	297	89	525	23	510	18	227
43	Ill-defined causes	M	88	290	54	74	30	90	3	87	1	39
		F	76	217	52	62	19	65	3	65	2	25
44	Other defined diseases	M	305	776	184	233	99	288	14	157	8	98
		F	363	663	227	199	102	239	20	153	14	72
45	Accidents	M	191	388	141	139	40	123	7	82	3	44
		F	112	207	75	71	26	62	10	54	1	20
46	Suicide	M	7	41	5	10	2	20	.	6	.	5
		F	2	9	2	4	.	1	.	3	.	1
47	Other external causes	M	6	5	3	3	3	1	.	.	.	1
		F	.	2	.	1	.	1
AGES												
Under 1 year		M	520	874	358	323	126	306	25	159	11	86
		F	385	585	253	198	100	202	19	111	13	74
1 year and under 65 years		M	2,192	3,301	1,505	1,103	557	1,138	77	643	53	417
		F	1,668	2,534	1,113	831	440	910	80	501	35	292
65 years and over		M	2,999	9,313	1,943	2,689	836	3,151	144	2,269	76	1,204
		F	3,408	7,756	2,240	2,188	935	2,731	148	1,814	85	1,023
Total		M	5,711	13,488	3,806	4,115	1,519	4,595	246	3,071	140	1,707
		F	5,461	10,875	3,606	3,217	1,475	3,843	247	2,426	133	1,389
BIRTHS												
		M	12,211	19,876	8,563	7,080	2,846	6,662	583	4,097	219	2,037
		F	11,553	18,894	8,120	6,694	2,756	6,287	467	3,862	210	2,051
Population according to the Census of Population, 1951		M	488,978	1,017,619	330,657	333,351	121,117	339,248	26,656	222,299	10,548	122,721
		F	551,757	902,239	375,061	297,507	136,173	302,332	28,397	194,543	12,126	107,857

TABLE 23 (contd.) - DEATHS IN 1944, CLASSIFIED BY CAUSE AND BY SEX FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE AND SHOWING THE NUMBER OF DEATHS AT AGES UNDER 1 YEAR, 1-64 YEARS, 65 YEARS AND OVER AND THE NUMBER OF BIRTHS AND THE POPULATION

Code Number	Causes of Death		Carlow U.D.	Dublin C.B.	Dun Laoghaire Borough	Athy U.D.	Naas U.D.	Kilkenny U.D.	Longford U.D.	Drogheda U.D.	Dundalk U.D.	Kells U.D.
1	Tuberculosis of respiratory system	M	1	129	8	2	.	1	1	4	5	.
		F	.	65	6	.	.	1	.	1	.	.
2	Tuberculosis, other forms	M	.	13	1	.	.	1	1	1	1	.
		F	1	15	1	.	.	1	1	.	.	.
3	Diphtheria	M	.	1	1
		F	.	3
4	Whooping cough	M	.	2
		F
5	Meningococcal infections	M	.	4
		F	.	1
6	Acute poliomyelitis	M	.	1
		F
7	Measles	M	.	6	1	.	.
		F	.	6
8	Other infective and parasitic diseases	M	.	9	3	.	.	.	1	.	1	.
		F	.	4	3	.
9	Malignant neoplasm of stomach	M	.	64	1	1	.	1	.	3	2	.
		F	.	73	7	2	.	2	1	.	3	.
10	Malignant neoplasm of small and large intestine including duodenum	M	.	39	3	1	.	1	.	.	1	.
		F	.	55	4	.	.	1
11	Malignant neoplasm of rectum	M	.	30	1	1	2	1
		F	1	15	3
12	Other malignant neoplasms of digestive organs and peritoneum	M	1	46	4	.	.	1	3	.	1	.
		F	1	45	5	.	.	4	.	2	1	.
13	Malignant neoplasms of trachea, bronchus and lung	M	5	128	11	.	.	2	.	2	4	.
		F	.	39	4
14	Other malignant neoplasms of respiratory system	M	.	15	.	.	.	1
		F	.	9
15	Malignant neoplasm of breast	M	.	2
		F	1	76	9	.	.	.	1	3	2	.
16	Malignant neoplasm of uterus	F	.	27	1	.	.	1	.	1	.	1
17	Other malignant neoplasms of genito-urinary system	M	1	49	7	.	.	2	.	1	.	.
		F	.	30	10	1	.
18	Other malignant neoplasms	M	.	49	6	.	.	3	.	2	4	.
		F	.	34	8	.	2	.	.	4	3	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	.	20	1	1	.
		F	.	14	2
20	Other neoplasms of lymphatic and haematopoietic tissues	M	.	6
		F	.	4	1
21	Diabetes	M	.	6	1	1	.
		F	.	16	5	1	1	.
22	Cerebral haemorrhage	M	2	106	10	.	.	1	1	2	3	.
		F	1	161	20	.	1	3	.	.	4	.
23	Other vascular lesions affecting the central nervous system	M	5	166	12	.	.	2	.	5	1	.
		F	1	224	25	1	.	3	2	7	2	.
24	Other diseases of nervous system and sense organs	M	1	50	6	.	.	1	1	1	1	.
		F	3	49	4	.	1	2	.	.	2	.
25	Chronic rheumatic heart disease	M	.	24	2	1	.	2	.	.	3	.
		F	.	49	.	1	2
26	Arteriosclerotic and degenerative heart disease	M	16	643	81	3	4	14	10	31	24	2
		F	8	576	75	1	1	11	7	18	19	3
27	Other diseases of the heart	M	6	107	9	2	.	5	.	4	3	.
		F	3	116	8	1	1	3	1	5	4	1

TABLE 23 (contd.) - DEATHS IN 1954, CLASSIFIED BY CAUSE AND BY SEX FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE AND SHOWING THE NUMBER OF DEATHS AT AGES UNDER 1 YEAR, 1-64 YEARS, 65 YEARS AND OVER AND THE NUMBER OF BIRTHS AND THE POPULATION

Code Number	Causes of Death		Carlow U.D.	Dublin C.B.	Dun Laoghaire Borough	Athy U.D.	Naas U.D.	Kilkenny U.D.	Longford U.D.	Drogheda U.D.	Dundalk U.D.	Kells U.D.
28	Hypertension with heart disease	M	1	57	7	.	.	4	.	1	2	.
		F	.	72	13	.	.	2
29	Hypertension without heart disease	M	.	45	8	.	.	3	1	.	2	1
		F	1	68	2	.	.	2	.	1	1	.
30	Other diseases of circulatory system	M	1	53	7	.	.	1	.	1	3	1
		F	2	68	12	.	.	1	1	2	.	1
31	Influenza	M	.	2
		F	.	11	.	2	.	2	.	.	1	.
32	Pneumonia	M	1	99	7	1	1	1	3	3	.	.
		F	.	134	10	.	1	.	.	1	5	.
33	Bronchitis	M	1	148	8	4	1	4	.	3	3	1
		F	.	75	2	2	.	2	.	1	4	.
34	Other diseases of respiratory system	M	.	40	9	.	.	1	.	2	1	1
		F	1	29	6	.	.	1	.	.	3	.
35	Ulcer of stomach and duodenum	M	1	31	4	2	.	2	1	.	.	.
		F	.	10	1	1	.
36	Gastro-enteritis and diarrhoea under 2 years	M	.	17
		F	.	5	1
37	Nephritis and nephrosis	M	.	33	5	.	.	1	.	1	1	2
		F	.	40	5	2	.	.	.	1	.	.
38	Hyperplasia of prostate	M	.	20	2	1	.
39	Complications of pregnancy, childbirth, and the puerperium	F	.	5	2	1
40	Congenital malformations	M	2	46	2	1	.	.	1	2	4	.
		F	.	43	4	1	1	1	.	3	2	1
41	Diseases of early infancy	M	3	137	12	.	3	6	1	6	2	.
		F	2	99	5	1	.	2	.	2	7	.
42	Senility	M	1	22	1	17	10	.
		F	3	34	4	1	.	4	1	9	9	.
43	Ill-defined causes	M	1	40	2	2	.	1
		F	.	43	.	.	.	1
44	Other defined diseases	M	.	142	10	.	1	.	5	4	5	.
		F	1	159	21	.	5	9	.	3	7	1
45	Accidents	M	2	98	14	2	1	1	.	2	2	1
		F	2	59	4	1	1	.	.	.	1	2
46	Suicide	M	.	5
		F	.	1	.	.	1
47	Other external causes	M	.	2	1
		F
AGES												
Under 1 year	M		6	261	21	3	3	6	4	10	6	.
	F		2	184	12	3	1	4	.	6	12	2
1 year and under 65 years	M		13	1,119	108	7	5	20	15	28	33	6
	F		15	850	75	1	11	18	4	17	21	.
65 years and over	M		33	1,372	138	10	3	36	11	64	55	5
	F		15	1,627	202	13	5	37	11	43	53	8
Total	M		52	2,752	267	20	11	62	30	102	94	11
	F		32	2,661	289	17	17	59	15	66	86	10
BIRTHS	M		87	6,483	521	52	35	135	39	180	250	26
	F		78	6,170	512	50	51	125	35	149	229	17
Population according to the Census of Population, 1951	M		3,752	244,006	20,843	1,905	1,881	5,183	1,921	8,223	9,816	966
	F		3,915	278,177	27,077	1,847	1,850	5,389	1,924	8,556	9,862	1,159

TABLE 23 (contd.) - DEATHS IN 1954, CLASSIFIED BY CAUSE AND BY SEX FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE AND SHOWING THE NUMBER OF DEATHS AT AGES UNDER 1 YEAR, 1-64 YEARS, 65 YEARS AND OVER AND THE NUMBER OF BIRTHS AND THE POPULATION

Code Number	Causes of Death		An Unimh U.D.	Trim U.D.	Birr U.D.	Tullamore U.D.	Athlone U.D.	Enniscorthy U.D.	New Ross U.D.	Wexford U.D.	Arklow U.D.	Bray No. 1 U.D.
1	Tuberculosis of respiratory system	M	1	.	1	2	3	2	1	5	2	.
		F	1	.	.	1	2	.	.	1	.	.
2	Tuberculosis, other forms	M	2
		F	.	.	.	1	.	.	1	.	.	1
3	Diphtheria	M
		F
4	Whooping cough	M
		F
5	Meningococcal infections	M
		F
6	Acute poliomyelitis	M
		F
7	Measles	M
		F
8	Other infective and parasitic diseases	M	2
		F
9	Malignant neoplasm of stomach	M	2	.	.	.	2	3	4	.	1	.
		F	1	.	.	.	1	.	1	.	.	2
10	Malignant neoplasm of small and large intestine including duodenum	M	.	1	1	1	.	.	1	4	.	.
		F	1	1	1	1	.	.	3	.	.	.
11	Malignant neoplasm of rectum	M	1	.	.	.	1	.	.	1	.	1
		F
12	Other malignant neoplasms of digestive organs and peritoneum	M	1	1	1	3	.	2
		F	.	.	1	1	1	.	.	1	1	3
13	Malignant neoplasm of trachea, bronchus and lung	M	2	.	.	.	2	1	2	3	1	2
		F	1
14	Other malignant neoplasms of respiratory system	M	1	.	1	.	.
		F
15	Malignant neoplasm of breast	M	1	.	.
		F	1	.	.	.	2	.	1	1	.	1
16	Malignant neoplasm of uterus	F
17	Other malignant neoplasms of genito-urinary system	M	3	1	1
		F	1	1	.	.
18	Other malignant neoplasms	M	.	.	1	1	1	.	1	2	.	.
		F	1	.	1	1	1	.	.	1	.	1
19	Hodgkin's disease and leukaemia and aleukaemia	M	.	.	.	1
		F	1
20	Other neoplasms of lymphatic and haematopoietic tissues	M
		F	1	.	.	.
21	Diabetes	M	1
		F	2
22	Cerebral haemorrhage	M	.	.	1	2	1	1	2	5	3	2
		F	.	1	1	2	3	4	1	6	.	8
23	Other vascular lesions affecting the central nervous system	M	6	.	.	.	3	1	.	4	4	5
		F	3	8	.	2	.	1
24	Other diseases of nervous system and sense organs	M	.	1	.	.	3	1	.	1	.	1
		F	.	.	1	.	2	.	.	2	1	1
25	Chronic rheumatic heart disease	M	.	.	1	.	1	.	1	.	1	.
		F	.	.	1	.	2	1	1	2	.	1
26	Arteriosclerotic and degenerative heart disease	M	12	4	6	8	14	6	8	21	13	18
		F	2	2	3	7	12	6	15	28	9	16
27	Other diseases of the heart	M	1	.	3	1	2	.	1	.	.	3
		F	2	.	2	.	.	1	3	6	.	3

TABLE 23 (contd.) - DEATHS IN 1954, CLASSIFIED BY CAUSE AND BY SEX FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE AND SHOWING THE NUMBER OF DEATHS AT AGES UNDER 1 YEAR, 1-64 YEARS, 65 YEARS AND OVER AND THE NUMBER OF BIRTHS AND THE POPULATION

Code Number	Causes of Death		An Unimh U.D.	Trim U.D.	Birr U.D.	Tullamore U.D.	Athlone U.D.	Enniscorthy U.D.	New Ross U.D.	Wexford U.D.	Arklow U.D.	Bray No. 1 U.D.	
28	Hypertension with heart disease	M F	1 .	1 1	1 1	. .	2 2	
29	Hypertension without heart disease	M F 1	. 1	1 3	1 2	1 3	1 1	. 1	. 1	
30	Other diseases of circulatory system	M F	2 1 1	3 2	1 1	4 .	1 1	1 3	
31	Influenza	M F	. 1	1 .	. .	
32	Pneumonia	M F	2 2	1 .	. 1	1 1	1 3	3 1	
33	Bronchitis	M F	. 1	2 1	1 .	. 1	. .	4 1	5 1	. 1	
34	Other diseases of respiratory system	M F	1	1 .	1	1 .	1 .	5 2	
35	Ulcer of stomach and duodenum	M F	1	1	1 1	
36	Gastro-enteritis and diarrhoea under 2 years	M F	1 .	1 1	1 1	1 .	1 .	. .	
37	Nephritis and nephrosis	M F	3 1	2 .	2 2	. .	. 1	1 1	1 .	. 1	
38	Hyperplasia of prostate	M	1	1	
39	Complications of pregnancy, childbirth, and the puerperium	F	1	
40	Congenital malformations	M F	1 .	. 1	. .	. 1	4 4	1 .	1 1	
41	Diseases of early infancy	M F	1 .	. 1	2 .	1 1	2 1	1 .	. 4	2 .	. 1	2 2	
42	Senility	M F 6	1 2	. 2	1 2	3 1	. 3	1 4	. .	
43	Ill-defined causes	M F	3 1	. .	1 1	. 1	. 2	1 .	1 1	1 1	
44	Other defined diseases	M F	2 .	. .	2 3	3 1	4 4	. 3	. 1	4 1	1 1	1 5	
45	Accidents	M F 1	5 .	. .	5 1	2 3	2 .	1 .	
46	Suicide	M F	
47	Other external causes	M F	
AGES													
Under 1 year	M F	2 .	. 1	2 1	3 2	7 2	3 1	1 7	11 7	3 2	4 4		
	M F	9 5	1 2	9 4	11 7	24 21	8 6	15 10	33 16	10 6	24 18		
1 year and under 65 years	M F	26 11	6 2	12 18	14 15	27 21	15 24	18 26	38 44	30 16	24 41		
	M F	37 16	7 5	23 23	28 24	58 44	26 31	34 43	82 67	43 24	52 63		
TOTAL													
BIRTHS			M F	49 52	8 12	37 27	74 82	117 112	70 58	55 55	125 111	73 59	112 100
Population according to the Census of Population, 1951			M F	1,979 2,292	650 659	1,553 1,732	3,012 3,153	4,531 4,484	2,919 3,029	2,211 2,692	5,807 6,172	2,416 2,787	5,603 6,459

TABLE 23 (contd.) - DEATHS IN 1954, CLASSIFIED BY CAUSE AND BY SEX FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE AND SHOWING THE NUMBER OF DEATHS AT AGES UNDER 1 YEAR, 1-64 YEARS, 65 YEARS AND OVER AND THE NUMBER OF BIRTHS AND THE POPULATION

Code Number	Causes of Death		Wicklow U.D.	Ennis U.D.	Kilrush U.D.	Clonakilty U.D.	Cobh U.D.	Cork C.B.	Fermoy U.D.	Kinsale U.D.	Macroom U.D.	Malloy U.D.
1	Tuberculosis of respiratory system	M	.	1	.	1	.	19
		F	.	1	2	.	1	9
2	Tuberculosis, other forms	M	.	.	2	.	.	4	.	.	.	1
		F	.	.	2	.	.	2
3	Diphtheria	M
		F
4	Whooping cough	M
		F	1
5	Meningococcal infections	M
		F	1
6	Acute poliomyelitis	M
		F
7	Measles	M
		F
8	Other infective and parasitic diseases	M	2
		F	2
9	Malignant neoplasm of stomach	M	.	1	.	.	.	12	.	.	.	2
		F	.	1	.	1	.	7	.	.	.	1
10	Malignant neoplasm of small and large intestine including duodenum	M	1	7	1	1	.	1
		F	7	.	.	.	1
11	Malignant neoplasm of rectum	M	.	3	.	1	.	10	.	1	.	2
		F	4	1	.	.	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	.	1	1	.	3	8	2	1	2	1
		F	.	1	.	.	.	10
13	Malignant neoplasm of trachea, bronchus and lung	M	1	1	.	.	.	13	.	.	1	1
		F	.	1	.	1	.	3
14	Other malignant neoplasms of respiratory system	M	1	.	.	.
		F	2
15	Malignant neoplasm of breast	M	.	.	1
		F	.	1	.	.	1	18	1	.	.	.
16	Malignant neoplasm of uterus	F	1	1	.	.	.	4	.	.	.	2
17	Other malignant neoplasms of genito-urinary system	M	.	.	.	1	3	3	1	2	.	.
		F	.	.	2	.	.	7
18	Other malignant neoplasms	M	1	.	.	.	1	11	.	1	.	.
		F	1	1	1	.	.	7	1	.	.	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	1	.	.	.	1	1
		F	3
20	Other neoplasms of lymphatic and haematopoietic tissues	M	2
		F
21	Diabetes	M	1
		F	.	.	.	1	.	3	.	.	1	.
22	Cerebral haemorrhage	M	.	1	.	.	1	12	.	1	1	2
		F	2	1	3	.	9	28	.	2	.	3
23	Other vascular lesions affecting the central nervous system	M	.	3	2	.	4	22	3	.	2	.
		F	.	.	1	1	3	20	1	.	.	.
24	Other diseases of nervous system and sense organs	M	.	4	.	.	.	2	1	.	.	.
		F	.	1	.	1	1	7	.	.	.	1
25	Chronic rheumatic heart disease	M	.	.	1	.	.	10
		F	.	1	.	.	2	8
26	Arteriosclerotic and degenerative heart disease	M	5	7	3	4	10	123	2	3	8	17
		F	5	11	1	7	11	129	3	3	7	6
27	Other diseases of the heart	M	.	1	1	1	1	14	.	.	.	1
		F	.	1	.	1	1	20	.	.	.	3

TABLE 23 (contd.) - DEATHS IN 1954, CLASSIFIED BY CAUSE AND BY SEX FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE AND SHOWING THE NUMBER OF DEATHS AT AGES UNDER 1 YEAR, 1-64 YEARS, 65 YEARS AND OVER AND THE NUMBER OF BIRTHS AND THE POPULATION

Code Number	Causes of Death		Wicklow U.D.	Ennis U.D.	Kilrush U.D.	Clonskilley U.D.	Cobh U.D.	Cork C.B.	Fermoy U.D.	Kinsale U.D.	Macroom U.D.	Mallow U.D.
28	Hypertension with heart disease	M	.	.	2	.	.	3
		F	10	.	1	.	.
29	Hypertension without heart disease	M	1	1	1	.	.	2
		F	.	.	.	1	1	3
30	Other diseases of circulatory system	M	1	24	.	1	.	.
		F	.	.	.	1	.	20
31	Influenza	M	.	1	1	.	.	4
		F
32	Pneumonia	M	.	.	1	.	.	12	1	.	.	.
		F	1	.	1	1	.	9	1	.	.	3
33	Bronchitis	M	.	.	2	1	1	32	.	.	.	2
		F	.	1	4	2	2	10	.	.	.	1
34	Other diseases of respiratory system	M	.	.	3	.	.	5
		F	.	.	.	1	1	6	.	.	.	1
35	Ulcer of stomach and duodenum	M	6
		F	3
36	Gastro-enteritis and diarrhoea under 2 years	M	1	1	.	.	.
		F	.	1
37	Nephritis and nephrosis	M	.	1	2	2	.	4	.	1	.	1
		F	1	10
38	Hyperplasia of prostate	M	.	1	.	.	.	7
39	Complications of pregnancy, child-birth and, the puerperium	F	2	3	1	.	.	1
40	Congenital malformations	M	1	1	.	.	.	3
		F	.	1	.	.	1	6	.	.	.	1
41	Diseases of early infancy	M	1	1	2	.	1	16	1	.	1	.
		F	.	1	1	.	2	7	1	.	1	.
42	Senility	M	.	3	1	1	1	9	5	.	.	.
		F	.	6	2	2	.	9	9	2	1	.
43	Ill-defined causes	M	1	1	.	.	1	6	.	.	.	3
		F	1	1	.	1	.	4
44	Other defined diseases	M	.	3	4	1	.	29	1	2	2	2
		F	2	.	2	.	5	32	1	.	1	2
45	Accidents	M	3	6	.	.	.	11	.	1	1	1
		F	3	11
46	Suicide	M	1
		F
47	Other external causes	M	1
		F
AGES												
Under 1 year			2	3	3	.	3	22	2	.	1	.
		F	.	3	1	.	2	13	1	.	1	.
1 year and under 65 years			7	25	10	2	13	173	3	6	5	11
		F	6	8	9	5	12	151	3	.	2	11
65 years and over			6	14	15	11	15	256	15	9	12	26
		F	8	22	14	17	32	281	16	8	8	15
TOTAL			15	42	28	13	31	451	20	15	18	37
		F	14	33	24	22	46	445	20	8	11	26
Births			35	77	23	13	55	758	39	8	26	65
		F	36	83	29	22	57	719	36	14	24	57
Population according to the Census of Population, 1951			1,480	2,849	1,506	1,283	2,581	34,715	1,888	805	1,054	2,693
		F	1,846	3,248	1,648	1,459	3,130	39,852	2,129	1,125	1,223	2,890

TABLE 23 (contd.) - DEATHS IN 1954, CLASSIFIED BY CAUSE AND BY SEX FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE AND SHOWING THE NUMBER OF DEATHS AT AGES UNDER 1 YEAR, 1-64 YEARS, 65 YEARS AND OVER AND THE NUMBER OF BIRTHS AND THE POPULATION

Code Number	Causes of Death		Midleton U.D.	Skibbereen U.D.	Youghal U.D.	Killarney U.D.	Listowel U.D.	Tralee U.D.	Limerick C.B.	Nenagh U.D.	Templemore U.D.	Thurles U.D.
1	Tuberculosis of respiratory system	M	1	.	1	1	2	4	18	.	1	.
		F	.	2	.	.	1	.	16	.	.	.
2	Tuberculosis, other forms	M	1
		F	3	1	1	2
3	Diphtheria	M
		F
4	Whooping cough	M	1
		F
5	Meningococcal infections	M	1
		F
6	Acute poliomyelitis	M
		F
7	Measles	M	1	.	.	.
		F
8	Other infective and parasitic diseases	M	1	1	.	.	.
		F
9	Malignant neoplasm of stomach	M	.	1	1	.	.	4	12	2	1	.
		F	1	.	2	.	.	3	4	.	.	.
10	Malignant neoplasm of small and large intestine including duodenum	M	5	2	.	.	.
		F	.	.	1	1	.	.	6	.	.	.
11	Malignant neoplasm of rectum	M	.	1	.	.	.	1	3	.	.	.
		F	2	.	.	.
12	Other malignant neoplasm of digestive organs and peritoneum	M	.	.	2	.	.	1	4	.	.	.
		F	1	.	2	.	.	2	1	.	.	1
13	Malignant neoplasm of trachea, bronchus and lung	M	5	1	1	3
		F	2	2	.	.
14	Other malignant neoplasms of respiratory system	M	3	.	.	.
		F	1	.	.	.
15	Malignant neoplasm of breast	M
		F	.	1	1	1	.	2	3	1	.	1
16	Malignant neoplasm of uterus	F	1	5	.	.	.
17	Other malignant neoplasms of genito-urinary system	M	1	1	4	.	.	.
		F	3	2	2	.	.
18	Other malignant neoplasms	M	1	1	5	2	.	1
		F	.	.	2	.	.	1	2	.	.	.
19	Hodgkin's disease and leukaemia and aleukaemia	M
		F	.	1	.	.	.	1	2	.	.	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	1	.	.	.
		F
21	Diabetes	M	3	.	.	.
		F	1	.	.
22	Cerebral haemorrhage	M	2	.	1	1	.	4	7	.	1	5
		F	1	.	3	1	.	1	12	3	.	1
23	Other vascular lesions affecting the central nervous system	M	1	1	4	.	1	2	10	2	.	.
		F	2	2	3	1	.	6	15	2	.	1
24	Other diseases of nervous system and sense organs	M	.	.	.	1	.	.	2	.	.	.
		F	1	.	.	.	1	.	6	2	1	.
25	Chronic rheumatic heart disease	M	2	.	.	.
		F	1	1	.	.	.
26	Arteriosclerotic and degenerative heart disease	M	9	3	10	5	5	11	66	4	5	12
		F	7	7	7	7	4	7	58	7	5	10
27	Other diseases of the heart	M	.	4	.	2	1	1	18	1	.	4
		F	.	1	.	1	.	3	34	.	1	2

TABLE 23 (contd.) . DEATHS IN 1954, CLASSIFIED BY CAUSE AND BY SEX FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE AND SHOWING THE NUMBER OF DEATHS AT AGES UNDER 1 YEAR, 1-64 YEARS, 65 YEARS AND OVER AND THE NUMBER OF BIRTHS AND THE POPULATION

Code Number	Causes of Death		Midleton U.D.	Skibbereen U.D.	Youghal U.D.	Killarney U.D.	Listowel U.D.	Tralee U.D.	Limerick C.B.	Nenagh U.D.	Templemore U.D.	Thurles U.D.
28	Hypertension with heart disease	M
		F	.	.	.	1	.	.	1	.	.	.
29	Hypertension without heart disease	M	1	3	.	.	.
		F	.	.	.	1	.	3	1	.	.	.
30	Other diseases of circulatory system	M	.	.	.	2	.	1	2	.	1	.
		F	.	.	.	2	.	.	1	.	.	.
31	Influenza	M	1	.	.	.
		F	1	.	.	1
32	Pneumonia	M	.	1	.	.	2	3	17	2	.	2
		F	.	.	.	1	.	3	10	1	.	.
33	Bronchitis	M	.	.	.	1	.	4	20	1	.	2
		F	1	.	1	.	3	.	13	.	1	1
34	Other diseases of respiratory system	M	.	1	.	.	1	.	3	.	.	.
		F	.	.	.	2	.	3	6	.	.	.
35	Ulcer of stomach and duodenum	M	1	.	1	.	1	.	4	1	.	2
		F	1
36	Gastro-enteritis and diarrhoea under 2 years	M	14	.	.	1
		F	.	.	.	1	1	.	5	1	.	.
37	Nephritis and nephrosis	M	.	1	1	.	.	1	5	.	.	1
		F	.	.	1	.	.	1	3	.	.	1
38	Hyperplasia of prostate	M	.	.	.	1	.	3	3	1	.	.
39	Complications of pregnancy, child-births, and the puerperium	F
40	Congenital malformations	M	1	1	4	.	.	.
		F	1	.	.	1	.	3	5	1	.	.
41	Diseases of early infancy	M	.	.	2	1	2	3	13	1	3	.
		F	.	2	1	.	.	4	13	.	1	1
42	Senility	M	.	.	4	.	.	1	8	1	2	1
		F	4	.	1	2	2	7	16	2	3	4
43	Ill-defined causes	M	1	.	6	3	.	.
		F	.	1	9	1	.	.
44	Other defined diseases	M	2	.	5	.	2	6	14	2	3	3
		F	.	1	2	.	1	8	19	1	.	3
45	Accidents	M	1	.	1	.	.	1	3	1	1	.
		F	1	.	.	.	2	3	2	.	1	.
46	Suicide	M	1
		F
47	Other external causes	M	1	1	.	.
		F
AGES												
Under 1 year		M	.	.	2	1	3	9	38	2	3	2
		F	1	2	1	2	1	9	33	2	1	1
1 year and under 65 years		M	8	1	10	2	8	23	105	10	5	9
		F	4	4	7	2	3	22	89	10	4	10
65 years and over		M	12	13	21	12	8	31	144	14	11	26
		F	16	12	19	19	11	34	159	16	9	19
TOTAL		M	20	14	33	15	19	63	287	26	19	37
		F	21	18	27	23	15	65	281	28	14	30
BIRTHS			41	27	47	57	22	104	725	41	19	79
		F	28	22	48	41	28	116	673	39	21	62
Population according to the Census of Population, 1951			1,331	1,054	2,196	3,088	1,478	5,260	24,103	2,136	888	3,013
		F	1,497	1,287	2,556	3,210	1,671	5,785	26,717	2,284	1,076	3,263

TABLE 23 (contd.) - DEATHS IN 1954, CLASSIFIED BY CAUSE AND BY SEX FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE AND SHOWING THE NUMBER OF DEATHS AT AGES UNDER 1 YEAR, 1-64 YEARS, 65 YEARS AND OVER AND THE NUMBER OF BIRTHS AND THE POPULATION

Code Number	Causes of Death		Carrick-on-Suir U.D.	Cashel U.D.	Clonmel U.D.	Tipperary U.D.	Dungarvan U.D.	Waterford C.B.	Ballinasloe U.D.	Galway U.D.	Ballina U.D.	Castlebar U.D.
1	Tuberculosis of respiratory system	M	.	1	3	.	1	4	1	5	1	.
		F	.	.	.	1	.	2	1	2	.	.
2	Tuberculosis, other forms	M	.	.	3	.	.	2
		F
3	Diphtheria	M
		F
4	Whooping cough	M	.	.	1	1	.	.
		F	.	.	1
5	Meningococcal infections	M	1	.	.
		F
6	Acute poliomyelitis	M
		F
7	Measles	M
		F	1
8	Other infective and parasitic diseases	M
		F
9	Malignant neoplasm of stomach	M	1	.	2	.	1	2	3	2	.	.
		F	1	1	1	1	1	4	1	3	1	3
10	Malignant neoplasm of small and large intestine including duodenum	M	.	.	2	.	1	1
		F	2	.	.	1	1	4	.	3	.	1
11	Malignant neoplasm of rectum	M	.	1	.	.	.	2
		F	.	.	1	.	.	2
12	Other malignant neoplasms of digestive organs and peritoneum	M	.	1	2	1	1	5	.	1	1	.
		F	1	1	1	.	.	2	.	4	1	1
13	Malignant neoplasm of trachea, bronchus and lung	M	.	.	2	.	1	5	.	2	.	1
		F	1	1
14	Other malignant neoplasms of respiratory system	M	.	.	.	2	1
		F	1
15	Malignant neoplasm of breast	M	1
		F	.	.	3	1	.	3	.	3	.	.
16	Malignant neoplasm of uterus	F	.	.	.	1	.	2	.	1	.	.
17	Other malignant neoplasms of genito-urinary system	M	1	.	.	.	1	.	.	3	.	.
		F	.	2	1	.	.	4	.	.	1	.
18	Other malignant neoplasms	M	.	.	2	1	.	4	.	2	.	.
		F	.	1	2	1	.	3	.	.	1	1
19	Hodgkin's disease and leukaemia and aleukaemia	M	.	.	1	.	.	.	1	1	.	.
		F	1	.	1	.	2
20	Other neoplasms of lymphatic and haematopoietic tissues	M
		F	1	.	.
21	Diabetes	M	.	.	1	.	.	1	.	.	1	.
		F	1	.	.
22	Cerebral haemorrhage	M	.	2	7	3	1	4	.	2	1	.
		F	1	3	6	1	1	8	2	3	2	.
23	Other vascular lesions affecting the central nervous system	M	.	.	1	3	2	.	.	3	.	1
		F	.	.	4	1	1	6	2	6	2	.
24	Other diseases of nervous system and sense organs	M	.	1	1	.	1	3	.	3	.	.
		F	1	.	1	.	.	4	.	2	.	.
25	Chronic rheumatic heart disease	M	2
		F	1	.	3	2	1	3	.	1	.	1
26	Arteriosclerotic and degenerative heart disease	M	7	5	17	8	10	41	1	26	6	6
		F	3	7	11	14	5	62	8	22	6	3
27	Other diseases of the heart	M	2	1	3	2	1	3	.	4	1	.
		F	2	.	5	1	.	7	.	6	.	.

TABLE 23 - (contd.) - DEATHS IN 1954, CLASSIFIED BY CAUSE AND BY SEX FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE AND SHOWING THE NUMBER OF DEATHS AT AGES UNDER 1 YEAR, 1-64 YEARS, 65 YEARS AND OVER AND THE NUMBER OF BIRTHS AND THE POPULATION

Code Number	Causes of Death		Carrick-on-Suir U.D.	Cashel U.D.	Clonmel U.D.	Tipperary U.D.	Dungarvan U.D.	Waterford C.B.	Ballinasloe U.D.	Galway U.D.	Ballina U.D.	Castlebar U.D.
28	Hypertension with heart disease	M	.	.	1	.	1	.	1	6	.	1
		F	.	.	.	1	.	.	.	2	.	1
29	Hypertension without heart disease	M	.	.	.	2	.	1	.	3	.	.
		F	2	2	5	.	.
30	Other diseases of circulatory system	M	1	.	1	1	.	5	3	3	1	.
		F	.	1	3	.	.	1	1	2	.	.
31	Influenza	M	.	.	1	.	.	1	.	.	1	.
		F	1	1	1	.
32	Pneumonia	M	.	1	1	1	1	4	1	3	2	.
		F	.	.	1	.	.	4	.	1	2	.
33	Bronchitis	M	2	.	.	1	1	10	.	3	.	1
		F	2	.	3	.	.	2	.	1	1	.
34	Other diseases of respiratory system	M	3	.	.	1	.
		F	1	2
35	Ulcer of stomach and duodenum	M	.	.	1	1	.	2	.	.	.	1
		F	.	1
36	Gastro-enteritis and diarrhoea under 2 years	M	.	.	.	1	.	4	.	3	.	.
		F	1	.	1	.	.	.	1	1	.	.
37	Nephritis and nephrosis	M	.	1	1	1	.	8	.	1	2	.
		F	1	6	1	.	1	.
38	Hyperplasia of prostate	M	2	1	.	3	.	.
39	Complications of pregnancy, child-birth, and the puerperium	F	1
40	Congenital malformations	M	.	.	2	.	1	1	.	3	1	.
		F	.	.	.	2	1	2	.	1	.	1
41	Diseases of early infancy	M	5	.	2	3	1	10	1	4	1	.
		F	2	.	3	.	1	4	.	3	3	1
42	Senility	M	1	.	4	2	.	4	.	3	2	3
		F	.	2	4	.	5	6	1	6	2	1
43	Ill-defined causes	M	1	.	1	.	1	6	.	1	1	.
		F	1	.	.	1	.	.	.	1	.	.
44	Other defined diseases	M	1	2	3	1	2	9	.	5	4	2
		F	1	2	1	4	1	15	2	7	4	1
45	Accidents	M	2	1	1	.	.	8	2	3	1	.
		F	1	.	.	.	1	1	3	2	2	.
46	Suicide	M
		F
47	Other external causes	M
		F
AGES												
Under 1 year		M	5	.	5	4	3	15	1	10	5	.
		F	4	.	7	3	3	9	2	6	3	1
1 year and under 65 years		M	9	10	26	10	10	63	6	36	10	4
		F	7	6	13	12	4	42	9	26	9	8
65 years and over		M	10	7	36	20	19	79	7	54	12	12
		F	12	17	36	18	15	110	13	60	19	10
TOTAL			M	24	17	67	34	32	157	14	100	16
		F	23	23	56	33	22	161	24	92	31	19
BIRTHS			M	69	18	131	41	57	304	32	244	99
		F	77	28	121	51	56	304	30	191	64	37
Population according to the Census of Population, 1951			M	2,223	1,290	5,076	2,454	2,668	13,485	2,988	10,374	3,000
		F	2,534	1,539	5,395	2,694	2,755	15,206	2,608	10,942	3,220	2,780

TABLE 23 (contd.) - DEATHS IN 1954, CLASSIFIED BY CAUSE AND BY SEX FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE AND SHOWING THE NUMBER OF DEATHS AT AGES UNDER 1 YEAR, 1-64 YEARS, 65 YEARS AND OVER AND THE NUMBER OF BIRTHS AND THE POPULATION

Code Number	Causes of Death		Westport U.D.	Sligo U.D.	Cavan U.D.	Bancrura U.D.	Bandoran U.D.	Letterkenny U.D.	Carrickmacross U.D.	Castleblayney U.D.	Clones U.D.	Monaghan U.D.
1	Tuberculosis of respiratory system	M	.	1	.	2	.	2
		F	1	1	.	1	1
2	Tuberculosis, other forms	M	.	.	1
		F	.	1	1	.	.
3	Diphtheria	M
		F
4	Whooping cough	M
		F	.	.	2
5	Meningococcal infections	M
		F
6	Acute poliomyelitis	M
		F
7	Measles	M	.	2
		F
8	Other infective and parasitic diseases	M	.	.	1
		F
9	Malignant neoplasm of stomach	M	.	2	3	1	1	.
		F	.	2	.	1	1	1	1	1	.	.
10	Malignant neoplasm of small and large intestine including duodenum	M	1	2	.	.
		F	.	2	1	1	.
11	Malignant neoplasm of rectum	M	.	1	.	.	.	1	.	1	.	.
		F
12	Other malignant neoplasms of digestive organs and peritoneum	M	1	.	2	.	.	1	.	.	1	.
		F	.	1	1	.	.	.
13	Malignant neoplasm of trachea, bronchus and lung	M	.	1	1	.	.	1	.	.	1	1
		F
14	Other malignant neoplasms of respiratory system	M	.	2
		F
15	Malignant neoplasm of breast	M
		F	1	3	.	.	.	1	2	1	.	.
16	Malignant neoplasm of uterus	F	.	.	.	1
17	Other malignant neoplasms of genito-urinary system	M	.	2
		F	2
18	Other malignant neoplasms	M	.	2	.	1	1	.	.	1	.	.
		F	.	.	1	.	1
19	Hodgkin's disease and leukaemia and aleukaemia	M	1	.
		F
20	Other neoplasms of lymphatic and haematopoietic tissues	M	.	1	1
		F
21	Diabetes	M	1	.
		F	.	1	.	.	.	1	.	.	1	.
22	Cerebral haemorrhage	M	.	3	2	1	1	2	1	.	.	.
		F	.	3	1	2	1	1
23	Other vascular lesions affecting the central nervous system	M	.	5	2	1	1	2	1	2	2	.
		F	.	1	1	.	1	1	.	.	2	2
24	Other diseases of nervous system and sense organs	M	3	1	2	1	.	.	.	3	.	1
		F	.	2	.	.	1	1
25	Chronic rheumatic heart disease	M	1	.	1	.
		F	.	1	.	.	1
26	Arteriosclerotic and degenerative heart disease	M	8	20	3	3	7	1	1	5	5	5
		F	1	14	3	7	3	4	5	4	2	.
27	Other diseases of the heart	M	.	1	.	.	.	2	1	1	.	1
		F	2	2	1	.	.	3	1	.	.	1

TABLE 23 (contd.) - DEATHS IN 1954, CLASSIFIED BY CAUSE AND BY SEX FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE AND SHOWING THE NUMBER OF DEATHS AT AGES UNDER 1 YEAR, 1-64 YEARS, 65 YEARS AND OVER AND THE NUMBER OF BIRTHS AND THE POPULATION

Code Number	Causes of Death		Westport U.D.	Sligo U.D.	Cavan U.D.	Puncrana U.D.	Bundoran U.D.	Letterkenny U.D.	Carrickmacross U.D.	Castleblayney U.D.	Clones U.D.	Monaghan U.D.
28	Hypertension with heart disease	M	1	1	.	.
		F	1	1	.	.
29	Hypertension without heart disease	M	.	.	1	.	1	1	1	2	1	.
		F	1
30	Other diseases of circulatory system	M	.	6	.	.	.	2	.	.	1	1
		F	1	2	.	.	.	3
31	Influenza	M	.	1
		F
32	Pneumonia	M	1	4
		F	2	3	1	2	1	.	1	.	.	.
33	Bronchitis	M	.	3	.	.	1	1	.	.	1	.
		F	1	1	.	.
34	Other diseases of respiratory system	M
		F	.	2
35	Ulcer of stomach and duodenum	M	.	1	1	.	1	1	.	.	2	.
		F	1	.
36	Gastro-enteritis and diarrhoea under 2 years	M	.	1
		F
37	Nephritis and nephrosis	M	1	.	.	1
		F
38	Hyperplasia of prostate	M
39	Complications of pregnancy, child-birth, and the puerperium	F	1
40	Congenital malformations	M	.	1	1	2
		F	.	2	1	.	1	1
41	Diseases of early infancy	M	.	3	1	.	.	3	.	.	3	.
		F	2	1	1	1	.	.	1	.	.	1
42	Senility	M	1	5	2	.	.	4	3	1	.	1
		F	3	10	3	3	.	5	2	2	1	2
43	Ill-defined causes	M	.	1	1
		F	.	2	1	1	.	.
44	Other defined diseases	M	.	3	2	.	1	1	2	1	1	.
		F	.	6	.	.	3	5	1	4	.	1
45	Accidents	M	.	1	.	1	2
		F	.	3	1	.	.
46	Suicide	M
		F
47	Other external causes	M
		F
AGES												
Under 1 year	M	.	9	2	1	.	3	.	.	.	3	2
	F	2	5	4	3	1	1	1	1	1	.	2
1 year and under 65 years	M	4	17	12	7	5	5	3	5	5	11	5
	F	6	22	6	3	4	8	4	4	6	2	2
65 years and over	M	12	47	12	3	9	15	8	14	14	7	8
	F	7	39	7	10	10	18	13	13	13	8	6
TOTAL			16	73	26	11	14	23	11	19	21	15
	F	15	66	17	16	15	27	18	20	20	10	10
BIRTHS			25	149	58	28	14	24	17	14	28	36
	F	24	121	37	25	12	27	24	24	15	32	38
Population according to the Census of Population, 1951			1,426	6,360	1,675	1,428	764	1,472	894	1,044	1,240	2,031
	F	1,678	7,169	1,880	1,611	916	1,532	1,151	1,129	1,215	2,692	

TABLE 24 - INFANT MORTALITY - TOTAL DEATHS UNDER 1 YEAR

Detailed Inter- national List Nos.	Causes of Death		Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	DAYS					
							1 and under 2	2 and under 3	3 and under 4	4 and under 5	5 and under 6	6 and under 7
010	Tuberculosis of meninges and central nervous system	M F	7 8
001-008 011-019	Tuberculosis other forms	M F	1 4
020-029	Syphilis and its sequelae	M F
056	Whooping cough	M F	10 8
030-055 057-138	Other infective and parasitic diseases	M F	23 7	.	1	1
340	Meningitis, except mening- ococcal and tuberculous	M F	12 9
330-334 341-398	Diseases of the nervous system and sense organs	M F	6 3
480-483	Influenza	M F	2 11
490-493	Pneumonia	M F	160 128
500-502	Bronchitis	M F	14 12
470-475 510-527	Other diseases of the respiratory system	M F	10 5	.	1	1
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M F	98 52
530-570 572-587	Other diseases of the digestive system	M F	13 8	.	1	1
750-759	Congenital malformations	M F	227 179	13 14	22 33	35 47	10 10	19 12	8 11	9 5	5 3	5 .
760-761	Birth injuries	M F	112 57	10 6	31 18	41 24	18 12	13 4	16 6	3 1	3 2	1 .
762	Postnatal asphyxia and atelectasis	M F	122 84	11 10	43 20	54 30	26 26	14 5	6 4	5 4	2 .	2 2
763	Pneumonia of newborn	M F	54 32	2 1	2 .	4 1	3 3	1 .	3 .	2 4	3 .	1 .
765-768	Other infections of the newborn	M F	6	1	1 .
	Other and ill-defined diseases of early infancy:-											
769.0- 773.0	Without mention of immaturity	M F	128 80	5 6	19 16	24 22	8 8	5 1	11 4	5 2	2 5	. .
769.5- 773.5	With mention of immaturity	M F	70 39	2 2	18 10	20 12	9 6	1 2	5 2	1 1	3 1	6 2
774	Immaturity with mention of any other subsidiary condition	M F	6 16	.	1 2	1 3	2 3	.	.	.	1 1	2 .
776	Immaturity unqualified	M F	213 159	9 6	84 64	93 70	33 27	16 13	12 8	8 7	6 4	3 4
780.2	Convulsions	M F	25 18	1 .	. 1	1 1	1 .	. 1
	Other causes	M F	75 51	7 1	1 5	8 6	3 3	1 .	1
All causes		M F	1,394 970	60 47	224 169	284 216	113 98	71 38	62 39	33 25	24 19	21 9

OF AGE IN 1954 CLASSIFIED BY SEX, AGE AND CAUSE

DAYS				Total under 4 weeks	MONTHS											Detailed Inter- national List Nos.
Total under 7	7-13	14-20	21-27		4 wks. and under 2	2 and under 3	3 and under 4	4 and under 5	5 and under 6	6 and under 7	7 and under 8	8 and under 9	9 and under 10	10 and under 11	11 and under 12	
.	1	.	1	2	.	1	.	.	1	1	010
.	1	1	.	2	1	.	2	1	.	001-008 011-019
.	1	020-029
.	056
.	1	2	1	2	1	.	1	.	2	1	030-055 057-138
1	.	.	1	2	1	2	.	1	2	2	3	1	3	5	1	340
.	2	1	.	3	1	1	1	1	.	.	1	.	2	.	1	330-334 341-398
.	1	.	1	2	2	2	.	.	1	.	1	.	1	.	.	480-483
.	1	1	1	1	1	490-493
.	2	500-502
.	.	.	1	2	3	.	4	3	.	1	.	470-475 510-527
.	2	8	6	16	15	21	18	9	6	2	2	1	2	1	5	571,764
.	2	2	4	8	7	13	7	6	1	2	3	1	1	1	2	530-570 572-587
1	.	.	2	3	3	.	.	1	.	3	2	.	.	.	1	750-759
.	.	.	1	1	3	.	1	.	3	760-761
91	15	17	13	136	31	17	8	3	16	8	2	2	2	1	1	762
88	17	13	4	122	18	8	10	3	2	5	1	4	1	3	2	763
95	9	2	2	108	3	.	1	765-768
49	4	2	1	56	1	769-0- 773.0
109	8	.	.	117	2	1	1	.	1	769.5- 773.5
71	5	.	1	77	3	.	2	1	.	1	774
17	15	15	7	54	776
8	4	9	11	32	780.2
2	2	1	.	5	1	
.	
55	10	7	8	80	22	11	5	1	5	1	.	.	2	1	.	769.0- 773.0
42	8	5	5	60	8	4	5	1	.	1	.	1	.	.	.	769.5- 773.5
45	6	2	5	58	7	4	1	774
26	6	1	3	36	2	1	776
5	.	.	.	5	1	780.2
10	2	.	.	12	2	.	.	1	1	
171	20	10	6	207	4	.	1	.	.	.	1	
133	12	3	4	152	4	3	
2	.	3	1	6	5	5	5	1	1	.	1	.	.	1	.	
3	2	.	1	6	1	3	2	1	.	2	.	2	1	.	.	
13	4	4	5	26	7	11	7	5	3	4	4	2	1	2	3	
14	2	1	1	18	4	6	3	3	7	2	2	1	2	.	3	
608	94	71	58	831	148	102	74	42	48	42	24	18	20	23	22	
444	65	37	39	585	80	70	53	36	41	31	17	16	17	11	13	

TABLE 25 - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS, 4 WEEKS AND UNDER 1 YEAR IN 1954, CLASSIFIED BY SEX AND CAUSE FOR THE PRINCIPAL TOWNS, OTHER URBAN DISTRICTS AND RURAL DISTRICTS

Inter- national List Nos.	Causes of Death		Total		Dublin Co. Borough and Dun Laoghaire Borough		Other County Boroughs		Remaining Principal Towns		Other Urban Districts		All Rural Districts	
			Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year
010	Tuberculosis of meninges and central nervous system	M F	. .	7 8	. .	1 3	2 2	. .	4 3
001-008 011-019	Tuberculosis, other forms	M F	. .	1 4	1 4
020-029	Syphilis and its sequelae	M F
056	Whooping cough	M F	. .	10 8	. .	2	2 1	. .	. 1	. .	6 6
030-055 057-138	Other infective and parasitic diseases	M F	2 .	21 7	. .	7 2	. .	. 1	. .	3 .	1 .	. 1	1 .	11 3
340	Meningitis except menin- gococcal and tuberculous	M F	3 2	9 7	2 1 2	. .	3 .	1 1	6 5
330-334 341-398	Diseases of the nervous system and sense organs	M F	. .	6 3	. .	1 1	. .	1 1	. .	. 1	4 .
480-483	Influenza	M F	. 1	2 10	. 1	. 1 1	2 8
490-493	Pneumonia	M F	. .	160 128	. .	32 29	. .	8 9	. .	6 6	. .	10 5	. .	104 79
500-502	Bronchitis	M F	3 1	11 11	. .	2	1 1	1 .	. .	8 11
470-475 510-527	Other diseases of the respiratory system	M F	2 1	8 4	1 1	4 1	1 .	4 3
571,764	Gastro-enteritis and colitis and diarrhoea of newborn	M F	16 8	82 44	5 .	11 4	1 1	16 4	1 .	4 2	1 1	5 7	8 6	46 27
530-570 572-587	Other diseases of the digestive system	M F	3 1	10 7	1 .	2 2	1 1	. .	1 .	8 5
750-759	Congenital malformation	M F	136 122	91 57	26 27	19 10	3 11	5 1	11 7	7 8	9 10	3 3	87 67	57 35
760-761	Birth injuries	M F	108 56	4 1	29 12	. .	5 4	1 .	8 3	. .	3 4	. 1	63 33	3 .
762	Postnatal asphyxia and atelectasis	M F	117 77	5 7	33 24	1 2	7 4	. 1	4 5	. .	8 4	. 1	65 40	4 3
763	Pneumonia of newborn	M F	54 32	. .	19 9	. .	2 2	. .	3 1	. .	5 4	. .	25 16	. .
765-768	Other infections of newborn	M F	5 .	1 .	3 .	. .	1	1 .	1 .
	Other and ill-defined diseases of early infancy:-													
769.0- 773.0	Without mention of immaturity	M F	80 60	48 20	10 7	3 .	4 2	5 .	3 3	1 1	7 3	6 2	56 45	33 17
769.5- 773.5	With mention of immaturity	M F	58 36	12 3	19 10	2 .	1 2	. .	2 2	1 .	3 2	. 1	33 20	9 2
774	Immaturity with mention of any other subsidiary condition	M F	5 12	1 4	2 3	. 1	1 1	1 .	. 2	1 .	2 6	. 2
776	Immaturity unqualified	M F	207 152	6 7	27 36	. .	11 7	. 1	7 7	1 .	16 12	. .	146 90	5 6
780.2	Convulsions	M F	6 6	19 12	1 .	2 1	. .	2 1	4 2	5 6	11 8
	Other causes	M F	26 18	49 33	7 2	8 7	. 1	. .	1 1	4 6	3 1	2 5	15 13	35 15
	All causes	M F	831 585	563 385	185 132	97 64	36 36	39 19	41 32	29 28	57 42	36 32	512 343	362 242

TABLE 26 - INFANT MORTALITY - DEATHS OF ILLEGITIMATE CHILDREN IN 1954 UNDER ONE YEAR OF AGE
CLASSIFIED BY SEX, AGE AND CAUSE

Inter- national List Nos.	Causes of Death		Total under 1 year	DAYS			Total under 4 weeks	MONTHS		
				Under 1 day	1 and under 7	7 and under 28		4 wks. and under 3 months	3 and under 6 months	6 and under 12 months
010	Tuberculosis of meninges and central nervous system	M F
001-008 011-019	Tuberculosis, other forms	M F	. 1	1	. .
020-029	Syphilis and its sequelae	M F
056	Whooping cough	M F	1	1
030-055 057-138	Other infective and parasitic diseases	M F
340	Meningitis except meningococcal and tuberculous	M F
330-334 341-398	Diseases of the nervous system and sense organs	M F
480-483	Influenza	M F	. 1	1	. .
490-493	Pneumonia	M F	14 6	3 1	7 1	4 4
500-502	Bronchitis	M F	. 1 1
470-475 510-527	Other diseases of the respiratory system	M F	1	1 .	1
571,764	Gastro-enteritis and colitis and diarrhoea of newborn	M F	3 3	1 1	1 2	1 .
530-570 572-587	Other diseases of the digestive system	M F	1	1
750-759	Congenital malformations	M F	6 5	. .	1 1	2 .	3 1	. 1	3 2	. 1
760-761	Birth injuries	M F	5 2	2 2	3 .	. .	5 2
762	Post-natal asphyxia and atelectasis	M F	4 3	1 2	3 1	. .	4 3
763	Pneumonia of newborn	M F	1 4	. 1	. .	1 3	1 4
765-768	Other infections of the newborn	M F	1	1
	Other and ill-defined diseases of early infancy:-									
769.0- 773.0	Without mention of immaturity	M F	6 2	. 1 1	4 .	2 1	. .
769.5- 773.5	With mention of immaturity	M F	. 1	1
774	Immaturity with mention of any other subsidiary condition	M F	. 2	1 .	1 .	. .
776	Immaturity unqualified	M F	7 5	5 3	2 2	. .	7 5
780.2	Convulsions	M F
	Other causes	M F	8 7	5 2	3 3	. .	8 5	. .	. 1	. 1
	All causes	M F	58 43	13 11	12 7	4 3	29 21	10 5	13 10	6 7

TABLE 27 - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND

Detailed Inter- national List Nos.	Causes of Death		TOTAL		LEINSTER		MUNSTER		CONNACHT		ULSTER (pt. of)	
			Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year
010	Tuberculosis of meninges and central nervous system	M F	. .	7 8	. .	4 6	. .	2 2	1 .
001-008 011-019	Tuberculosis, other forms	M F	. .	1 4	. .	1 12	. .2	. .1	. .
020-029	Syphilis, and its sequelae	M F
056	Whooping cough	M F	. .	10 8	. .	5 1	. .	3 4	. .1	. .1	. .2	2 2
030-055 057-138	Other infective and parasitic diseases	M F	2 .	21 7	1 .	13 2	. .4	3 4	. .4	4 .1	1 .1	1 1
340	Meningitis except mening- ococcal and tuberculous	M F	3 2	9 7	3 .4	4 4	. 1	1 2	. .1	3 1	. 1	1 .
330-334 341-398	Diseases of nervous system and sense organs	M F	. .4	6 3	. .1	3 1	. .2	2 2	. ..	1 .1	. .1	. .
480-483	Influenza	M F	. 1	2 10	. 1	. 3	. .3	1 3	. .3	. .3	. .1	1 1
490-493	Pneumonia	M F	. .160	160 128	. .73	73 59	. .50	50 36	. .28	28 17	. .9	9 16
500-502	Bronchitis	M F	3 1	11 11	2 1	6 3	. .4	2 4	. .2	2 3	1 .1	1 1
470-475 510-527	Other diseases of the respiratory system	M F	2 1	8 4	1 1	5 4	. .3	3 .1	1 .1	. .1	. .1	. .
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M F	16 8	82 44	7 2	29 14	6 3	40 19	3 2	10 10	. 1	3 1
530-570 572-587	Other diseases of the digestive system	M F	3 1	10 7	3 1	7 4	. .3	. .3	. .3	3 .1	. .1	. .
750-759	Congenital malformations	M F	136 122	91 57	68 69	46 31	35 37	26 10	20 8	12 8	13 8	7 8
760-761	Birth injuries	M F	108 56	4 1	60 28	2 .1	32 13	1 .1	9 8	1 .1	7 7	. 1
762	Postnatal asphyxia and atelectasis	M F	117 77	5 7	62 44	2 4	33 20	2 2	16 11	1 1	6 2	. .1
763	Pneumonia of newborn	M F	54 32	. .13	33 13	. .9	12 9	. .7	6 7	. .3	3 3	. .1
765-768	Other infections of the newborn	M F	5 .1	1 .1	4 .1	. .1	1 .1	1 .1	. .1	. .1	. .1	. .1
Other and ill-defined diseases of early infancy:-												
769.0- 773.0	Without mention of immaturity	M F	80 60	48 20	33 26	16 8	31 18	20 8	11 10	7 4	5 6	5 .1
769.5- 773.5	With mention of immaturity	M F	58 36	12 3	37 19	8 .1	12 11	3 2	6 5	1 1	3 1	. .1
774	Immaturity with mention of any other subsidiary con- dition	M F	5 12	1 4	3 5	. 2	2 4	1 2	. 3	. .1	. .1	. .1
776	Immaturity unqualified	M F	207 152	6 7	84 61	3 .1	73 53	2 5	32 16	1 2	18 22	. .1
780.2	Convulsions	M F	6 6	19 12	2 .1	6 2	3 5	7 8	1 .1	2 2	. 1	4 .1
	Other causes	M F	26 18	49 33	19 13	26 18	5 4	17 8	2 .1	1 5	. 1	5 2
All causes		M F	831 585	563 385	422 284	259 167	245 178	187 124	107 70	77 60	57 53	40 34

UNDER 1 YEAR IN 1954 CLASSIFIED BY SEX AND CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

CARLOW COUNTY		DUBLIN COUNTY BOROUGH		DUN LAOGHAIRE BOROUGH		DUBLIN COUNTY (Remainder of)		KILDARE COUNTY		KILKENNY COUNTY		LAOIGHIS COUNTY		Detailed International List Nos.
Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	
.	1	.	1	010
.	.	.	3	001-008
.	020-029
.	.	.	2	1	056
.	.	.	7	.	.	.	2	.	.	.	1	.	1	030-055
.	.	.	2	057-138
.	.	2	1	340
.	.	.	1	1	.	.	330-334
.	.	.	1	341-398
.	480-483
.	.	1	1	1	.	1	
.	1	.	28	.	4	.	9	.	5	.	4	.	2	490-493
.	1	.	25	.	4	.	1	.	4	.	1	.	1	
.	.	.	1	.	1	.	.	.	1	.	.	.	1	500-502
.	1	1	
.	.	1	4	1	470-475
.	.	1	1	.	.	.	1	2	510-527
.	.	5	11	1	2	571,764
.	.	.	4	.	.	.	3	1	.	.	1	.	.	
.	.	1	2	.	.	.	1	.	1	.	.	.	1	530-570
.	.	.	2	1	572-587
3	1	25	18	1	1	8	3	4	3	4	1	1	2	750-759
1	2	24	10	3	.	8	2	6	1	1	4	5	.	
2	.	26	.	3	.	5	.	.	1	3	.	1	.	760-761
1	.	10	.	2	.	5	.	1	
1	.	31	1	2	.	10	1	5	.	762
.	1	23	1	1	1	5	.	1	.	2	1	3	.	
.	.	18	.	1	.	3	.	2	.	2	.	1	.	763
.	.	9	.	.	.	2	
.	.	2	.	1	.	1	765-768
.	
1	2	9	3	1	.	3	1	2	1	3	.	2	.	769.0-
1	.	7	.	.	.	2	1	1	.	2	.	1	1	773.0
3	1	17	2	2	.	.	.	1	.	2	.	1	1	769.5-
.	.	9	.	1	.	3	.	2	773.5
.	.	2	774
.	.	3	1	1	
2	.	25	.	2	.	10	.	3	.	14	1	7	.	776
1	.	36	.	.	.	1	.	4	.	4	.	3	.	
.	.	1	2	1	.	.	.	780.2
.	.	.	1	
1	.	7	6	.	2	2	3	.	2	2	.	.	1	
1	.	2	7	.	.	2	1	4	1	1	2	.	1	
13	6	172	89	13	8	42	19	13	19	31	9	18	9	
5	5	125	59	7	5	28	10	22	6	10	10	12	6	

TABLE 27 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND

Detailed Inter- national List Nos.	Causes of Death		LONGFORD COUNTY		LOUTH COUNTY		MEATH COUNTY		OFFALY COUNTY		WESTMEATH COUNTY	
			Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year
010	Tuberculosis of meninges and central nervous system	M	2
		F	1	.	.	.
001-008	Tuberculosis, other forms	M	.	.	.	1
011-019		F	1
020-029	Syphilis and its sequelae	M
		F
056	Whooping cough	M	1	.	.	1
		F
030-055	Other infective and parasitic diseases	M	.	.	.	1	1	.
057-138		F
340	Meningitis except meningococcal and tuberculous	M	.	.	1	.	.	.	1	.	.	1
		F	.	2	1	.	.	.
330-334	Diseases of nervous system	M
341-398	and sense organs	F
480-483	Influenza	M
		F
490-493	Pneumonia	M	.	3	.	.	6	.	2	.	.	3
		F	.	3	.	3	3	.	1	.	.	5
500-502	Bronchitis	M	1	1	.	.	1
		F	.	.	1	.	1
470-475	Other diseases of the respiratory system	M
510-527		F
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M	.	1	.	1	2	.	1	.	.	1
		F	.	.	.	1	.	.	2	.	.	.
530-570	Other diseases of the digestive system	M	1
572-587		F	.	1	.	.	1
750-759	Congenital malformations	M	3	1	2	5	1	.	2	2	4	3
		F	3	.	5	1	4	3	2	2	1	1
760-761	Birth injuries	M	1	.	6	.	3	.	6	.	1	1
		F	1	.	2	3	.
762	Postnatal asphyxia and atelectasis	M	.	.	3	.	1	.	5	.	.	.
		F	2	.	3	1	.
763	Pneumonia of newborn	M	2	.	4	.
		F
765-768	Other infections of the newborn	M
		F
	Other and ill-defined diseases of early infancy:-											
769.0-773.0	Without mention of immaturity	M	2	.	.	2	4	1	.	.	3	2
		F	.	.	5	2	2	.	4	.	.	2
769.5-773.5	With mention of immaturity	M	.	.	1	1	2	1	4	.	.	1
		F	.	.	2	.	1
774	Immaturity with mention of any other subsidiary condition	M	1	.	.	.
		F	1
776	Immaturity unqualified	M	2	.	3	.	3	1	4	.	1	.
		F	1	.	1	.	3	.	4	.	.	.
780.2	Convulsions	M	.	.	.	1	.	2	.	1	.	.
		F	1
	Other causes	M	1	.	.	1	.	1	3	1	.	4
		F	1	1	.	2	.	.
All causes		M	10	5	16	13	14	14	28	10	14	20
		F	7	6	19	7	11	11	10	9	5	9

UNDER 1 YEAR IN 1954 CLASSIFIED BY SEX AND CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

WEXFORD COUNTY		WICKLOW COUNTY		CLARE COUNTY		CORK COUNTY BOROUGH		CORK COUNTY		KERRY COUNTY		LIMERICK COUNTY BOROUGH		Detailed International List Nos.
Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	
.	2	2	010
.	001-008
.	011-019
.	020-029
.	1	1	.	1	.	.	056
.	.	.	1	2	030-055
.	1	.	.	.	1	057-138
.	1	1	.	.	1	.	340
.	1	1	330-334
.	.	.	1	.	.	.	1	.	1	341-398
.	480-483
.	1	.	1	.	.	490-493
.	4	.	2	.	3	.	1	.	14	.	8	.	7	490-493
.	2	.	5	.	4	.	.	.	5	.	6	.	7	
1	2	500-502
.	1	
.	1	.	2	.	.	470-475
.	510-527
1	5	.	5	.	3	.	1	1	9	3	2	.	12	571,764
1	2	.	1	.	2	.	.	.	1	1	3	1	4	
1	1	.	1	530-570
.	1	.	.	.	1	572-587
6	3	4	3	3	.	1	2	7	8	4	5	1	3	750-759
3	4	3	1	1	2	6	.	12	.	3	2	3	1	
1	.	2	.	4	.	1	1	10	.	5	.	4	.	760-761
3	.	.	.	1	.	2	.	5	.	1	.	1	.	
3	.	1	.	6	1	4	.	7	.	1	.	2	.	762
.	.	3	.	1	.	.	1	6	.	.	.	4	.	
.	4	.	3	.	2	.	763
2	.	.	.	1	.	.	.	3	.	.	.	2	.	
.	2	.	765
.	1	768
.	
2	2	1	2	2	.	2	.	12	3	4	2	1	1	769.0-
1	1	.	1	2	.	.	.	8	4	3	2	2	.	773.0
1	.	3	1	.	1	.	.	6	.	2	.	.	.	769.5-
1	.	.	.	1	.	.	.	3	1	2	.	2	.	773.5
.	1	.	.	.	1	.	.	1	774
.	.	1	1	1	
6	1	2	.	11	.	6	.	18	1	6	.	2	.	776
1	.	2	.	1	.	3	1	15	2	12	.	2	.	
.	.	.	.	3	1	.	.	.	2	.	.	.	2	780.2
.	.	.	.	1	.	.	.	1	.	1	.	.	1	
2	2	1	3	1	5	.	.	1	6	.	2	.	.	
1	3	1	.	.	2	4	1	.	
24	19	14	19	30	14	16	6	66	50	29	24	12	26	
13	16	10	8	9	11	11	2	54	21	23	18	19	14	

TABLE 27 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND

Detailed Inter- national List Nos.	Causes of Death		LIMERICK COUNTY		TIPPERARY (North Riding)		TIPPERARY (South Riding)		WATERFORD COUNTY BOROUGH		WATERFORD COUNTY	
			Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year
010	Tuberculosis of meninges and central nervous system	M F
			.	1	1
001-008	Tuberculosis, other forms	M
011-019		F
020-029	Syphilis and its sequelae	M
		F
056	Whooping cough	M	1
		F	1	.	.	.	1
030-055	Other infective and parasitic diseases	M	.	.	.	1
057-138		F	1	.	.	.	1
340	Meningitis except mening- ococcal and tuberculous	M	1
		F	1
330-334	Diseases of nervous system	M
341-398	and sense organs	F	1	.	1	.	.
480-483	Influenza	M	.	1
		F	.	.	.	1
490-493	Pneumonia	M	.	8	.	4	.	3	.	.	.	2
		F	.	7	.	2	.	2	.	2	.	1
500-502	Bronchitis	M
		F	.	1	.	.	.	1	.	.	.	1
470-475	Other diseases of the	M
510-527	respiratory system	F
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M	.	6	.	1	.	2	1	3	1	1
		F	.	1	.	1	.	5	.	.	1	2
530-570	Other diseases of the	M
572-587	digestive system	F	1
750-759	Congenital malformations	M	9	4	2	.	6	.	1	.	1	4
		F	1	2	3	1	5	.	2	.	1	2
760-761	Birth injuries	M	2	.	2	.	3	.	.	.	1	.
		F	1	.	.	.	1	.	1	.	.	.
762	Postnatal asphyxia and atelectasis	M	4	1	1	.	3	.	1	.	4	.
		F	2	1	1	.	4	.	.	.	2	.
763	Pneumonia of newborn	M	2	.	.	.	1	.
		F	1	.	2
765-768	Other infections of the newborn	M	.	1
		F
	Other and ill-defined diseases of early infancy:-											
769.0-	Without mention of	M	7	3	.	4	2	2	1	4	.	1
773.0	immaturity	F	1	.	.	.	1	1	.	.	1	1
769.5-	With mention of immaturity	M	1	.	1	.	1	.	1	.	.	2
773.5		F	3	1
774	Immaturity with mention of any other subsidiary con- dition	M
		F	2	.	1	.	.	1
776	Immaturity unqualified	M	10	.	2	.	13	1	3	.	2	.
		F	6	1	4	.	6	1	2	.	2	.
780.2	Convulsions	M	.	.	.	1	1
		F	.	1	1	2	1	3	.	.	.	1
	Other causes	M	1	2	1	.	.	1	.	.	1	1
		F	1	1	1	1	1
All causes		M	34	26	9	11	30	10	8	7	11	13
		F	16	17	12	7	20	18	6	3	8	13

UNDER 1 YEAR IN 1954 CLASSIFIED BY SEX AND CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

GALWAY COUNTY		LEITRIM COUNTY		MAYO COUNTY		ROSCOMMON COUNTY		SLIGO COUNTY		CAVAN COUNTY		DONEGAL COUNTY		MONAGHAN COUNTY		Detailed Inter- national List Nos.
Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	
.	1	.	.	010
.	001-008 011-019
.	2	.	.	.	1	020-029
.	056
.	.	.	1	1	.	1	.	.	030-055 057-138
.	3	.	.	.	1	1	1	340
.	1	.	.	.	1	.	.	.	1	.	.	.	1	.	1	330-334 341-398
.	1	480-483
.	2	.	.	.	1	1	.	.	490-493
.	10	.	5	.	6	.	2	.	5	.	4	.	3	.	2	500-502
.	7	.	1	.	3	.	2	.	4	.	4	.	11	.	1	470-475 510-527
.	2	1	1	.	.	571,764
.	1	.	.	.	1	.	1	1	.	.	530-570 572-587
1	750-759
2	7	.	.	1	1	.	1	.	1	.	.	.	3	.	.	760-761
2	6	.	2	.	2	1	1	762
.	3	763
.	765-768
7	6	2	2	4	3	4	.	3	1	2	1	6	3	5	3	769.0- 773.0
2	1	.	.	1	5	3	.	2	2	3	1	3	5	2	2	769.5- 773.5
6	.	.	.	2	1	.	.	1	.	1	.	3	.	3	.	774
5	.	1	.	2	1	.	5	.	1	1	776
8	1	.	.	5	.	.	.	3	.	1	.	2	.	3	.	780.2
5	1	.	.	2	.	2	.	2	.	.	.	1	.	1	.	
3	3	.	1	.	1	.	1	.	
2	.	.	.	3	.	.	.	2	.	1	.	2	.	.	.	
.	
.	
3	2	1	.	2	1	2	2	3	2	1	2	3	3	1	.	769.0- 773.0
5	2	.	.	1	1	4	.	.	1	1	.	2	.	3	.	769.5- 773.5
2	.	1	.	1	1	2	1	.	2	.	774
1	.	2	.	1	.	.	1	1	1	.	776
.	780.2
1	1	.	.	1	4	.	1	
.	3	2	.	.	1	1	.	1	
49	31	8	7	23	22	14	6	13	11	11	13	25	21	21	6	
29	24	4	4	20	17	10	6	7	9	12	9	24	20	17	5	

TABLE 28 - NUMBER OF CASES OF INFECTIOUS DISEASES NOTIFIED

COUNTY OR COUNTY BOROUGH	Acute Anterior Poliomyelitis	Brucellosis	Cerebro Spinal Fever	Diarrhoea and Enteritis	Diphtheria	Dysentery	Encephalitis Lethargica	Erysipelas	Infective Hepatitis	Infective Mononucleosis	Influenzal Pneumonia	Malaria
COUNTY BOROUGH												
Cork	.	.	6	64	3	9	.	14	2	.	22	.
Dublin	20	1	22	459	17	39	.	80	119	35	17	1
Limerick	1	.	1	101	.	.	.	8
Waterford	.	.	1	4	.	2	.	1
COUNTIES												
CARLOW												
Urban	1
Rural	1	1	5	.	1	.	.
CAVAN												
Urban	.	.	.	4	4	.	10	.
Rural	.	1	.	10	.	.	.	1	8	1	7	.
CLARE												
Urban	2
Rural	8	.	5	.
CORK												
Urban	3	.	1	3	1	.	.	.
Rural	6	.	5	38	.	7	.	13	24	.	.	.
DONEGAL												
Urban
Rural	4	2	1	.	1	.
DUBLIN												
Urban	1	.	.	50	10	63	.	6	16	5	2	1
Rural	2	.	3	26	.	47	.	7	36	21	3	.
GALWAY												
Urban	.	.	1	18	.	8	.	.	2	.	.	.
Rural	3	.	3	52	.	3	.	5	1	.	.	.
KERRY												
Urban	.	.	1	1	1	.	.
Rural	2	.	.	3	.	2	.	2	8	.	1	.
KILDARE												
Urban	1	.	.
Rural	5	.	.	1	2	.	.
KILKENNY												
Urban	1	13	.
Rural	3	.	.	6	1	2	.	2	6	.	1	.
LAOIS												
Rural	.	1	3	1	.	1	.	.
LEITRIM												
Rural
LIMERICK												
Rural	3	.	.	31	.	.	.	5	.	.	17	.
LONGFORD												
Urban	8
Rural	.	.	.	3	1	.
LOUTH												
Urban	.	.	1	1	.	.	.	1
Rural	3	.	1	3	.	.	.	1

Measles	Paratyphoid B.	Puerperal Pyrexia	Puerperal Sepsis	Rubella	Scabies	Scarlet Fever	Tinea Capitis	Trachoma	Typhoid	Weil's Disease	Whooping Cough	Other Notifiable Infectious Diseases	COUNTY OR COUNTY BOROUGH
													COUNTY BOROUGH
237	1	52	.	.	2	1	209	.	Cork
3,847	.	.	3	87	173	532	39	.	4	.	412	14B.	Dublin
305	17	17	121	.	Limerick
235	3	12	14	.	Waterford
													COUNTIES
. 23 3	. . .	8 16	. 1 1	. 3	. . .	CARLOW Urban Rural
29 17 3	1 2	134 103	. . .	CAVAN Urban Rural
2 18	1 . .	9 6	. 3	2 20	. . .	CLARE Urban Rural
138 612	. 1	2	1 . .	5 100 1	. 4	22 119	. . .	CORK Urban Rural
. 32	1 52 1	. 3	. 64	. . .	DONEGAL Urban Rural
375 725	. . .	1 1	. 1	7 22	9 . .	88 87	2 2	. . .	38 46	1B. 1B.	DUBLIN Urban Rural
7 362 1	. 1	21 9	4 9	. 4	. 100	. . .	GALWAY Urban Rural
3 154 2	. 1	12 29	13 4	. 6	. 13	. . .	KERRY Urban Rural
16 25	4 . .	. 24	. 1 1	. . .	3 10	. 1A.	KILDARE Urban Rural
2 104	1	15 1	. . .	2 47	. 1 115	. . .	KILKENNY Urban Rural
119	26	LAOIS Rural
1	2	.	.	.	LEITRIM Rural
90	81	.	.	.	2	109	.	LIMERICK Rural
. 3	43 9	1	5	LONG FORD Urban Rural
183 17	14 21	1 1 5	. . .	LOUTH Urban Rural

TABLE 28 (contd.) - NUMBER OF CASES OF INFECTIOUS DISEASES

COUNTY OR COUNTY BOROUGH	Acute Anterior Poliomyelitis	Brucellosis	Cerebro Spinal Fever	Diarrhoea and Enteritis	Diphtheria	Dysentery	Encephalitis Lethargica	Erysipelas	Infective Hepatitis	Infective Mononucleosis	Influenzal Pneumonia	Malaria
MAYO												
Urban	.	.	.	11	12	1	6	.
Rural	8	.	4	3	1	.	.	.	12	5	8	.
MEATH												
Urban
Rural	3	.	.	.	1	.	.	1	2	.	.	.
MONAGHAN												
Urban	2
Rural	.	.	1	.	.	.	1	4	2	.	.	.
OFFALY												
Urban	1	.	.	1	.	.	.
Rural	1	.	.	4	.	3	.	1	4	.	.	.
ROSCOMMON												
Rural	.	.	1	2	16	.	.	.
SLIGO												
Urban	.	.	.	2	.	.	.	2	.	.	2	.
Rural	2	.	.	2	1	.	.	1	2	.	1	.
TIPPERARY (N.R.)												
Urban
Rural	7	.	2	1	.	.	.	1	26	.	.	.
TIPPERARY (S.R.)												
Urban	1	.	1	1
Rural	1	.	1	1	.	1	.	3	2	.	.	.
WATERFORD												
Urban	.	.	.	1	.	4	.	1
Rural	.	.	2	16	.	.	.	1	1	.	.	.
WESTMEATH												
Urban
Rural	1	.	1	.	.	1	.	2	.	.	1	.
WEXFORD												
Urban	.	.	.	17	.	.	.	4
Rural	.	.	1	7	.	7	.	5	1	2	.	.
WICKLOW												
Urban	.	.	.	1	.	.	.	4	1	1	.	.
Rural	1	.	1	14	.	2	.	4	7	.	.	.
ALL COUNTY BOROUGHES	21	1	30	628	20	50	.	103	121	35	39	1
ALL URBAN DISTRICTS	5	.	5	108	10	85	.	24	38	9	33	1
ALL RURAL DISTRICTS	56	3	29	221	4	75	1	69	167	33	46	.
TOTAL	82	4	64	957	34	210	1	196	326	77	118	2

NOTIFIED TO THE DEPARTMENT OF HEALTH, DURING THE YEAR, 1954

Measles	Paratyphoid B.	Puerperal Pyrexia	Puerperal Sepsis	Rubella	Scabies	Scarlet Fever	Tinea Capitis	Trachoma	Typhoid	Weil's Disease	Whooping Cough	Other Notifiable Infectious Diseases	COUNTY OR COUNTY BOROUGH
8	1	3	.	.	1	.	.	.	MAYO
105	.	.	.	7	.	9	.	.	10	1	4	.	Urban
													Rural
27	10	MEATH
374	17	.	.	1	.	9	.	Urban
													Rural
36	20	MONAGHAN
104	43	.	.	2	2	17	.	Urban
													Rural
100	1	2	.	.	1	.	10	.	OFFALY
635	14	.	.	.	1	10	.	Urban
													Rural
75	9	.	2	1	.	13	.	ROSCOMMON
													Rural
103	.	.	.	2	7	1	44	.	SLIGO
120	3	8	.	Urban
													Rural
.	12	.	.	1	1	8	.	TIPPERARY (N.R.)
46	.	.	2	.	.	5	.	.	.	1	19	.	Urban
													Rural
16	10	41	.	TIPPERARY (S.R.)
209	28	79	.	Urban
													Rural
421	.	1	.	.	2	WATERFORD
478	7	4	.	.	2	16	.	Urban
													Rural
4	8	.	WESTMEATH
175	10	.	.	1	.	22	.	Urban
													Rural
13	.	.	1	.	1	17	4	.	WEXFORD
184	.	.	1	2	.	38	.	.	1	.	24	.	Urban
													Rural
46	.	.	1	3	6	8	1	.	.	.	20	.	WICKLOW
313	.	.	1	.	.	12	.	1	.	.	21	.	Urban
													Rural
4,624	1	.	3	87	193	613	39	.	6	1	756	14B.	ALL COUNTY BOROUGHES
1,529	45	4	2	27	32	243	17	.	9	1	339	1B.	ALL URBAN DISTRICTS
5,120	1	4	7	35	.	705	12	3	37	27	949	1A. 1B.	ALL RURAL DISTRICTS
11,273	47	8	12	149	225	1,561	68	3	52	29	2,044	1A. 16B.	TOTAL

APPENDIX

DEATHS IN THE YEARS 1951 TO 1954, CLASSIFIED BY CAUSE (INTERNATIONAL DETAILED LIST, 6th REVISION) AND BY SEX

Detailed List Number	Causes of Death	Males				Females			
		1951	1952	1953	1954	1951	1952	1953	1954
	Total deaths (all causes)	22,476	18,918	18,420	19,199	19,906	16,187	16,171	16,336
001-138	I. Infective and parasitic diseases	1,395	1,128	884	731	1,146	811	617	495
002	Pulmonary tuberculosis	869	683	522	487	704	468	348	292
003	Pleural tuberculosis	22	13	10	5	17	8	8	1
004	Primary tuberculosis complex with symptoms	1	.	1	1	.	.	.	2
005	Tracheobronchial glandular tuberculosis with symptoms	.	1
007	Other respiratory tuberculosis	2	1	1	.	2	.	.	.
008	Tuberculosis, unspecified site	48	17	15	3	47	16	6	6
010	Tuberculosis of meninges and central nervous system	122	105	71	52	114	94	62	56
011	Tuberculosis of intestines, peritoneum and mesenteric glands	32	26	18	14	28	19	18	17
012	Tuberculosis of bones and joints, active or unspecified	32	22	26	17	21	22	24	13
013	Late effects of tuberculosis of bones and joints	4	3	.	.	.	1	.	.
014	Tuberculosis of skin and subcutaneous cellular tissue	1	2	.	.	2	1	.	1
015	Tuberculosis of lymphatic system	3	4	1	2	3	2	5	1
016	Tuberculosis of genito-urinary system	20	17	13	9	9	6	8	9
017	Tuberculosis of adrenal glands	3	.	1	.	1	.	.	.
018	Tuberculosis of other organs	2	1	2	.	.	2	1	3
019	Disseminated tuberculosis	29	28	12	8	24	17	14	6
020	Congenital syphilis	2	2	.	.	3	2	1	1
022	Aneurysm of aorta	16	13	18	13	4	13	6	2
023	Other cardiovascular syphilis	2	1	3	1
024	Tabes dorsalis	.	1	7	1
025	General paralysis of insane	7	4	.	2	2	2	1	4
026	Other syphilis of central nervous system	1	2	1	1	1	.	1	.
027	Other forms of late syphilis	1	.	1
029	Syphilis, unqualified	6	7	1	1	3	3	2	1
040	Typhoid fever	1	1	4	1	2	1	.	.
041	Paratyphoid fever	.	.	.	1	1	.	1	.
042	Other salmonella infections	1	1	.	1
045	Bacillary dysentery	.	.	.	3	.	.	2	.
046	Amoebiasis	.	1
048	Unspecified forms of dysentery	.	2	.	.	1	.	1	.
049	Food poisoning (infection and intoxication)	1
050	Scarlet fever	5	4	2	2	5	6	1	1
051	Streptococcal sore throat	3	2	.	5	5	.	1	2
052	Erysipelas	1	.	1	.	3	1	1	3
053	Septicaemia and pyaemia	10	16	16	8	17	13	11	1
054	Bacterial toxæmia	1	1	.
055	Diphtheria	5	5	2	2	3	2	1	3
056	Whooping cough	52	44	27	14	56	42	34	19
057	Meningococcal infections	13	18	15	13	12	9	10	8

APPENDIX (contd.)

Detailed List Number	Causes of Death	Males				Females			
		1951	1952	1953	1954	1951	1952	1953	1954
061	Tetanus	14	10	9	.	3	6	5	3
063	Gas gangrene	.	.	1	.	.	.	1	.
064	Other bacterial diseases	1	.	.	.	1	.	.	2
070	Vincent's infection	.	.	1	.	.	.	1	.
072	Leptospirosis icterohaemorrhagica (Weil's disease)	7	11	6	14	2	2	.	2
074	Other spirochaetal and leptospirochaetal infections	2	.	.	2	.	.	1	.
080	Acute poliomyelitis	7	8	22	12	8	4	9	2
081	Late effects of acute poliomyelitis	.	.	2	.	2	1	.	1
082	Acute infectious encephalitis	3	4	8	3	8	3	3	2
083	Late effects of acute infectious encephalitis	5	5	1	1	.	.	1	1
085	Measles	19	21	23	17	13	31	13	16
087	Chickenpox	2	.	2	1	.	.	1	.
088	Herpes zoster	4	1	3	3	2	3	1	6
092	Infectious hepatitis	3	15	6	8	7	6	8	1
096	Other diseases attributable to viruses	1	1	.
116	Other and unspecified forms of malaria	4	1	3	1
125	Hydatid disease	.	.	1
127	Filariasis	1
128	Trichiniasis	.	.	1
130	Infestation with worms of other, mixed and unspecified type	2	1	.	1	5	1	1	2
131	Dermatophytosis	.	.	1
132	Actinomycosis	2	1	.	1
134	Other fungus infections	1	1	2	2	4	1	1	.
138	Other infective and parasitic diseases	2	4	1	4	.	.	1	1
140-239	II. Neoplasms	2,483	2,495	2,489	2,536	2,061	2,036	2,090	2,208
140	Malignant neoplasm of lip	35	53	47	47	9	4	9	9
141	Malignant neoplasm of tongue	41	42	32	49	10	5	8	5
142	Malignant neoplasm of salivary gland	5	7	7	6	1	3	1	3
143	Malignant neoplasm of floor of mouth	8	8	2	10	3	2	1	1
144	Malignant neoplasm of other parts of mouth and mouth unspecified	18	16	28	23	11	6	11	3
145	Malignant neoplasm of oral mesopharynx	14	14	10	13	1	4	1	2
146	Malignant neoplasm of nasopharynx	3	6	.	.	2	2	1	.
147	Malignant neoplasm of hypopharynx	.	1	1	1	3	.	1	7
148	Malignant neoplasm of pharynx, unspecified	46	28	31	39	17	10	13	21
150	Malignant neoplasm of oesophagus	95	81	83	91	61	62	57	77
151	Malignant neoplasm of stomach	557	556	575	525	426	382	371	410
152	Malignant neoplasm of small intestine, including duodenum	5	8	7	10	4	6	5	3
153	Malignant neoplasm of large intestine, except rectum	282	239	264	260	271	261	261	275
154	Malignant neoplasm of rectum	196	176	182	187	99	86	76	79
155	Malignant neoplasm of biliary passages and of liver (stated to be primary site)	22	17	17	22	31	24	21	27
156	Malignant neoplasm of liver (secondary and unspecified)	84	90	66	63	72	57	73	70
157	Malignant neoplasm of pancreas	83	77	85	95	54	71	70	61
158	Malignant neoplasm of peritoneum	8	8	8	12	17	8	16	9

APPENDIX (contd.)

Detailed List Number	Causes of Death	Males				Females			
		1951	1952	1953	1954	1951	1952	1953	1954
159	Malignant neoplasm of unspecified digestive organs	2	3	1	1	4	3	1	4
160	Malignant neoplasm of nose, nasal cavities, middle ear and accessory sinuses	9	1	6	9	5	4	4	9
161	Malignant neoplasm of larynx	44	63	60	55	15	18	20	21
162	Malignant neoplasm of trachea and or bronchus and lung specified as primary	96	42	55	68	32	13	15	20
163	Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary	117	218	229	248	41	65	66	86
164	Malignant neoplasm of mediastinum	15	8	8	5	6	5	5	2
165	Malignant neoplasm of thoracic organs (secondary)	.	1	1	.	1	1	1	.
170	Malignant neoplasm of breast	5	8	7	7	312	326	344	355
171	Malignant neoplasm of cervix uteri	29	33	31	33
172	Malignant neoplasm of corpus uteri	8	5	8	4
173	Malignant neoplasm of other parts of uterus, including chorionepithelioma	3	.	2	.
174	Malignant neoplasm of uterus, unspecified	109	108	117	107
175	Malignant neoplasm of ovary fallopian tube and broad ligament	59	59	71	81
176	Malignant neoplasm of other and unspecified female genital organs	14	16	17	18
177	Malignant neoplasm of prostate	163	172	173	180
178	Malignant neoplasm of testis	8	9	10	9
179	Malignant neoplasm of other and unspecified male genital organs	10	11	9	8
180	Malignant neoplasm of kidney	23	27	20	42	7	16	10	13
181	Malignant neoplasm of bladder and other urinary organs	43	40	63	41	19	20	32	33
190	Malignant melanoma of skin	4	6	6	1	2	4	2	7
191	Other malignant neoplasm of skin	66	56	47	42	33	46	37	49
192	Malignant neoplasm of eye	5	5	6	4	3	2	3	2
193	Malignant neoplasm of brain and other parts of nervous system	36	27	33	33	16	12	27	14
194	Malignant neoplasm of thyroid gland	4	3	4	4	18	19	17	15
195	Malignant neoplasm of other endocrine glands	2	2	3	1	.	1	3	4
196	Malignant neoplasm of bone (including jaw bone)	35	51	60	38	30	25	31	33
197	Malignant neoplasm of connective tissue	3	3	1	2	2	1	3	3
198	Secondary and unspecified malignant neoplasm of lymph nodes	2	16	16	11	1	4	8	4
199	Malignant neoplasm of other and unspecified sites	102	95	81	82	83	89	81	64
200	Lymphosarcoma and reticulosarcoma	18	14	17	9	9	2	13	10
201	Hodgkin's disease	42	37	30	32	12	18	8	13
202	Other forms of lymphoma (reticulosis)	.	1	.	3	.	2	1	1
203	Multiple myeloma (plasmocytoma)	4	2	2	6	3	3	4	7
204	Leukaemia and aleukaemia	64	51	60	64	31	44	46	62
205	Mycosis fungoides	1	1	.	.
210	Benign neoplasm of buccal cavity and pharynx	1	.	.	.
211	Benign neoplasm of other parts of digestive system	1	.	2	1
212	Benign neoplasm of respiratory system	.	1	2	1	1	.	1	1
214	Uterine fibromyoma	2	4	5	8
215	Other benign neoplasm of uterus	2	1	1	2
216	Benign neoplasm of ovary	10	6	9	9
217	Benign neoplasm of other female genital organs	1	.	.	.
218	Benign neoplasm of male genital organs	.	1

APPENDIX (contd.)

Detailed List Number	Causes of Death	Males				Females			
		1951	1952	1953	1954	1951	1952	1953	1954
219	Benign neoplasm of kidney and other urinary organs	1	3	1	2	3	2	.	1
223	Benign neoplasm of brain and other parts of nervous system	1	6	2	9	1	2	4	2
224	Benign neoplasm of endocrine glands	1	2	.	2	1	6	.	2
225	Benign neoplasm of bone and cartilage	.	1	1	.	.	.	2	.
227	Other benign neoplasm of muscular and connective tissue	1	.
228	Haemangioma and lymphangioma	3
229	Benign neoplasm of other and unspecified organs and tissues	1	.	1	.	1	.	.	.
230	Neoplasm of unspecified nature of digestive organs	8	20	13	11	8	13	9	11
231	Neoplasm of unspecified nature of respiratory organs	7	14	2	5	2	1	3	4
232	Neoplasm of unspecified nature of breast	1	.	.
233	Neoplasm of unspecified nature of uterus	1	2	.
234	Neoplasm of unspecified nature of ovary	2	4	1	1
236	Neoplasm of unspecified nature of other genito-urinary organs	1	4	1	3	1	6	2	1
237	Neoplasm of unspecified nature of brain and other parts of nervous system	33	38	10	42	20	24	22	21
238	Neoplasm of unspecified nature of skin and musculoskeletal system	1	2	1	2	.	.	.	1
239	Neoplasm of unspecified nature of other and unspecified organs	1	4	2	1	5	7	2	7
240-289	III. Allergic endocrine system, metabolic and nutritional diseases	406	295	335	318	314	314	311	299
240	Hay fever	1	.	.
241	Asthma	238	150	186	186	121	108	116	116
242	Angioneurotic oedema	1	.	.	.
243	Urticaria	1
250	Simple goitre	1	.	2	.	2	8	4	1
251	Nontoxic nodular goitre	2	1	1
252	Thyrotoxicosis with or without goitre	5	7	3	1	19	37	32	23
253	Myxoedema and cretinism	3	6	4	2	2	7	4	13
254	Other diseases of thyroid gland	1	.	1	2	.	.	1	2
260	Diabetes mellitus	114	91	107	89	134	101	106	111
270	Disorders of pancreatic internal secretion other than diabetes mellitus	1	.	1	1	1	.	2	1
271	Diseases of parathyroid gland	.	.	1	.	1	.	.	.
272	Diseases of pituitary gland	2	4	3	.	2	5	5	2
273	Diseases of thymus gland	9	4	9	6	4	4	9	6
274	Diseases of adrenal glands	13	7	5	7	10	18	3	12
277	Polyglandular dysfunction and other diseases of endocrine glands	.	2	1	.	1	.	2	.
280	Beriberi	1
281	Pellagra	.	.	.	1	.	1	.	.
282	Scurvy	1
283	Active rickets	3	2	.	4	2	5	2	1
285	Osteomalacia	1	.
286	Other avitaminoses and nutritional deficiency states	11	16	6	14	10	13	14	5
287	Obesity, not specified as of endocrine origin	1	1	1	1	1	1	2	2
288	Gout	1	2	.	1	.	.	.	1
289	Other metabolic diseases	1	3	5	3	3	3	7	1
290-299	IV. Diseases of the blood and blood-forming organs	143	136	103	125	201	178	159	148
290	Pernicious and other hyperchromic anaemias	64	59	47	51	96	82	72	73

APPENDIX (contd.)

Detailed List Number	Causes of Death	Males				Females			
		1951	1952	1953	1954	1951	1952	1953	1954
291	Iron deficiency anaemias (hypochromic anaemias)	4	6	3	2	5	6	8	3
292	Other anaemias of specified type	10	12	9	10	9	12	10	7
293	Anaemia of unspecified type	39	35	29	40	65	62	55	49
294	Polycythaemia	2	1	.	.	1	.	.	.
295	Haemophilia	1	1	.	1
296	Purpura and other haemorrhagic conditions	17	14	8	15	13	14	9	9
297	Agranulocytosis	.	2	1	1	4	1	.	2
298	Diseases of the spleen	6	5	6	5	7	1	4	5
299	Other diseases of blood and blood-forming organs	.	1	.	.	1	.	1	.
300-326	V. Mental, psychoneurotic and personality disorders	82	66	44	68	72	60	67	71
300	Schizophrenic disorders (dementia praecox)	2	3	1	4	2	1	3	1
301	Manic-depressive reaction	19	12	11	12	15	12	6	17
302	Involutional melancholia	1	1	.	.
303	Paranoia and paranoid states	1
304	Senile psychosis	27	18	11	24	32	18	22	25
305	Presenile psychosis	1
307	Alcoholic psychosis	1	1	2	1	1	.	.	.
309	Other and unspecified psychoses	12	11	2	7	8	4	11	5
311	Hysterical reaction without mention of anxiety reaction	.	1	.	1	3	2	2	2
315	Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system	1	1	1
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	.	1	2	1
318	Psychoneurotic disorders, other, mixed and unspecified types	3	5	7	1	2	3	6	3
322	Alcoholism	1	.	2
323	Other drug addiction	.	.	1	.	1	.	.	.
325	Mental deficiency	14	13	6	18	7	19	15	17
330-398	VI. Diseases of the nervous system and sense organs	1,838	1,743	1,834	1,965	2,067	2,083	2,198	2,244
330	Subarachnoid haemorrhage	24	43	41	57	25	52	57	62
331	Cerebral haemorrhage	692	616	644	720	875	804	913	939
332	Cerebral embolism and thrombosis	397	439	487	540	428	471	587	560
333	Spasm of cerebral arteries	.	1
334	Other and ill-defined vascular lesions affecting central nervous system	247	268	266	265	337	340	271	345
340	Meningitis except meningococcal and tuberculous	55	43	31	40	37	29	19	23
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	.	1	.	.	.	2	3	1
342	Intracranial and intraspinal abscess	5	8	3	9	4	3	1	2
343	Encephalitis, myelitis and encephalomyelitis except acute infectious	11	8	13	10	16	11	4	6
344	Late effects of intracranial abscess or pyogenic infection	16	15	6	5	7	8	6	5
345	Multiple sclerosis	38	35	44	39	24	37	38	34
350	Paralysis agitans	65	54	51	59	44	55	52	44
351	Cerebral spastic infantile paralysis	6	10	8	11	8	3	8	5
352	Other cerebral paralysis	164	108	147	119	192	193	169	149
353	Epilepsy	52	47	46	47	36	43	31	40
354	Migraine	1	.	1
355	Other diseases of brain	19	5	12	8	7	9	5	.
356	Motor neurone disease and muscular atrophy	19	24	17	21	12	13	15	6

APPENDIX (contd.)

Detailed List Number	Causes of Death	Males				Females			
		1951	1952	1953	1954	1951	1952	1953	1954
357	Other diseases of spinal cord	5	2	7	7	5	2	6	5
360	Facial paralysis	.	1
361	Trigeminal neuralgia	1	1
362	Brachial neuritis	1
363	Sciatica	1	.	.	.
364	Polyneuritis and polyradiculitis	1	2	.	.	1	.	1	1
365	Erythroderma polyneuritica	2	.	2	1	1	1	.	1
366	Other and unspecified forms of neuralgia and neuritis	1	.	1	1	.	1	2	6
367	Other diseases of cranial nerves	2	1	1	.	.	1	.	1
368	Other diseases of peripheral nerves except autonomic	2	.	2	.
370	Conjunctivitis and ophthalmia	1
379	Other inflammatory diseases of eye	.	2	.	.	1	.	.	1
381	Corneal ulcer	1	.
385	Cataract	2	.	1	.
388	Other diseases of eye	1
391	Otitis media without mention of mastoiditis	9	9	4	6	2	2	5	3
393	Mastoiditis without mention of otitis media	6	1	3	.	.	2	.	1
396	Other diseases of ear and mastoid process	1	.
400-468	VII. Diseases of the circulatory system	6,839	6,354	6,190	6,949	5,990	5,348	5,272	5,658
400	Rheumatic fever without mention of heart involvement	3	9	7	5	4	2	7	4
401	Rheumatic fever with heart involvement	32	33	32	21	40	28	25	30
402	Chorea	1	.	2	1	1	3	2	2
410	Diseases of mitral valve	120	116	105	138	154	149	141	141
411	Diseases of aortic valve specified as rheumatic	1	2	.	4	.	5	3	4
412	Diseases of tricuspid valve	1
413	Diseases of pulmonary valve specified as rheumatic	1
414	Other endocarditis specified as rheumatic	28	23	24	20	33	26	21	19
415	Other myocarditis specified as rheumatic	16	16	10	15	16	12	7	11
416	Other heart disease specified as rheumatic	22	15	22	23	15	16	24	29
420.0	Arteriosclerotic heart disease	31	5	17	28	13	5	9	23
420.1	Heart disease specified as involving coronary arteries	1,431	1,572	1,621	1,884	692	772	863	912
420.2	Angina pectoris without mention of coronary disease	84	77	61	57	48	27	29	27
421	Chronic endocarditis not specified as rheumatic	408	331	314	323	345	282	279	269
422	Other myocardial degeneration	3,155	2,667	2,470	2,750	3,137	2,616	2,429	2,580
430	Acute and subacute endocarditis	17	16	13	16	10	13	11	11
431	Acute myocarditis not specified as rheumatic	14	13	12	14	16	14	8	10
432	Acute pericarditis specified as non-rheumatic	.	1	.	.	1	.	.	2
433	Functional disease of heart	276	291	246	292	312	305	242	310
434	Other and unspecified diseases of heart	390	328	370	403	330	262	297	315
440	Essential benign hypertension with heart disease	1	.	1	.	2	1	2	.
441	Essential malignant hypertension with heart disease	6	3	4	4	3	1	2	4
442	Hypertensive heart disease with arteriolar nephrosclerosis	7	5	9	5	8	10	17	8
443	Other and unspecified hypertensive heart disease	237	223	213	253	238	243	259	291

APPENDIX (contd.)

Detailed List Number	Causes of Death	Males				Females			
		1951	1952	1953	1954	1951	1952	1953	1954
444	Essential benign hypertension without mention of heart	77	183	129	169	109	210	183	216
445	Essential malignant hypertension without mention of heart	18	20	26	32	13	19	24	20
446	Hypertension with arteriolar nephrosclerosis without mention of heart	14	12	21	13	11	7	13	12
447	Other hypertensive disease without mention of heart	103	47	43	41	127	47	50	46
450	General arteriosclerosis	233	278	317	352	215	197	225	280
451	Aortic aneurysm specified as nonsyphilitic and dissecting aneurysm	3	.	2	3	4	2	3	2
452	Other aneurysm, except of heart and aorta	8	5	5	1	3	5	4	4
453	Peripheral vascular disease	6	2	11	2	.	.	2	3
454	Arterial embolism and thrombosis	7	2	5	7	7	8	4	2
455	Gangrene of unspecified cause	46	25	40	30	42	20	30	14
456	Other diseases of arteries	2	5	3	3	1	1	6	5
460	Varicose veins of lower extremities	3	2	1	6	4	7	3	8
461	Haemorrhoids	2	.	.	.
462	Varicose veins of other specified sites	3	1	3	1	1	1	1	2
463	Phlebitis and thrombophlebitis of lower extremities	3	1	3	4	1	4	4	2
464	Phlebitis and thrombophlebitis of other sites	6	1	4	5	5	6	5	8
465	Pulmonary embolism and infarction	16	14	16	14	13	20	24	22
466	Other venous embolism and thrombosis	5	4	6	3	6	2	8	4
467	Other diseases of circulatory system	3	4	2	5	7	.	5	6
468	Certain diseases of lymph nodes and lymph channels	1	2	.	2	1	.	1	.
470-527	VIII. Diseases of the respiratory system	2,880	1,400	1,504	1,405	2,769	1,059	1,239	1,137
470	Acute nasopharyngitis (common cold)	1	3	3	.	1	2	2	4
471	Acute sinusitis	1
472	Acute pharyngitis	4	1	.	.	1	.	1	.
473	Acute tonsillitis	3	.	.	.	1	.	1	2
474	Acute laryngitis and tracheitis	5	2	1	.	.	2	1	.
475	Acute upper respiratory infection of multiple or unspecified sites	8	2	2	2	8	.	2	3
480	Influenza with pneumonia	278	23	57	14	288	24	51	24
481	Influenza with other respiratory manifestations and influenza unqualified	821	96	147	55	1,000	89	174	78
482	Influenza with digestive manifestations but without respiratory symptoms	8	1	3	1	4	5	.	2
490	Lobar pneumonia	114	91	96	85	86	62	68	68
491	Bronchopneumonia	396	252	273	311	400	254	280	309
492	Primary atypical pneumonia	21	4	10	11	14	5	7	13
493	Pneumonia, other and unspecified	208	183	140	126	182	128	121	122
500	Acute bronchitis	88	74	66	57	108	63	57	52
501	Bronchitis unqualified	328	183	177	169	267	144	166	144
502	Chronic bronchitis	400	321	338	394	261	155	170	186
510	Hypertrophy of tonsils and adenoids	1
511	Peritonsillar abscess (quinsy)	3	.	.	1	.	1	.	.
512	Chronic pharyngitis and nasopharyngitis	.	1
513	Chronic sinusitis	2	1	.	1	3	1	.	.
514	Deflected nasal septum	1	.	.
516	Chronic laryngitis	1	.	.

APPENDIX (contd.)

Detailed List Number	Causes of Death	Males				Females			
		1951	1952	1953	1954	1951	1952	1953	1954
517	Other diseases of upper respiratory tract	4	7	2	3	2	3	3	1
518	Empyema	15	4	6	6	3	1	2	1
519	Pleurisy	18	13	12	13	11	7	4	5
520	Spontaneous pneumothorax	5	2	2	3	1	.	2	2
521	Abscess of lung	9	5	12	2	4	3	6	5
522	Pulmonary congestion and hypotasis	85	68	86	77	95	74	83	72
523	Pneumoconiosis due to silica and silicates (occupational)	.	.	1	2
525	Other chronic interstitial pneumonia	6	11	4	8	3	6	4	3
526	Bronchiectasis	27	39	34	32	14	18	17	26
527	Other diseases of lung and pleural cavity	21	13	32	32	12	10	17	15
530-587	IX. Diseases of the digestive system	708	597	581	623	465	464	409	419
530	Dental caries	.	.	1
531	Abscesses of supporting structures of teeth	.	.	.	1	.	1	.	.
532	Other inflammatory diseases of supporting structures of teeth	1	2	1
533	Disorders of occlusion, eruption and tooth development	1	1	1	1	.	1	1	.
535	Other diseases of teeth and supporting structures	.	.	1
536	Stomatitis	8	2	1	2	3	.	1	3
537	Diseases of salivary glands	.	.	1	.	.	1	1	3
538	Other diseases of buccal cavity	1	2	1
539	Diseases of oesophagus	3	4	2	6	2	2	.	1
540	Ulcer of stomach	135	112	115	151	55	42	39	36
541	Ulcer of duodenum	76	52	56	65	13	15	10	11
542	Gastrojejunal ulcer	4	1	2	2
543	Gastritis and duodenitis	25	17	15	9	20	19	19	17
544	Disorders of function of stomach	5	1	4	4	10	2	2	3
545	Other diseases of stomach and duodenum	18	12	11	14	7	5	4	2
550	Acute appendicitis	35	29	25	36	18	18	24	19
551	Appendicitis unqualified	6	1	7	4	5	1	1	1
552	Other appendicitis	.	.	.	1	1	.	1	.
553	Other diseases of appendix	.	2	.	1
560	Hernia of abdominal cavity without mention of obstruction	8	7	19	5	5	9	9	7
561	Hernia of abdominal cavity with obstruction	36	30	38	27	37	34	32	35
570	Intestinal obstruction, without mention of hernia	84	77	56	63	56	58	53	56
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	115	103	111	112	95	89	73	86
572	Chronic enteritis and ulcerative colitis	17	14	14	14	17	24	11	23
573	Functional disorders of intestines	3	2	1	1	1	1	5	1
575	Abscess of anal and rectal regions	1	1	1	.	.	1	.	.
576	Peritonitis	19	23	13	15	16	21	14	10
577	Peritoneal adhesion	1	1	.	1	.	1	1	1
578	Other diseases of intestines and peritoneum	23	7	9	15	11	6	6	6
580	Acute and subacute yellow atrophy of liver	6	5	6	4	4	5	1	.
581	Cirrhosis of liver	40	49	34	29	19	21	13	20
582	Suppurative hepatitis and liver abscess	1	1

APPENDIX (contd.)

Detailed List Number	Causes of Death	Males				Females			
		1951	1952	1953	1954	1951	1952	1953	1954
583	Other diseases of liver	1	6	6	7	9	5	5	7
584	Cholelithiasis	5	3	3	8	9	16	17	19
585	Cholecystitis without mention of calculi	11	14	11	11	33	37	31	27
586	Other diseases of gallbladder and biliary ducts	11	8	6	4	8	21	18	15
587	Diseases of pancreas	8	10	10	10	11	8	15	9
590-637	X. Diseases of the genito-urinary system	747	703	694	624	351	288	310	316
590	Acute nephritis	31	24	26	19	18	15	25	14
591	Nephritis with oedema, including nephrosis	18	6	12	11	9	11	9	9
592	Chronic nephritis	206	188	193	171	157	153	135	147
593	Nephritis not specified as acute or chronic	103	103	110	92	105	62	77	95
594	Other renal sclerosis	2	2	2	1	3	2	1	2
600	Infections of kidney	15	20	19	23	18	12	25	22
601	Hydronephrosis	.	5	.	6	1	.	2	1
602	Calculi of kidney and ureter	3	4	5	5	2	2	1	6
603	Other diseases of kidney and ureter	7	5	1	4	3	4	9	3
604	Calculi of other parts of urinary system	1	2	3	1	1	1	.	.
605	Cystitis	29	24	22	16	9	13	6	4
606	Other diseases of bladder	2	14	10	7	.	.	1	4
607	Urethritis (nonvenereal)	.	2
608	Stricture of urethra	4	3	2	3
609	Other diseases of urethra	.	3	.	2	2	.	.	.
610	Hyperplasia of prostate	282	266	255	234
611	Prostatitis	32	26	23	18
612	Other diseases of prostate	9	4	6	8
613	Hydrocele	2	1
614	Orchitis and epididymitis	.	.	1	2
615	Redundant prepuce and phimosis	.	.	.	1
617	Other diseases of male genital organs	1	1	4
621	Other diseases of breast	1	.	1	1
624	Salpingitis and oophoritis, unqualified	2	.	.	.
626	Diseases of parametrium and pelvic peritoneum (female)	6	5	2	1
630	Infective disease of uterus, vagina and vulva	1	1	.
631	Uterovaginal prolapse	3	1	7	4
632	Malposition of uterus	1	.	.	.
633	Other diseases of uterus	8	3	5	.
634	Disorders of menstruation	1	.	1
635	Menopausal symptoms	1	1	2	.
637	Other diseases of female genital organs	1	1	1	2
640-689	XI. Deliveries and complications of pregnancy, childbirth and the puerperium	103	92	83	69
641	Other infections of genito-urinary tract during pregnancy	1
642	Toxaemias of pregnancy	31	22	16	17
643	Placenta praevia	1	1
644	Other haemorrhage of pregnancy	1	2	4	2
645	Ectopic pregnancy	3	1	1	.

APPENDIX (contd.)

Detailed List Number	Causes of Death	Males				Females			
		1951	1952	1953	1954	1951	1952	1953	1954
646	Anaemia of pregnancy	1	.	2	1
648	Other complications arising from pregnancy	3	5	4	3
650	Abortion without mention of sepsis or toxæmia	2	2	1	.
651	Abortion with sepsis	1
652	Abortion with toxæmia, without mention of sepsis	1
670	Delivery complicated by placenta prævia or antepartum hæmorrhage	12	12	8	5
671	Delivery complicated by retained placenta	6	10	3	5
672	Delivery complicated by other post-partum hæmorrhage	10	12	8	7
673	Delivery complicated by abnormality of bony pelvis	1	.	.
674	Delivery complicated by disproportion or malposition of foetus	1	1	7	1
675	Delivery complicated by prolonged labour of other origin	3	2	2	2
677	Delivery with other trauma	3	1	2	3
678	Delivery with other complications of childbirth	8	6	6	2
680	Puerperal urinary infection without other sepsis	1	.
681	Sepsis of childbirth and the puerperium	1	.	2	.
682	Puerperal phlebitis and thrombosis	2	2	3	4
684	Puerperal pulmonary embolism	6	4	4	5
685	Puerperal eclampsia	6	5	6	2
686	Other forms of puerperal toxæmia	1	.	.
687	Cerebral hæmorrhage in the puerperium	1	1	2	2
688	Other and unspecified complications of the puerperium	3	2	.	4
690-716	XII. Diseases of the skin and cellular tissue	32	31	25	23	26	24	20	32
690	Boil and carbuncle	1	2	3	1	2	1	.	2
691	Cellulitis of finger and toe	.	.	1	1	1	.	.	.
692	Other cellulitis and abscess without mention of lymphangitis	7	9	7	5	4	4	4	2
693	Other cellulitis and abscess with lymphangitis	.	2	.	.	.	1	.	.
695	Impetigo	.	1
698	Other local infections of skin and sub-cutaneous tissue	1	.	1	1
701	Eczema	2	1	2	3	1	1	.	2
703	Other dermatitis	.	1	2	.	1	.	.	.
704	Pemphigus	3	2	1	3	1	.	.	6
705	Erythematous conditions	3	2	3	2	1	1	3	4
706	Psoriasis and similar disorders	1	.	.	.
707	Lichen planus	1
710	Other hypertrophic and atrophic conditions	.	.	1	.	.	3	.	2
714	Diseases of sweat and sebaceous glands	1
715	Chronic ulcer of skin	14	11	5	7	13	13	12	13
716	Other diseases of skin	.	.	.	1
720-749	XIII. Diseases of the bones and organs of movement	124	119	129	145	161	134	168	145
720	Acute arthritis due to pyogenic organisms	3	2	.	1	.	.	.	1
722	Rheumatoid arthritis and allied conditions	38	38	47	55	90	75	95	83
723	Osteo-arthritis (arthrosis) and allied conditions	11	7	8	6	11	11	14	11
724	Other specified forms of arthritis	.	.	.	1	1	1	.	1
725	Arthritis, unspecified	12	7	11	22	17	10	13	14

APPENDIX (contd.)

Detailed List Number	Causes of Death	Males				Females			
		1951	1952	1953	1954	1951	1952	1953	1954
726	Muscular rheumatism	2	2	.	1	.	1	1	.
727	Rheumatism unspecified	44	50	49	38	25	21	32	24
730	Osteomyelitis and periostitis	8	7	4	9	8	10	6	4
731	Osteitis deformans	.	.	.	1	3	.	2	2
733	Other diseases of bone	1	2	2	4	2	1	1	1
734	Internal derangement of knee joint	1
735	Displacement of intervertebral disc	.	.	1
737	Ankylosis of joint	1	1	.
738	Other diseases of joint	.	.	.	1	.	.	1	.
744	Other diseases of muscle, tendon and fascia	3	4	6	4	2	3	1	3
745	Curvature of spine	.	.	1	2	2	1	1	1
750-759	XIV. Congenital malformations	237	248	262	263	206	184	223	221
750	Monstrosity	6	6	13	11	13	14	19	20
751	Spina bifida and meningocele	48	42	44	38	52	49	60	51
752	Congenital hydrocephalus	12	17	26	35	21	16	24	23
753	Other congenital malformations of nervous system and sense organs	3	3	4	1	2	3	5	2
754	Congenital malformations of circulatory system	96	102	103	107	77	65	75	81
755	Cleft palate and harelip	3	3	3	2	4	1	3	.
756	Congenital malformations of digestive system	46	52	48	33	17	20	12	20
757	Congenital malformations of genito-urinary system	5	12	7	16	3	7	5	6
758	Congenital malformations of bone and joint	2	1	1	2	2	3	4	2
759	Other and unspecified congenital malformations, not elsewhere classified	16	10	13	18	15	6	16	16
760-776	XV. Certain diseases of early infancy	851	778	708	728	572	605	498	475
760	Intracranial and spinal injury at birth	94	87	102	91	45	63	60	43
761	Other birth injury	20	20	22	21	16	20	17	14
762	Postnatal asphyxia and atelectasis	106	123	93	122	87	86	72	84
763	Pneumonia of newborn	54	47	44	54	22	47	31	32
764	Diarrhoea of newborn	19	10	15	16	9	7	16	8
765	Ophthalmia neonatorum	1	.	.
766	Pemphigus neonatorum	.	.	1
767	Umbilical sepsis	1	1	.	.	1	.	.	.
768	Other sepsis of newborn	3	1	6	6	1	2	3	.
769	Neonatal disorders arising from maternal toxæmia	6	12	7	6	2	3	8	5
770	Haemolytic disease of newborn (erythroblastosis)	37	40	31	37	30	30	22	26
771	Haemorrhagic disease of newborn	12	10	15	15	9	7	12	8
772	Nutritional maladjustment	9	8	8	9	10	10	4	1
773	Ill-defined diseases peculiar to early infancy	248	214	164	132	156	144	117	79
774	Immaturity with mention of any other subsidiary condition	24	7	16	6	18	6	11	16
776	Immaturity unqualified	218	198	184	213	166	179	125	159
780-795	XVI. Symptoms, senility and ill-defined conditions	3,080	2,230	2,030	2,055	3,037	2,240	2,208	2,067
780	Certain symptoms referable to nervous system and special senses	67	50	36	31	40	37	36	26
781	Other symptoms referable to nervous system and special senses	1	.	.	.	1	.	.	.

APPENDIX (contd.)

Detailed List Number	Causes of Death	Males				Females			
		1951	1952	1953	1954	1951	1952	1953	1954
782	Symptoms referable to cardiovascular and lymphatic system	407	318	290	223	297	237	201	199
783	Symptoms referable to respiratory system	2	3	2	.	1	1	4	2
784	Symptoms referable to upper gastro-intestinal tract	21	9	8	9	4	4	4	4
785	Symptoms referable to abdomen and lower gastro-intestinal system	10	10	11	6	9	6	5	8
786	Symptoms referable to genito-urinary system	12	10	15	8	3	1	2	.
787	Symptoms referable to limbs and back	1
788	Other general symptoms	3	1	1	3	2	1	.	1
789	Abnormal urinary constituents of unspecified cause	1	2	1	.	1	.	2	.
790	Nervousness and debility	10	5	4	4	13	5	10	4
791	Headache	.	1
792	Uraemia unqualified	72	53	48	48	37	28	36	17
794	Senility without mention of psychosis	2,412	1,714	1,560	1,677	2,570	1,877	1,872	1,774
795	Ill-defined and unknown causes of mortality	62	54	54	46	59	43	36	31
E800-E999	EXVII. Accidents, poisonings and violence (external cause)	631	595	608	638	365	267	299	332
E800	Railway accident involving railroad employee	2	1	3	1
E801	Railway accident involving passenger	2	1	1	.
E802	Railway accident involving other and unspecified person	2	2	4	1	4	2	.	.
E810	Motor vehicle traffic accident involving collision with railway train	.	2
E812	Motor vehicle traffic accident to pedestrian	62	68	69	59	25	16	25	28
E813	Motor vehicle traffic accident to pedal cyclist	15	26	20	27	5	4	3	4
E814	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with non-motor vehicle or object	3	3	7	3	.	.	.	1
E815	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle	4	5	6	16
E816	Other motor vehicle traffic accident involving two or more motor vehicles	18	5	9	17	4	1	.	2
E817	Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle	2	3	1	3	.	2	1	.
E818	Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle	2	2	1
E819	Motor vehicle traffic accident involving collision with fixed or unspecified object	2	5	2	2	.	2	.	.
E820	Motor vehicle traffic accident while boarding and alighting	.	1	1	1
E821	Motor vehicle traffic accident to rider of motorcycle not involving collision	1	4	6	7	.	1	.	.
E822	Motor vehicle traffic accident involving overturning in roadway	1	4	7	7	.	.	1	1
E823	Motor vehicle traffic accident involving running off roadway	10	6	9	7
E824	Other non-collision motor vehicle traffic accident	9	11	5	10	2	1	2	.
E825	Motor vehicle traffic accident of unspecified nature	1	1	1	3	.	1	1	2
E830	Motor vehicle non-traffic accident to pedestrian	4	1	2	.	.	1	.	.
E834	Motor vehicle non-traffic accident while boarding and alighting	.	.	1	1
E835	Motor vehicle non-traffic accident of other and unspecified nature	1	1	2	5
E842	Accident to pedestrian caused by pedal cycle	3	4	3	1	4	2	1	2
E843	Accident to rider of pedal cycle not involving collision with a motor vehicle	37	31	39	34	5	4	2	6
E844	Accident to pedestrian caused by other non-motor road vehicle	1	1	.	.	.	1	1	.
E845	Other non-motor road vehicle accidents	12	17	19	9	2	2	4	2
E850	Submersion of occupant of small boat	1	.	1

APPENDIX (contd.)

Detailed List Number	Causes of Death	Males				Females			
		1951	1952	1953	1954	1951	1952	1953	1954
E853	Other falls from one level to another in water transport	1	3	1	1
E855	Unspecified falls in water transport	1
E857	Other specified accidents in water transport	1	1	1
E860	Accident to personnel in military aircraft	1	.	1
E871	Accidental poisoning by barbituric acid and derivatives	2	3	1	.	.	1	3	1
E874	Accidental poisoning by other analgesic and soporific drugs	1	.	.	.	1	.	.	1
E875	Accidental poisoning by sulphonamides	1	.	.
E876	Accidental poisoning by strychnine	1	.	.	.	2	.	.	1
E878	Accidental poisoning by other and unspecified drugs	1	.	1	1
E880	Accidental poisoning by alcohol	2	1	1
E883	Accidental poisoning by corrosive aromatics, acids and caustic alkalis	1	.	.	.	1	.	.	.
E884	Accidental poisoning by mercury and its compounds	.	1
E885	Accidental poisoning by lead and its compounds	1
E886	Accidental poisoning by arsenic and antimony and their compounds	.	.	1
E888	Accidental poisoning by other and unspecified solid and liquid substances	2	.	1	.	.	.	1	1
E890	Accidental poisoning by utility (illuminating) gas	2	.	1	.	2	.	2	1
E891	Accidental poisoning by motor vehicle exhaust gas	1
E892	Accidental poisoning by other carbon monoxide gas	5	12	2	2	3	1	5	3
E893	Accidental poisoning by cyanide gas	.	.	1
E894	Accidental poisoning by other specified gases and vapours	1	1	1	1
E895	Accidental poisoning by unspecified gases and vapours	.	1
E900	Fall on stairs	10	8	4	9	6	6	1	1
E901	Fall from ladders	6	1	2	.	.	1	.	1
E902	Other falls from one level to another	20	34	28	31	14	11	8	3
E903	Fall on same level	25	8	16	10	59	21	16	10
E904	Unspecified falls	36	44	39	46	88	64	81	126
E910	Blow from falling object	11	9	17	7	3	.	2	.
E911	Accident caused by vehicle	1	1	3	1
E912	Accident caused by machinery	7	10	10	13	1	.	.	.
E913	Accident caused by cutting and piercing instruments	3	2	2	3
E914	Accident caused by electric current	3	3	4	7	1	2	.	1
E916	Accident caused by fire and explosion of combustible material	21	16	9	11	16	40	31	18
E917	Accident caused by hot substance, corrosive liquid and steam	20	13	11	20	28	8	20	31
E919	Accident caused by firearm	11	9	10	15	1	1	.	1
E921	Inhalation and ingestion of food, causing obstruction or suffocation	9	3	7	16	6	2	4	5
E922	Inhalation and ingestion of other object causing obstruction or suffocation	2	.	3	.	2	1	1	2
E923	Foreign body entering other orifice	1	.	1	.	2	1	2	1
E924	Accidental mechanical suffocation in bed and cradle	12	15	9	11	8	12	16	12
E925	Accidental mechanical suffocation in other and unspecified circumstances	4	7	2	6
E926	Lack of care of infants under one year of age	8	3	6	7	6	4	3	6
E927	Accidents caused by bites and stings of venomous animals and insects	1	.	.
E928	Other accidents caused by animals	6	5	5	10	1	.	1	2
E929	Accidental drowning and submersion	94	83	103	101	27	21	31	24
E932	Excessive cold	4	4	.	3	1	1	.	.
E933	Hunger, thirst and exposure	2	3	6	3	2	2	.	.

APPENDIX (contd.)

Detailed List Number	Causes of Death	Males				Females			
		1951	1952	1953	1954	1951	1952	1953	1954
E934	Cataclysm	.	.	.	1	.	.	.	1
E936	Other and unspecified accidents	23	25	23	32	15	9	10	11
E943	Post immunization jaundice and hepatitis	.	.	1
E951	Therapeutic misadventure in infusion or transfusion	1	.
E962	Late effect of other accidental injury	.	1	.	2	.	.	.	1
E965	Late effects of injuries due to war operations	2	2	.	4
E970	Suicide and self-inflicted poisoning by analgesic and soporific substances	1	1	.
E971	Suicide and self-inflicted poisoning by other solid and liquid substances	2	2	3	5	3	1	1	3
E972	Suicide and self-inflicted poisoning by gases in domestic use	.	1	1	.
E973	Suicide and self-inflicted poisoning by other gases	2	1	1	4	1	.	2	1
E974	Suicide and self-inflicted injury by hanging and strangulation	26	24	27	20	3	3	.	4
E975	Suicide and self-inflicted injury by submersion (drowning)	11	8	6	5	7	4	1	2
E976	Suicide and self-inflicted injury by firearms and explosives	8	7	7	6	.	1	.	.
E977	Suicide and self-inflicted injury by cutting and piercing instruments	10	9	6	6	2	1	4	1
E978	Suicide and self-inflicted injury by jumping from high place	1	1	.	.	.	2	2	.
E979	Suicide and self-inflicted injury by other and unspecified means	.	.	.	2	.	1	.	.
E981	Assault by firearm and explosive	.	.	1	.	1	1	1	1
E982	Assault by cutting and piercing instruments	.	1	2	.
E983	Assault by other means	5	4	6	6	1	2	3	1
E985	Execution	.	.	.	1
E991	Injury due to war operations by gunshot	2
E995	Injury due to war operations by explosion of artillery shell	1
E998	Injury due to war operations by other and unspecified means	1
E999	Injury due to war operations but occurring after cessation of hostilities	1

